

SAFETY DATA SHEET

Creation Date 11-Jan-2010 Revision Date 19-Jan-2018 Revision Number 3

1. Identification

Product Name 1,1,1-Trichloroethane, stabilized

Cat No.: C8375

CAS-No 71-55-6

Synonyms Methylchloroform

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Lab Alley, LLC 22111 Highway 71 West, Suite 601 Spicewood, Texas 78669 Tel: 512-668-9918

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Inhalation Toxicity - Vapors

Carcinogenicity

Specific target organ toxicity (single exposure)

Category 4

Category 1B

Category 3

Target Organs - Central nervous system (CNS).

Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Kidney, Liver, Cardiovascular system.

Label Elements

Signal Word

Danger

Hazard Statements

Harmful if inhaled

May cause drowsiness or dizziness

May cause cancer

May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Harms public health and the environment by destroying ozone in the upper atmosphere

May form explosive peroxides

Repeated exposure may cause skin dryness or cracking

WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
1,1,1-Trichloroethane	71-55-6	>90
1,4-Dioxane	123-91-1	5-6

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

Inhalation Move to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Obtain medical attention. If not breathing,

give artificial respiration.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms and

effects

Notes to Physician

Breathing difficulties. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting

Treat symptomatically

5. Fire-fighting measures

Revision Date 19-Jan-2018

Unsuitable Extinguishing Media No information available

Flash Point No information available Method -No information available

458 °C / 856.4 °F **Autoignition Temperature**

Explosion Limits

Upper 15.5 vol % 8.0 vol % Lower

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO2) Hydrogen chloride gas

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health **Flammability** Instability Physical hazards 2 1 0 N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment. Ensure adequate ventilation.

Do not flush into surface water or sanitary sewer system. **Environmental Precautions**

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

7. Handling and storage

Use only under a chemical fume hood. Wear personal protective equipment. Do not breathe Handling

vapors or spray mist. Do not ingest. Avoid contact with skin, eyes and clothing.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
1,1,1-Trichloroethane	TWA: 350 ppm STEL: 450 ppm	(Vacated) TWA: 350 ppm (Vacated) TWA: 1900 mg/m³ (Vacated) STEL: 450 ppm (Vacated) STEL: 2450	IDLH: 700 ppm Ceiling: 350 ppm Ceiling: 1900 mg/m³	TWA: 350 ppm TWA: 1900 mg/m³ STEL: 450 ppm STEL: 2460 mg/m³
		mg/m³ TWA: 350 ppm TWA: 1900 mg/m³		
1,4-Dioxane	TWA: 20 ppm Skin	(Vacated) TWA: 25 ppm (Vacated) TWA: 90 mg/m³ Skin TWA: 100 ppm TWA: 360 mg/m³	IDLH: 500 ppm Ceiling: 1 ppm Ceiling: 3.6 mg/m³	TWA: 25 ppm TWA: 90 mg/m³ STEL: 100 ppm STEL: 360 mg/m³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

1,1,1-Trichloroethane, stabilized

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

Personal Protective Equipment

Eve/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorsweet

Odor Threshold No information available

H Not applicable

 Melting Point/Range
 -33 °C / -27.4 °F

 Boiling Point/Range
 74 - 76 °C / 165.2 - 168.8 °F

Flash Point No information available

Evaporation Rate No information available 1.0 (Carbon Tetrachloride = 1.0)

Flammability (solid,gas)

Not applicable

Flammability or explosive limits

 Upper
 15.5 vol %

 Lower
 8.0 vol %

 Vapor Pressure
 100 mmHg @ 20°C

 Vapor Density
 4.55 (Air = 1.0)

Specific Gravity 1.33
Solubility Insoluble in water

Solubility Insoluble in water
Partition coefficient; n-octanol/water No data available
Autoignition Temperature 458 °C / 856.4 °F

Decomposition Temperature 95 °C

Viscosity 0.86 mPa.s @ 20 °C

Molecular Formula C2 H3 Cl3 Molecular Weight 133.4

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride gas

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous ReactionsNone under normal processing.

Revision Date 19-Jan-2018

11. Toxicological information

Acute Toxicity

Product Information Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
1,1,1-Trichloroethane	LD50 = 9600 mg/kg (Rat)	LD50 > 15800 mg/kg (Rabbit)	LC50 = 18000 ppm (Rat) 4 h
1,4-Dioxane	5170 mg/kg(Rat) 4200 mg/kg(Rat)	LD50 = 7600 mg/kg (Rabbit)	48.5 mg/L (Rat) 4 h

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritating to eyes and skin Irritation

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
1,1,1-Trichloroethane	71-55-6	Not listed	Not listed	Not listed	Not listed	Not listed
1,4-Dioxane	123-91-1	Group 2B	Reasonably Anticipated	A3	X	Not listed

IARC: (International Agency for Research on Cancer)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects No information available

No information available. **Reproductive Effects Developmental Effects** No information available. **Teratogenicity** No information available.

STOT - single exposure Central nervous system (CNS) STOT - repeated exposure Kidney Liver Cardiovascular system

No information available **Aspiration hazard**

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

NTP: (National Toxicity Program)

delayed

tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

12. Ecological information

Contains a substance which is:. The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
1,1,1-Trichloroethane	EC50 >669 mg/L/96h	LC50: 46 - 59 mg/L, 96h static (Oncorhynchus mykiss) LC50: 91 - 126 mg/L, 96h static (Pimephales promelas) LC50: = 69.7 mg/L, 96h static (Poecilia reticulata) LC50: = 52.9 mg/L, 96h flow-through (Poecilia reticulata) LC50: = 56 mg/L, 96h flow-through (Cyprinus carpio) LC50: 57 - 90 mg/L, 96h static (Lepomis macrochirus) LC50: 35.2 - 50.7 mg/L, 96h flow-through (Pimephales promelas)	EC50 = 105 mg/L 5 min	EC50 >530 mg/L 48h EC50: 2384 mg/L 48h
1,4-Dioxane	Not listed	LC50: = 9850 mg/L, 96h (Pimephales promelas) LC50: 10306 - 14742 mg/L, 96h static (Pimephales promelas) LC50: = 9850 mg/L, 96h flow-through (Pimephales promelas) LC50: > 10000 mg/L, 96h semi-static (Lepomis macrochirus) LC50: > 10000 mg/L, 96h static (Lepomis macrochirus)	EC50 = 610 mg/L 5 min EC50 = 668 mg/L 15 min EC50 = 733 mg/L 30 min	EC50 = 163 mg/L 48h

Persistence and Degradability

Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
1,1,1-Trichloroethane	2.46
1,4-Dioxane	-0.42

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
1,1,1-Trichloroethane - 71-55-6	U226	-
1,4-Dioxane - 123-91-1	U108	-

14. Transport information

DOT

UN-No UN2831

Proper Shipping Name 1,1,1-Trichloroethane

Hazard Class 6.1
Packing Group

TDG

UN-No UN2831

1,1,1-Trichloroethane, stabilized

Proper Shipping Name 1,1,1-TRICHLOROETHANE

Hazard Class 6.1
Packing Group

IATA

UN-No UN2831

Proper Shipping Name 1,1,1-Trichloroethane (Mixture)

Hazard Class 6.1 Packing Group III

IMDG/IMO

UN-No UN2831

Proper Shipping Name 1,1,1-Trichloroethane (Mixture)

Hazard Class 6.1 Packing Group III

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
1,1,1-Trichloroethane	Х	Χ	-	200-756-3	-		Х	Χ	Χ	Х	Χ
1,4-Dioxane	Х	Х	-	204-661-8	-		Х	Х	Х	Х	Х

Legend:

X - Listed

- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
1,1,1-Trichloroethane	71-55-6	>90	1.0
1,4-Dioxane	123-91-1	5-6	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
1,1,1-Trichloroethane	-	-	X	X

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
1,1,1-Trichloroethane	X	X	-
1,4-Dioxane	Х		-

OSHA Occupational Safety and Health Administration Not applicable

Revision Date 19-Jan-2018

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
1,1,1-Trichloroethane	1000 lb	-
1,4-Dioxane	100 lb	-

California Proposition 65

This product contains the following proposition 65 chemicals

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
1,4-Dioxane	123-91-1	Carcinogen	30 μg/day	Carcinogen

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
1,1,1-Trichloroethane	Х	X	X	X	Х
1,4-Dioxane	X	X	Х	X	X

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

	16. Other information	
Prepared By	Regulatory Affairs	

Lab Alley, LLC

Email: customerservice@laballey.com

 Creation Date
 11-Jan-2010

 Revision Date
 19-Jan-2018

 Print Date
 19-Jan-2018

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS