

## Safety Data Sheet

### d-Limonene

Version 1.4

Revision Date: 09/01/2019

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name** : d-Limonene

**Recommended use of the chemical and restrictions on use**

Recommended use : Solvent.  
Cleaner.  
Degreaser

**Manufacturer or supplier's details**

**Company** : Lab Alley LLC  
**Address** : 22111 Highway 71 West, Suite 601  
Spicewood, Texas 78669  
Tel.: 512-668-9918

**Emergency telephone number:**  
InfoTrac: 800-535-5053

---

#### SECTION 2. HAZARDS IDENTIFICATION

**GHS Classification**

Flammable liquids : Category 3  
Skin irritation : Category 2  
Eye irritation : Category 2B  
Skin sensitisation : Category 1  
Aspiration hazard : Category 1

**GHS label elements**

Hazard pictograms : 

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 + H320 Causes skin and eye irritation.  
H317 May cause an allergic skin reaction.

Precautionary statements : **Prevention:**  
P210 Keep away from heat/sparks/open flames/hot surfaces.  
No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.

## Safety Data Sheet

### d-Limonene

Version 1.4

Revision Date: 09/01/2019

P241 Use explosion-proof electrical/ ventilating/ lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

#### Hazardous components

CAS-No.	Chemical name	Weight percent
5989-27-5	d-Limonene	90 - 100

Any Concentration shown as a range is due to batch variation.

### SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.

## Safety Data Sheet

### d-Limonene

Version 1.4

Revision Date: 09/01/2019

In case of skin contact	: If symptoms persist, call a physician. : If on skin, rinse well with water.
In case of eye contact	: If on clothes, remove clothes. : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not induce vomiting without medical advice. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon oxides Acrid smoke and fumes
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

## Safety Data Sheet

### d-Limonene

Version 1.4

Revision Date: 09/01/2019

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

##### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required. In the case of vapour formation use a respirator with an approved filter.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

## Safety Data Sheet

### d-Limonene

Version 1.4

Revision Date: 09/01/2019

- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid  
Colour : clear, light yellow  
Odour : Citrus  
Odour Threshold : No data available  
pH : No data available
- Freezing Point (Melting point/range) :  
Boiling Point (Boiling point/boiling range) : 176 °C (349 °F)  
Flash point : 46 °C (115 °F)
- Evaporation rate : No data available  
Flammability (solid, gas) : No data available  
Upper explosion limit : 6.1 %(V)
- Lower explosion limit : 0.7 %(V)
- Vapour pressure : 2 mmHg @ 20 °C (68 °F)
- Relative vapour density : No data available  
Relative density : 0.84 @ 20 - 25 °C (68 - 77 °F)  
Reference substance: (water = 1)
- Density : 0.84 g/cm<sup>3</sup> @ 20 - 25 °C (68 - 77 °F)
- Water solubility : No data available  
Solubility in other solvents : No data available  
Partition coefficient: n-octanol/water : No data available  
Auto-ignition temperature : 237 °C  
Thermal decomposition : No data available

#### SECTION 10. STABILITY AND REACTIVITY

- Reactivity : No dangerous reaction known under conditions of normal use.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Vapours may form explosive mixture with air.  
Conditions to avoid : Keep away from heat, flame, sparks and other ignition sources.

## Safety Data Sheet

### d-Limonene

Version 1.4

Revision Date: 09/01/2019

Incompatible materials : Strong acids  
Strong oxidizing agents  
Hazardous decomposition products : Carbon oxides

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### Acute toxicity

###### Product:

Acute oral toxicity : Acute toxicity estimate: 4,444 mg/kg

###### Components:

###### **5989-27-5:**

Acute oral toxicity : LD50 (Rat): 4,400 mg/kg  
Assessment: The component/mixture is minimally toxic after single ingestion.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

##### Skin corrosion/irritation

###### Components:

###### **5989-27-5:**

Species: Rabbit  
Result: Irritating to skin.

##### Serious eye damage/eye irritation

###### Components:

###### **5989-27-5:**

Species: Rabbit  
Result: No eye irritation

##### Respiratory or skin sensitisation

###### Components:

###### **5989-27-5:**

Test Type: lymph node assay  
Species: Mouse  
Result: May cause sensitisation by skin contact.

## Safety Data Sheet

### d-Limonene

Version 1.4

Revision Date: 09/01/2019

#### Germ cell mutagenicity

##### Components:

##### 5989-27-5:

Genotoxicity in vitro

: Test Type: Mammalian cell gene mutation assay  
Species: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Result: negative

Genotoxicity in vivo

: Test Type: DNA damage and/or repair  
Species: Rat  
Cell type: Kidney cells  
Application Route: Oral  
Result: negative

Germ cell mutagenicity -  
Assessment

: Tests on bacterial or mammalian cell cultures did not show  
mutagenic effects.

#### Carcinogenicity

##### Components:

##### 5989-27-5:

Carcinogenicity - Assess-  
ment

: Not classifiable as a human carcinogen.

##### IARC

No component of this product present at levels greater than or  
equal to 0.1% is identified as probable, possible or confirmed  
human carcinogen by IARC.

##### OSHA

No component of this product present at levels greater than or  
equal to 0.1% is on OSHA's list of regulated carcinogens.

##### NTP

No component of this product present at levels greater than or  
equal to 0.1% is identified as a known or anticipated carcinogen  
by NTP.

##### ACGIH

No component of this product present at levels greater than or  
equal to 0.1% is identified as a carcinogen or potential carcino-  
gen by ACGIH.

#### Reproductive toxicity

##### Components:

##### 5989-27-5:

Reproductive toxicity - As-  
sessment

Fertility classification not possible from current data.

Teratogenicity - Assessment

: Embryotoxicity classification not possible from current data.

#### Aspiration toxicity

##### Components:

##### 5989-27-5:

## Safety Data Sheet

### d-Limonene

Version 1.4

Revision Date: 09/01/2019

May be fatal if swallowed and enters airways.

#### Further information

##### Product:

Remarks: Solvents may degrease the skin.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **5989-27-5:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.702 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.36 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 150 mg/l  
Exposure time: 72 h  
Test Type: static test

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0.19 mg/l  
Exposure time: 8 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.08 mg/l  
Exposure time: 21 d

Acute aquatic toxicity- Assessment : Very toxic to aquatic life.

Chronic aquatic toxicity- Assessment : Very toxic to aquatic life with long lasting effects.

#### **Persistence and degradability**

No data available

#### **Bioaccumulative potential**

##### Components:

##### **5989-27-5:**

Bioaccumulation : Bioconcentration factor (BCF): 908.5

Partition coefficient: n-octanol/water : log Pow: 4.57

log Pow: 4.38 (37 °C)  
pH: 7.2



## Safety Data Sheet

### d-Limonene

Version 1.4

Revision Date: 09/01/2019

#### Mobility in soil

No data available

#### Other adverse effects

##### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

### SECTION 14. TRANSPORT INFORMATION

#### DOT (Department of Transportation):

UN1197, Extracts, flavoring, liquid, 3, III

#### IATA (International Air Transport Association):

UN1197, EXTRACTS, FLAVOURING, LIQUID, 3, III

#### IMDG (International Maritime Dangerous Goods):

UN1197, EXTRACTS, FLAVOURING, LIQUID, 3, III, Marine Pollutant (D-LIMONENE) , Flash Point:46 °C(115 °F)

**Special Notes:** : The flash point for this material is greater than 100 F (38 C). Therefore, in accordance with 49 CFR 173.150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.

---

### SECTION 15. REGULATORY INFORMATION

**WHMIS Classification** : B3: Combustible Liquid  
D2B: Toxic Material Causing Other Toxic Effects

#### EPCRA - Emergency Planning and Community Right-to-Know Act

## Safety Data Sheet

### d-Limonene

Version 1.4

Revision Date: 09/01/2019

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

- SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard
- SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### US State Regulations

##### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

##### Pennsylvania Right To Know

5989-27-5	d-Limonene	90 - 100 %
-----------	------------	------------

##### New Jersey Right To Know

5989-27-5	d-Limonene	90 - 100 %
-----------	------------	------------

##### California Prop 65

: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

- TSCA : On TSCA Inventory
- DSL : All components of this product are on the Canadian DSL
- AICS : On the inventory, or in compliance with the inventory

## Safety Data Sheet

### d-Limonene


Version 1.4

Revision Date: 09/01/2019

NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PHIL	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

#### SECTION 16. OTHER INFORMATION

##### NFPA:



##### HMIS III:

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>3</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
 2 = Moderate, 3 = High  
 4 = Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Lab Alley Product Compliance Department.

**Revision Date** : 09/01/2019

**Legacy SDS:** : R0111643

##### Material number:

16133660, 16122015, 16120696, 16062075, 16056042, 16056014, 16056013, 16056012, 16056011, 16037740, 16013558, 763681, 728284, 554323, 554287, 554254, 554210, 554139, 508584, 504369, 139240, 104220, 103451, 103445, 103335, 102799, 87227, 87063, 86953, 86747, 70685, 70604, 70040, 69374, 55064, 54193, 20823, 20822

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effect

## Safety Data Sheet

### d-Limonene

Version 1.4

Revision Date: 09/01/2019

	Substances		Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		