

SAFETY DATA SHEET

Creation Date 26-Jun-2009

Revision Date 8-Sep-2019

Revision Number 1

1. Identification

Product Name Silver nitrate

Cat No. : C7050, C7052

Synonyms Nitric acid, silver salt.

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company

Lab Alley LLC
22111 Highway 71 West, Suite 601,
Spicewood, Texas 78669
512-668-9918

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|--|--------------|
| Oxidizing solids | Category 2 |
| Corrosive to metals | Category 1 |
| Skin Corrosion/Irritation | Category 1 B |
| Serious Eye Damage/Eye Irritation | Category 1 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Target Organs - Respiratory system. | |
| Specific target organ toxicity - (repeated exposure) | Category 2 |
| Target Organs - Liver, Kidney. | |

Label Elements

Signal Word

Danger

Hazard Statements

May intensify fire; oxidizer
May be corrosive to metals
Causes severe skin burns and eye damage
May cause respiratory irritation
May cause damage to organs through prolonged or repeated exposure

**Precautionary Statements****Prevention**

Keep only in original container
 Do not get in eyes, on skin, or on clothing
 Do not breathe dust/fume/gas/mist/vapors/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Use only outdoors or in a well-ventilated area
 Keep/Store away from clothing/ other combustible materials
 Take any precaution to avoid mixing with combustibles
 Wear protective gloves/protective clothing/eye protection/face protection

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Fire

In case of fire: Use CO₂, dry chemical, or foam for extinction

Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition / information on ingredients

| Component | CAS-No | Weight % |
|----------------|-----------|----------|
| Silver nitrate | 7761-88-8 | >95 |

4. First-aid measures

| | |
|--|---|
| General Advice | Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. |
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required. |
| Inhalation | Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Call a physician or Poison Control Center immediately. |
| Ingestion | Do not induce vomiting. Call a physician or Poison Control Center immediately. |
| Most important symptoms/effects | Causes burns by all exposure routes. . Product is a corrosive material. Use of gastric |

lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
Treat symptomatically

Notes to Physician

5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media Carbon dioxide (CO₂)

Flash Point No information available
Method - No information available

Autoignition Temperature**Explosion Limits**

Upper No data available
Lower No data available

Oxidizing Properties Oxidizer

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Corrosive Material. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood, paper, oil, clothing, etc.). Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Nitrogen oxides (NO_x)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health
3

Flammability
0

Instability
2

Physical hazards
OX

6. Accidental release measures

Personal Precautions Use personal protective equipment. Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.

Environmental Precautions Should not be released into the environment. See Section 12 for additional ecological information.

Methods for Containment and Clean Up Keep combustibles (wood, paper, oil, etc) away from spilled material. Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in suitable, closed containers for disposal. Avoid dust formation.

7. Handling and storage

Handling Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Do not breathe vapors/dust. Do not breathe dust. Keep away from clothing and other combustible materials.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------|-----------------------------|---------------------------------------|---|
| Silver nitrate | TWA: 0.01 mg/m ³ | (Vacated) TWA: 0.01 mg/m ³ | IDLH: 10 mg/m ³ TWA: 0.01 mg/m ³ |

| Component | Quebec | Mexico OEL (TWA) | Ontario TWAEV |
|----------------|-----------------------------|-----------------------------|-----------------------------|
| Silver nitrate | TWA: 0.01 mg/m ³ | TWA: 0.01 mg/m ³ | TWA: 0.01 mg/m ³ |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

| | |
|---|------------------------------|
| Physical State | Solid |
| Appearance | White |
| Odor | Odorless |
| Odor Threshold | No information available |
| pH | 5.4-6.4 10% aq solution |
| Melting Point/Range | 212 °C / 413.6 °F |
| Boiling Point/Range | 444 °C / 831.2 °F @ 760 mmHg |
| Flash Point | No information available |
| Evaporation Rate | Not applicable |
| Flammability (solid,gas) | No information available |
| Flammability or explosive limits | |
| Upper | No data available |
| Lower | No data available |
| Vapor Pressure | No information available |
| Vapor Density | Not applicable |
| Relative Density | No information available |
| Solubility | Soluble in water |
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temperature | |
| Decomposition Temperature | > 444°C |
| Viscosity | Not applicable |
| Molecular Formula | Ag N O3 |
| Molecular Weight | 169.87 |

10. Stability and reactivity

| | |
|---|--|
| Reactive Hazard | Yes |
| Stability | Oxidizer: Contact with combustible/organic material may cause fire. Light sensitive. |
| Conditions to Avoid | Avoid dust formation. Incompatible products. Excess heat. Combustible material. Exposure to light. |
| Incompatible Materials | Strong oxidizing agents, Strong reducing agents, Combustible material, Metals, Amines |
| Hazardous Decomposition Products | Nitrogen oxides (NOx) |

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|----------------|----------------------|-------------|-----------------|
| Silver nitrate | > 2000 mg/kg (Rat) | Not listed | Not listed |

Toxicologically Synergistic Products No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity . The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|----------------|-----------|------------|------------|------------|------------|------------|
| Silver nitrate | 7761-88-8 | Not listed | Not listed | Not listed | Not listed | Not listed |

IARC: (International Agency for Research on Cancer)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Mutagenic Effects Mutagenic effects have occurred in humans.

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure Liver Kidney

Aspiration hazard No information available

Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects See actual entry in RTECS for complete information.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|----------------|------------------|--------------------------------------|--|-----------------------|
| Silver nitrate | Not listed | Leuciscus idus: LC50: 0.029 mg/L/96h | Photobacterium phosphoreum: EC50: 0.038 mg/L/24h Photobacterium phosphoreum: EC50: 0.395 mg/l/15min Photobacterium phosphoreum: EC50: 0.44 mg/L/30 min as Ag++ Photobacterium phosphoreum: EC50: 0.86 mg/L/15 min as Ag++ | EC50: 0.0006 mg/L/48h |

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.
Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

| Component | log Pow |
|----------------|---------|
| Silver nitrate | 0.19 |

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1493
Proper Shipping Name SILVER NITRATE
Hazard Class 5.1
Subsidiary Hazard Class 8
Packing Group II

TDG

UN-No UN1493
Proper Shipping Name SILVER NITRATE
Hazard Class 5.1
Packing Group II

IATA

UN-No UN1493
Proper Shipping Name Silver nitrate
Hazard Class 5.1
Packing Group II

IMDG/IMO

UN-No UN1493
Proper Shipping Name Silver nitrate
Hazard Class 5.1
Packing Group II

15. Regulatory information

International Inventories

| Component | TSCA | DSL | NDSL | EINECS | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|----------------|------|-----|------|-----------|--------|-----|-------|------|------|-------|------|
| Silver nitrate | X | X | - | 231-853-9 | - | | X | X | X | X | X |

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313

| Component | CAS-No | Weight % | SARA 313 - Threshold Values % |
|-----------|--------|----------|-------------------------------|
| | | | |

| | | | |
|----------------|-----------|-----|-----|
| Silver nitrate | 7761-88-8 | >95 | 1.0 |
|----------------|-----------|-----|-----|

SARA 311/312 Hazardous Categorization

| | |
|-----------------------------------|-----|
| Acute Health Hazard | Yes |
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | Yes |

Clean Water Act

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|----------------|----------------------------|-----------------------------|------------------------|---------------------------|
| Silver nitrate | X | 1 lb | X | - |

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration
Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component | Hazardous Substances RQs | CERCLA EHS RQs |
|----------------|--------------------------|----------------|
| Silver nitrate | 1 lb | - |

California Proposition 65 This product does not contain any Proposition 65 chemicals

State Right-to-Know

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|----------------|---------------|------------|--------------|----------|--------------|
| Silver nitrate | X | X | X | X | X |

U.S. Department of Transportation

| | |
|-----------------------------|---|
| Reportable Quantity (RQ): | Y |
| DOT Marine Pollutant | N |
| DOT Severe Marine Pollutant | N |

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class C Oxidizing materials
E Corrosive material



16. Other information

Prepared By

Regulatory Affairs
Lab Alley LLC
Email: customerservice@laballey.com

Creation Date 26-Jun-2009
Revision Date 8-Sep-2019
Print Date 8-Sep-2019
Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS