

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers		
	Product name	: Tetrahydrofuran	
	CAS number	: 109-99-9	
	Synonyms	: THF	
1.2	Relevant identified uses of t	he substance or mixture and uses a	advised against
	Identified uses	: Industrial, Manufacturing or Laborator	ry use
1.3	Details of the supplier of the safety data sheet		
	Company	: Lab Alley, LLC 22111 Highway 71 West, Suite 601 Spicewood, Texas 78669 U.S.A.	
	Telephone Fax	: 512-668-9918 : 512-886-4008	
1.4	Emergency telephone		
	Emergency Phone #	: US & Canada: 1-800-535-5053 International 1-352-323-3500	INFOTRAC INFOTRAC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2) Acute toxicity, Oral (Category 4) Eye irritation (Category 2A) Carcinogenicity (Category 2) Specific target organ toxicity - single exposure (Category 3) - Respiratory system, Central nervous system,

2.2 GHS Label elements, including precautionary statements

Pictogram		
Signal Word	:	Danger
Hazard statement(s)	:	Highly flammable liquid and vapor. Harmful if swallowed. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of causing cancer.
Precautionary statement(s)	:	Prevention - Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapors. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ equipment. Isee mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Potential Health Effects:

Organ	Description			
Eyes	Causes eye irritation			
Ingestion	May be harmful if swallowed.			
Inhalation	May be harmful if inhaled. Material causes respirator tract irritation. Vapors may cause drowsiness/dizziness.			
Skin	May be harmful if absorbed through skin. Causes skin burns.			

SECTION 3: Composition/information on ingredients

3.1 Components

603-025-00-0	
UN2056	
LU5950000	
0578	
203-726-8	
r: Tetrahydrofuran/THF: 109-99-9	
	203-726-8 0578 LU5950000 UN2056

% Weight	Material	CAS
100	Tetrahydrofuran	109-99-9

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice		Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled	:	Remove person to fresh air. If signs/symptoms continue, get medical attention. Give oxygen or artificial respiration as needed.

In case of skin contact	:	Wash skin with soap and copious amounts of water. Seek medical attention.
In case of eye contact	:	Thoroughly flush the eyes with large amounts of clean low-pressure water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If irritation persists, seek medical attention.
If swallowed	:	DO NOT induce vomiting. If vomiting does occur, have victim lean forward to prevent aspiration. Rinse mouth with water. Seek medical attention. Never give anything my mouth to an unconscious individual.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2)

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable (and unsuitable)Use water spray, alcohol-resistant foam, dry chemical or carbon
dioxide.

5.2 Specific hazards arising from the substance or mixture

Carbon oxides expected to be the primary hazardous combustion product.

5.3 Special protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Keep unopened containers cool by spraying with water.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Do not inhale vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.2 Environmental precautions

Stop leak / contain spill if possible and safe to do so. Prevent product from entering drains.

6.3 Methods and materials for containment and cleaning up

Contain spill, then collect with an electrically protected vacuum cleaner or by wet-brushing and put the material into a convenient waste disposal container. Keep container closed.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Test for peroxide formation periodically and before distillation.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

8. Exposure controls/personal protection

8.1 Occupational exposure limits

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Tetrahydrofuran	109-99-9	TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	humans	animal carcinoge	n with unknown relevance to tion
		STEL	100 ppm	USA. ACGIH Threshold Limit Values (TLV)
		humans	animal carcinoge	n with unknown relevance to tion
		ST	250 ppm 735 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	200 ppm 590 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	200 ppm 590 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	200 ppm 590 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		STEL	250 ppm 735 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Tetrahydrofuran	109-99-9	Tetrahydrof uran	2 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As	soon as possi	ble after exposure cea	ses)

Derived No Effect Level (DNEL)

Application Area Routes of		Health effect	Value
	exposure		
Workers	Skin contact	Long-term systemic effects	25mg/kg BW/d
Consumers	Skin contact	Long-term systemic effects	15mg/kg BW/d
Workers	Inhalation	Long-term local effects	150 mg/m3
Workers	Inhalation	Long-term systemic effects	150 mg/m3
Consumers	Inhalation	Long-term systemic effects	62 mg/m3
Consumers	Inhalation	Acute local effects	150 mg/m3
Consumers	Inhalation	Acute systemic effects	150 mg/m3

Predicted No Effect Concentration (PNEC)

Compartment	Value	
Soil	2.13 mg/kg	
Sea water	0.432 mg/l	
Fresh water	4.32 mg/l	
Sea sediment	2.33 mg/kg	
Fresh water sediment	23.3 mg/kg	
Onsite sewage treatment plant	4.6 mg/l	

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance

Personal protective equipment

Eye/face protection

Use chemical safety goggles and/or a full face shield where splashing is possible. Use equipment approved by appropriate government standards, such as NIOSH (US) or EN166 (EU) Maintain eye wash fountain and quick-drench facilities in work area.

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Wear impervious, flame retardant, antistatic protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State Appearance Odor Odor Thresh pH Melting Point/Ran Boiling Point/Ran Flash Point Evaporation Rate Flammability (soli Flammability or ex	ge d, gas) kplosive limit	Liquid. Colorless, clear liquid. No data available. No data available. ca.7 - 8 -108.0 °C (-162.4 °F) 65.0 - 67.0 °C (149.0 - 152.6 °F) -14 °C (6° F) - Closed Cup No data available. Flammable.
Upper Lower		: 11.8% (V) : 2% (V)
Vapor Pressure 152.0 hPa (114.0 mmHg) at 15.0 °C (59.0 °F) 190.7 hPa (143.0 mmHg) at 20.0 °C (213.3 hPa (160.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (210.0 mmHg) at 25.0 °C (210.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (210.0 mmHg) at 38.0 °C (210.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (210.0 mmHg) at 38.0 °C (210.0 mmHg) at 38.0 °C (210.0 mmHg) at 25.0 °C (210.0 mmHg) at 38.0 °C) mmHg) at 25.0 °C (77.0 °F) 373.3 hPa (280.0 mmHg) at 38.0 °C (100.4 °F)

Partition coefficient; n-octanol/water Autoignition Temp Decomposition Temp Viscosity Molecular Formula Molecular Weight VOC Content(%) Oxidizing properties log Pow: 0.45 at 25 °C (77 °F) - Bio-accumulation is not expected. 321.0 °C (609.8 °F) No data available. No data available. C4H8O 72.11 g/mol No data available. Not oxidizing.

9.2 Other safety information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Formation of peroxides possible. Vapors may form explosive mixture with air.

10.2 Chemical stability

Sensitivity to light. Sensitive to air. The product is chemically stable under standard ambient conditions (room temperature). Stable under recommended storage conditions. Test for peroxide formation before distillation or evaporation. Test for peroxide formation or discard after 1 year.

10.3 Possibility of hazardous reactions

Vapors may form explosive mixture with air.

10.4 Conditions to avoid

Heat, flames and sparks. Extreme temperatures and direct sunlight.

10.5 Incompatible materials

Oxidizing agents, oxygen.

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information:

No data available for the teratogenic, mutagenic, or reproductive toxicity effects of this product.

Acute Toxicity:

LC50 (Inhalation)	Rat	21000 ppm	3h
LD50 (Dermal)	Rat	> 2000 mg/kg	
LD50 (Oral)	Rat	1650 mg/kg	
LD50 (Oral)	Guinea pig	2300 mg/kg	

Skin corrosion/irritation

Rabbit - skin irritation

Serious eye damage/eye irritation

Rabbit - Serious risk of eye damage

Respiratory or skin sensitization

Respiratory sensitization	No data available.
Skin sensitization	No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

IARC	No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by ACGIH.
NTP	No components of this product present at levels greater than or equal to 0.1% is identified
	as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available.

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Central nervous system. Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

No data available.

Aspiration hazard

No data available.

Chronic effects

No data available.

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 4 Weeks RTECS: LU5950000 Irritant effects, Cough, Shortness of breath, narcosis, somnolence. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. In high doses: somnolence, narcosis. Other dangerous properties can not be excluded. This substance should be handled with particular care. Stomach -Irregularities - Based on Human Evidence

12. Ecological information

12.1 Toxicity

Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 2,160 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 3,485 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Pimephales promelas (fathead minnow) - 216 mg/l - 33 d Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability Aerobic Biochemical oxygen demand - Exposure time 28 d Result: 39 % - Not readily biodegradable. (OECD Test Guideline 301D)

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste Disposal Methods

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Waste Residues	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before
	disposing of waste product container or residue.

Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

SECTION 14: Transport information

DOT (US) UN number: 2056 Class: 3 Proper shipping name: Tetrahydrofuran Reportable Quantity (RQ): 1000 lbs Poison Inhalation Hazard: No

Packing group: II

IMDG UN number: 2056 Class: 3 Proper shipping name: TETRAHYDROFURAN

Packing group: II

EMS-No: F-E, S-D

ΙΑΤΑ UN number: 2056 Class: 3 Proper shipping name: Tetrahydrofuran

Packing group: II

SECTION 15: Regulatory information

OSHA Hazards

Flammable liquid, Harmful by ingestion, Irritant, Target organ effect

All ingredients are on the following inventories or are exempted from listing.

Country	Notification	
Australia	AICS	
Canada	DSL	
China	IECS	
European Union	EINECS	
Japan	ENCS/ISHL	
Korea	ECL	
New Zealand	NZIoC	
Philippines	PICCS	
United States of America	TSCA	

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard Chronic Health Hazard Fire Hazard

Massachusetts Right To Know Components

Tetrahydrofuran CAS-No. 109-99-9 Revision Date 2007-03-01

Pennsylvania Right To Know Components

Tetrahydrofuran CAS-No. 109-99-9 Revision Date 2007-03-01

New Jersey Right To Know Components

Tetrahydrofuran CAS-No. 109-99-9 Revision Date 2007-03-01

California Prop 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

Issue Date	05/20/2015
Revision Date	06/14/2023

Disclaimer:

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.