

## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name            Acetic Acid, Glacial  
CAS number            64-19-7  
Synonyms                Ethanoic acid; Methanecarboxylic acid

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses            General purpose solvent.

#### 1.3 Details of the supplier of the safety data sheet

Company                    Lab Alley, LLC  
                                  12501 Pauls Valley Road  
                                  Austin, Texas 78737  
                                  U.S.A.  
  
Telephone                 512-668-9918  
Fax                            512-886-4008

#### 1.4 Emergency telephone

**Emergency Phone #**            US & Canada: 1-800-535-5053            INFOTRAC  
  International 1-352-323-3500            INFOTRAC


### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable Liquids	Category 3
Skin Corrosion/Irritation	Category 1A
Serious Eye Damage/Eye Irritation	Category 1

#### 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard statements	Flammable liquid and vapor. Causes severe skin burns and eye damage.
Precautionary statements	<p>Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash face, hands, and any exposed skin thoroughly after handling. Keep container tightly closed.</p> <p>Response: Immediately call a POISON CENTER or doctor/physician.</p> <p>IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</p> <p>IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse.</p> <p>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.</p> <p>Fire: In case of fire, use CO2, dry chemical, or foam for extinction.</p> <p>Storage: Store locked up. Store in a well-ventilated place. Keep container tightly closed.</p> <p>Disposal: Dispose of contents/container to an approved waste disposal plant.</p>

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified.

## SECTION 3: Composition/information on ingredients

### 3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Acetic acid	Ethanoic acid; Methanecarboxylic acid	64-19-7	<=100%

## SECTION 4: First aid measures

## 4.1 Description of first-aid measures

### General advice

<b>If inhaled</b>	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.
<b>In case of skin contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.
<b>In case of eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
<b>If swallowed</b>	Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue, and danger of perforation. Symptoms of overexposure may be headache, dizziness, tiredness, nausea, and vomiting.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	CO <sub>2</sub> , dry chemical, dry sand, alcohol-resistant foam.
<b>Unsuitable extinguishing media</b>	No information available.

### 5.2 Specific hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin, and mucous membranes.

Hazardous Combustion Products: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### 5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 5.4 Further information

**Flash Point** 39 °C (103°F) - Closed Cup

**Autoignition Temperature** 463°C (867°F)

### Explosion limits

**Upper** 19.9 vol %

**Lower** 4.0 vol %

**Sensitivity to Mechanical Impact** No information available.

**Sensitivity to Static Discharge** No information available.

### NFPA

Health	Flammability	Instability	Physical hazards
3	2	0	N/A

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2 Environmental precautions

Should not be released into the environment.

### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Precautions on safe handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed, seek immediate medical assistance.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Corrosives area. Keep away from heat, sparks, and flame. Keep containers tightly closed in a dry, cool, and well-ventilated place.

### Incompatibilities

Strong oxidizing agents. Strong bases. Metals.

## SECTION 8: Exposure controls/personal protection

### 8.1 Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value	
Acetic acid	(Vacated) TWA	10 ppm	25 mg/m <sup>3</sup>
	TWA	10 ppm	25 mg/m <sup>3</sup>

#### US. ACGIH Threshold Limit Values

Component	Type	Value
Acetic acid	TWA	10 ppm
	STEL	15 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value	
Acetic acid	IDLH	50 ppm	
	TWA	10 ppm	25 mg/m <sup>3</sup>
	STEL	15 ppm	37 mg/m <sup>3</sup>

#### Biological occupational exposure limits

No information available.

### 8.2 Exposure controls

#### Appropriate engineering controls

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

##### Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles, as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN 166.

##### Skin protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

### Body Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

### Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particulates filter conforming to EN 143. Acid gases filter. Type E. Yellow. Conforming to EN14387.

### Control of environmental exposure

No information available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Clear
Odor	Sharp/Vinegar
Odor Threshold	No information available
pH	2
Melting Point/Range	16°C (61 °F)
Boiling Point/Range	117.9°C (244.2°F)
Evaporation Rate	No information available
Flammability (solid)	Not applicable
Flammability or explosive limit	
Upper	19.9% (V)
Lower	4% (V)
Vapor Pressure	15.2 hPa (11.4 mmHg) at 20.0 °C
Vapor Density	2.1
Density	1.049 g/mL at 25 °C
Solubility	Miscible
Partition coefficient; n-octanol/water	log Pow: -0.17
Autoignition Temp	463 °C (867 °F)
Decomposition Temp	No information available
Viscosity	No information available
Molecular Formula	C2 H4 O2
Molecular Weight	60.05 g/mol
VOC Content(%)	No information available
Oxidizing properties	No information available

### 9.2 Other safety information

No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No information available.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

None under normal processing.

### 10.4 Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces, and sources of ignition.

### 10.5 Incompatible materials

Strong oxidizing agents, Strong bases, Metals.

### 10.6 Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Product Information, Component Information

#### Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetic acid	3310 mg/kg (Rat)	1,112 mg/kg (Rabbit)	> 40 mg/L (Rat) 4 h

#### Skin corrosion/irritation

Causes severe burns by all exposure routes.

#### Serious eye damage/eye irritation

Causes severe burns by all exposure routes.

#### Respiratory or skin sensitization

Potential to cause skin sensitisation through direct contact.

#### Germ cell mutagenicity

Not mutagenic in AMES Test.

#### Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
-----------	-----	------	-----	-------	------	--------

Acetic acid	64-19-7	Not listed	Not listed	Not listed	Not listed	Not listed
-------------	---------	------------	------------	------------	------------	------------

### Specific target organ toxicity - single exposure

None known.

### Specific target organ toxicity - repeated exposure

None known.

### Reproductive toxicity

No information available.

### Chronic effects

Ingestion causes severe swelling, severe damage to the delicate tissue, and danger of perforation. Symptoms of overexposure may be headache, dizziness, tiredness, nausea, and vomiting.

## 11.2 Additional Information

The toxicological properties have not been fully investigated.

## SECTION 12: Ecological information

### 12.1 Toxicity

Do not empty into drains.

Product		Species	Test Results
Acetic acid	LC50	Pimephales promelas	88 mg/L/96h
	LC50	Lepomis macrochirus	75 mg/L/96h
	EC50	Photobacterium phosphoreum	8.8 mg/L/5 min
	EC50	Water Flea	95 mg/L/24h

### 12.2 Persistence and degradability

Miscible with water. Persistence is unlikely based on information available.

### 12.3 Bio accumulative potential

No information available.

### 12.4 Mobility in soil

Will likely be mobile in the environment due to its water solubility.

### 12.5 Results of PBT and vPvB assessment

No information available.

### 12.6 Endocrine disrupting properties

No information available.

### 12.7 Other adverse effects

Biochemical Oxygen Demanded (BOD): 880 mg/g.



## SECTION 13: Disposal considerations

### 13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## SECTION 14: Transport information

### DOT (US)

UN-no	UN2789
Proper Shipping Name	ACETIC ACID, GLACIAL
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II

### IMDG

UN-no	UN2789
Proper Shipping Name	ACETIC ACID, GLACIAL
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II

### IATA

UN-no	UN2789
Proper Shipping Name	ACETIC ACID, GLACIAL
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II

## SECTION 15: Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**  
Not applicable.

**CERCLA Hazardous Substance List (40 CFR 302.4)**  
Listed, Acetic acid (CAS #64-19-7), RQ: 5000 lb.

**SARA 304 Emergency release notification**  
Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous**

Acute Health Hazard, Chronic Health Hazard, Fire Hazard.

**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Clean Water Act (CWA) - Hazardous Substances**

Listed, Acetic acid (CAS #64-19-7), RQ: 5000 lb.

**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

Listed, Acetic acid (CAS #64-19-7).

**US state regulations**

**US. Massachusetts RTK - Substance List**

Listed, Acetic acid (CAS #64-19-7).

**US. New Jersey Worker and Community Right-to-Know Act**

Listed, Acetic acid (CAS #64-19-7).

**US. Pennsylvania Worker and Community Right-to-Know Law**

Listed, Acetic acid (CAS #64-19-7).

**California Proposition 65**

Not listed.

**SECTION 16: Other information**

Revision date: 11/14/2024

Revision #: 5

**SECTION 17: Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.