

## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name	Acetone
CAS number	67-64-1
Synonyms	Dimethyl ketone; 2-propanone

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Laboratory chemicals.
-----------------	-----------------------

#### 1.3 Details of the supplier of the safety data sheet

Company	Lab Alley, LLC 12501 Pauls Valley Road Austin, Texas 78737 U.S.A.
Telephone	512-668-9918
Fax	512-886-4008

#### 1.4 Emergency telephone

Emergency Phone #	US & Canada: 1-800-535-5053	INFOTRAC
	International 1-352-323-3500	INFOTRAC


### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable Liquids (Category 2)  
Serious Eye Damage/Eye Irritation (Category 2)  
Specific Target Organ Toxicity - single exposure (Category 3)  
Target Organs- Central nervous system (CNS)  
Specific Target Organ Toxicity - repeated exposure (Category 2)  
Target Organs- Kidney, Liver, Spleen, Blood

## 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard statements	Highly flammable liquid and vapor Causes serious eye irritation May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure
Precautionary statements	Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection Keep cool Get medical attention/advice if you feel unwell IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention In case of fire: Use CO2, dry chemical, or foam for extinction Store in a well-ventilated place. Keep container tightly closed Store locked up Dispose of contents/container to an approved waste disposal plant

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Repeated exposure may cause skin dryness or cracking.

## SECTION 3: Composition/information on ingredients

### 3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Acetone	Dimethyl ketone; 2-propanone	67-64-1	> 99.5%

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

<b>If inhaled</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
<b>In case of skin contact</b>	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
<b>In case of eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
<b>If swallowed</b>	Rinse mouth. Get medical attention if symptoms occur.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: May cause pulmonary edema.

### 4.3 Indication of any immediate medical attention and special treatment needed

Note to Physician: Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Water spray, carbon dioxide (CO <sub>2</sub> ), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.
<b>Unsuitable extinguishing media</b>	Water may be ineffective.

### 5.2 Specific hazards arising from the substance or mixture

Flammable. Risk of ignition. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### 5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 5.4 Further information

**Flash Point** -20 °C / -4 °F (closed cup)

**Autoignition Temperature** 465 °C / 869°F

### Explosion limits

**Upper** 2.5% (V)

**Lower** 12.8% (V)

**Sensitivity to Mechanical Impact** No information available.

**Sensitivity to Static Discharge** No information available.

### NFPA

Health	Flammability	Instability	Physical hazards
2	3	0	N/A

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

### 6.2 Environmental precautions

Should not be released into the environment.

### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

### 6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Precautions on safe handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

## Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Flammables area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

### Incompatibilities

Strong oxidizing agents. Strong reducing agents. Strong bases. Peroxides. Halogenated compounds. Alkali metals. Amines.

## SECTION 8: Exposure controls/personal protection

### 8.1 Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value
Acetone	TWA	1000 ppm 2400 mg/m <sup>3</sup>

#### US. ACGIH Threshold Limit Values

Component	Type	Value
Acetone	TWA	250 ppm
	STEL	500 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value
Acetone	IDLH	2500 ppm
	TWA	250 ppm 590 mg/m <sup>3</sup>

#### Biological occupational exposure limits

No information available.

### 8.2 Exposure controls

#### Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.

#### Personal protective equipment

##### Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin protection**

Wear appropriate protective gloves.

**Body Protection**

Wear appropriate protective clothing to prevent skin exposure.

**Respiratory protection**

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Control of environmental exposure**

Do not let product enter drains.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Physical State	Liquid
Appearance	Colorless
Odor	Sweet. Alcohol-like
Odor Threshold	No information available.
pH	No information available.
Melting Point/Range	-94 °C / -137 °F
Boiling Point/Range	56 °C / 133 °F
Evaporation Rate	No information available.
Flammability (solid)	Not applicable.
Flammability or explosive limit	
Upper	2.5% (V)
Lower	12.8% (V)
Vapor Pressure	245.3 hPa (184.0 mmHg) at 20.0 °C / 68.0 °F
Vapor Density	No information available.
Density	0.791 g/cm <sup>3</sup> at 25 °C / 77 °F
Solubility	Completely soluble
Partition coefficient; n-octanol/water	No information available.
Autoignition Temp	465 °C / 869 °F
Decomposition Temp	Not pertinent
Viscosity	No information available.
Molecular Formula	C <sub>3</sub> H <sub>6</sub> O
Molecular Weight	58.08 g/mol
VOC Content(%)	No information available.
Oxidizing properties	No information available.

**9.2 Other safety information**

No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Vapors may form explosive mixture in air.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

None under normal processing.

### 10.4 Conditions to avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

### 10.5 Incompatible materials

Strong oxidizing agents, Strong reducing agents, Strong bases, Peroxides, Halogenated compounds, Alkali metals, Amines.

### 10.6 Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Formaldehyde, Methanol.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Product Information, Component Information

#### Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetone	5800 mg/kg (rat)	7426 mg/kg (guinea pig)	50100 mg/m <sup>3</sup> (rat)

#### Skin corrosion/irritation

No information available.

#### Serious eye damage/eye irritation

Irritating to eyes.

#### Respiratory or skin sensitization

No information available.

#### Germ cell mutagenicity

No information available.

#### Carcinogenicity

---

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Acetone	67-64-1	Not listed	Not listed	Not listed	Not listed	Not listed

### Specific target organ toxicity - single exposure

Central nervous system (CNS)

### Specific target organ toxicity - repeated exposure

Kidney, Liver, Spleen, Blood

### Reproductive toxicity

No information available.

### Chronic effects

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting:  
May cause pulmonary edema.

## 11.2 Additional Information

The toxicological properties have not been fully investigated.

## SECTION 12: Ecological information

### 12.1 Toxicity

Product		Species	Test Results	
Acetone	NOEC	Algae	430 mg/L	96 h
	LC50	Oncorhynchus mykiss	5540 mg/L	96 h
	LC50	Alburnus alburnus	11000 mg/L	96 h
	LC50	Leuciscus idus	11300 mg/L	48 h
	LC50	Salmo gairdneri	6100 mg/L	24 h
	EC50	Microtox	14500 mg/L	15 min
	EC50	Water flea	8800 mg/L	48 h
	EC50	Water flea	12700 mg/L	48 h
	EC50	Water flea	12600 mg/L	48 h

### 12.2 Persistence and degradability

Persistence is unlikely based on information available.

### 12.3 Bio accumulative potential

No information available.

### 12.4 Mobility in soil

Will likely be mobile in the environment due to its volatility.

### 12.5 Results of PBT and vPvB assessment

No information available.



## 12.6 Endocrine disrupting properties

No information available.

## 12.7 Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## SECTION 14: Transport information

### DOT (US)

UN-no	UN1090
Proper Shipping Name	Acetone
Hazard Class	3
Packing Group	II

### IMDG

UN-no	UN1090
Proper Shipping Name	Acetone
Hazard Class	3
Packing Group	II

### IATA

UN-no	UN1090
Proper Shipping Name	Acetone
Hazard Class	3
Packing Group	II

## SECTION 15: Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### **TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not applicable.

### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Listed, RQ: 5000 lb.

### **SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous**

See Section 2 for more information.

**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act**

Not regulated.

**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

Not listed.

**US state regulations**

**US. Massachusetts RTK - Substance List**

Listed.

**US. New Jersey Worker and Community Right-to-Know Act**

Listed.

**US. Pennsylvania Worker and Community Right-to-Know Law**

Listed.

**California Proposition 65**

Not listed.

**SECTION 16: Other information**

Issue date: 06/18/2018

Revision 1: 06/15/2023

Revision 2: 10/03/2024

**SECTION 17: Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.