

SAFETY DATA SHEET

Creation Date 29-Sep-2009	Revision Date 6-Jan-2023	Revision Number 1
	1. Identification	
Product Name	Alumina (Dry Powder/Acid/Basic/Neutral/ Polishing Gamal)	
Cat No. :	C1390	
Synonyms	Aluminum oxide; Alundum; morin dyed	
Recommended Use	Laboratory chemicals.	
Uses advised against Details of the supplier of the safety	No Information available data sheet	
Company Lab Alley, LLC 12501 Pauls Valley Road, Suite A Austin, Texas 78737 Tel.: 512-668-9918	Emergency Telephone Number Infotrac: 800-535-5053	

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data, the classification criteria are not met

Label Elements None required

Hazards not otherwise classified (HNOC)

None identified

3. Composition / information on ingredients

Component	CAS-No	Weight %
Aluminum oxide	1344-28-1	100

4. First-aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if symptoms occur.
Ingestion	Do not induce vomiting. Obtain medical attention.
Most important symptoms/effects Notes to Physician	No information available. Treat symptomatically

5. Fire-fighting measures **Unsuitable Extinguishing Media** No information available **Flash Point** Not applicable Method -No information available No information available **Autoignition Temperature Explosion Limits** Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

None known

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u></u>	Health 1	Flammability 0	Instability 1	Physical hazards N/A
		6. Accidental rel	lease measures	
	Precautions ental Precautions	Use personal protective eq See Section 12 for addition		ntilation. Avoid dust formation.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

	7. Handling and storage
Handling	Wear personal protective equipment. Ensure adequate ventilation. Avoid dust formation.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.
	8. Exposure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aluminum oxide	TWA: 1 mg/m ³	(Vacated) TWA: 10 mg/m ³	
		(Vacated) TWA: 5 mg/m ³	
		TWA: 15 mg/m ³ TWA: 5 mg/m ³	

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Aluminum oxide	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 1 mg/m ³

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties			
Physical State	Solid		
Appearance	White		
Odor	Odorless		
Odor Threshold	No information available		
рН	No information available		
Melting Point/Range	2000 °C / 3632 °F		
Boiling Point/Range	2980 °C / 5396 °F		
Flash Point	Not applicable		
Evaporation Rate	No information available		
Flammability (solid,gas)	No information available		
Flammability or explosive limits			
Upper	No data available		
Lower	No data available		
Vapor Pressure	negligible		
Vapor Density	No information available		
Relative Density	4.0 (H2O=1)		
Solubility	Insoluble in water		
Partition coefficient; n-octanol/water	No data available		
Autoignition Temperature	No information available		
Decomposition Temperature	No information available		
Viscosity	No information available		
Molecular Formula	AI2O3		
Molecular Weight	101.96		

10. Stability and reactivity

Reactive Hazard

None known, based on information available

Stability	Stable under normal conditions. Hygroscopic.
Conditions to Avoid	Incompatible products.
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Product	s None under normal use conditions
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.
	11. Toxicological information

Acute Toxicity

Component			LD50 Oral LD50		LC50	LC50 Inhalation	
Aluminum oxide		> 5000 mg/kg (Rat) (OECD Guideline 401)		Not listed	> 2.3 mg/l 4 h (OECD Guideline		
Toxicologically Synergistic		No information available					
Products							
Delayed and immedia	ate effects as w	ell as chronic effec	cts from short an	d long-term expo	osure		
Irritation No information available							
Sensitization		No information available					
Carcinogenicity		The table below indicates whether each agency has listed any ingredient as a ca				as a carcinoge	
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Aluminum oxide	1344-28-1	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information ava	ilable		•		
Reproductive Effects		No information ava	ilable.				
Developmental Effects		No information available.					
Teratogenicity	togenicity No information available.						
STOT - single exposure STOT - repeated exposure		None known None known					
Aspiration hazard	iration hazard No information available						
Symptoms / effects,both acute and No		No information available					
delayed Endocrine Disruptor	Information	n No information available					
Other Adverse Effect	S	The toxicological p	roperties have not	been fully investig	gated.		

Ecotoxicity Do not empty into drains.

Persistence and Degradability Bioaccumulation/ Accumulation	No information available No information available.

Mobility

No information available.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and

national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information	
DOT	Not regulated	
DOT TDG IATA	Not regulated	
ΙΑΤΑ	Not regulated	
IMDG/IMO	Not regulated	
	15. Regulatory information	

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Aluminum oxide	Х	Х	-	215-691-6	-		Х	Х	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Not applicable

SARA 313	Not applicabl	e		
	Component	CAS-No	Weight %	SARA 313 - Threshold Values %
	Aluminum oxide	1344-28-1	100	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act Not applicable **Clean Air Act** Not applicable

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Aluminum oxide	Х	Х	Х	-	X
J.S. Department of Trar	nsportation				
Reportable Quantity (RQ)): N				
OT Marine Pollutant	N				
OOT Severe Marine Pollu	itant N				
J.S. Department of Hom This product does not cor		ıls.			
Other International Reg	ulations				
Mexico - Grade	No inform	nation available			
				blied Products Re	gulations (CPR) and
WHMIS Hazard Class	he information requir	ed by the CPR			gulations (CPR) and
he MSDS contains all th WHMIS Hazard Class	he information requir	ed by the CPR trolled 16. Other in			gulations (CPR) and
he MSDS contains all the MSDS contains all the MSDS contains all the second s	he information require Non-con Regulato	ed by the CPR trolled 16. Other in ory Affairs			
he MSDS contains all th	he information requir Non-con Regulato Lab Alley	ed by the CPR trolled 16. Other in ory Affairs	formation		
he MSDS contains all th VHMIS Hazard Class Prepared By	he information require Non-con Regulato Lab Alley Email: ci	ed by the CPR trolled 16. Other in ory Affairs / LLC ustomerservice@lat	formation		
he MSDS contains all th VHMIS Hazard Class Prepared By Creation Date	he information require Non-con Regulato Lab Alley Email: ci 29-Sep-2	ed by the CPR trolled 16. Other in ory Affairs / LLC ustomerservice@lat	formation		
he MSDS contains all th VHMIS Hazard Class Prepared By Creation Date Revision Date	he information require Non-con Regulato Lab Alley Email: ct 29-Sep-2 6-Jan-20	ed by the CPR trolled 16. Other in ory Affairs / LLC ustomerservice@lat 2009 23	formation		
he MSDS contains all th	he information require Non-con Regulato Lab Alley Email: ci 29-Sep-2 6-Jan-20 6-Jan-20 This doc replacing	ed by the CPR trolled 16. Other in ory Affairs / LLC ustomerservice@lat 2009 23 23 ument has been up g the current legislat	formation	ne US OSHA HazC 0.1200 to align witl	com 2012 Standard h the Globally

End of SDS