

## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name Antimony(III) sulfide

CAS number 1345-04-6

Synonyms Antimony trisulfide

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals.

#### 1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC  
12501 Pauls Valley Road  
Austin, Texas 78737  
U.S.A.

Telephone 512-668-9918

Fax 512-886-4008

#### 1.4 Emergency telephone

**Emergency Phone #** US & Canada: 1-800-535-5053 INFOTRAC  
International 1-352-323-3500 INFOTRAC

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture


##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Carcinogenicity Category 2

Specific target organ toxicity - (repeated exposure) Category 2

Combustible dust Yes

#### 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Warning
Hazard statements	May form combustible dust concentrations in air. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements:	
Prevention	Obtain special instruction before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray.
Response	IF exposed or concerned: Get medical attention/advice.
Storage	Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Disposal	Dispose of contents/container to an approved waste disposal plant

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified.

## SECTION 3: Composition/information on ingredients

### 3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Antimony sulfide	Antimony trisulfide	1345-04-6	>95%

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

<b>If inhaled</b>	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
<b>In case of skin contact</b>	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
<b>In case of eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

**If swallowed** Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

#### 4.2 Most important symptoms and effects, both acute and delayed

None reasonable foreseeable.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing media** Water spray. Carbon dioxide. Dry chemical. Chemical foam.

**Unsuitable extinguishing media** No information available.

#### 5.2 Specific hazards arising from the substance or mixture

Dust can form an explosive mixture with air. Fine dust dispersed in air may ignite. Hazardous combustion products: Sulfur oxides, sulfides, antimony, antimony oxide.

#### 5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 5.4 Further information

**Flash Point** No data available.

**Autoignition Temperature** No information available.

##### Explosion limits

**Upper** No data available.  
**Lower** No data available.  
**Sensitivity to Mechanical Impact** No information available.  
**Sensitivity to Static Discharge** No information available.

##### NFPA

Health	Flammability	Instability	Physical hazards
2	1	0	N/A

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

## 6.2 Environmental precautions

Should not be released into the environment. See Section 12 for additional. Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

## 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

See section 2 for full list of hazard and precaution statements.

# SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

### Precautions on safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Incompatible Materials.

### Incompatibilities

Acids, strong oxidizing agents.

# SECTION 8: Exposure controls/personal protection

## 8.1 Occupational exposure limits

### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value
Antimony sulfide	(Vacated) TWA	0.5 mg/m <sup>3</sup>

### US. ACGIH Threshold Limit Values

Component	Type	Value
Antimony sulfide	TWA	0.5 mg/m <sup>3</sup>

### US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value
-----------	------	-------

Antimony sulfide	IDLH	50 mg/m <sup>3</sup>
	TWA	0.5 mg/m <sup>3</sup>

### Biological occupational exposure limits

No information available.

## 8.2 Exposure controls

### Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

### Personal protective equipment

#### Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

#### Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

#### Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN149. Use a NIOSH/MSHA or European Standard EN149 approved respiratory if exposure limits are exceeded or if irritation or other symptoms are experienced.

#### Control of environmental exposure

No information available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State	Powder Solid
Appearance	White
Odor	Odorless
Odor Threshold	No information available
pH	No information available
Melting Point/Range	656 °C / 1212.8 °F
Boiling Point/Range	1550 °C / 2822 °F @ 760 mmHg
Evaporation Rate	No information available
Flammability (solid)	No information available
Flammability or explosive limit	
Upper	No data available
Lower	No data available

Vapor Pressure	1.3 hPa @ 574 °C
Vapor Density	No information available
Density	No information available
Solubility	Slightly soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temp	No information available
Decomposition Temp	No information available
Viscosity	No information available
Molecular Formula	O3Sb2
Molecular Weight	291.42
VOC Content(%)	No information available
Oxidizing properties	No information available

## 9.2 Other safety information

No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None known, based on information available.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

None under normal processing.

### 10.4 Conditions to avoid

Avoid dust formation. Incomptaible products. Excess heat.

### 10.5 Incompatible materials

Strong acids, strong bases, reducing agent, strong oxidizing agents.

### 10.6 Hazardous decomposition products

Antimony oxide.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Product Information, Component Information

#### Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Antimony trioxide	>34600 mg/kg (rat)	>2000 mg/kg (rabbit)	>5.2 mg/L (rat) 4h
Lead monoxide	>10000 mg/kg (rat)	>2000 mg/kg (rat)	>5.05 mg/L (rat) 4h
Arsenic trioxide	20 mg/kg (rat)	-	-

#### Skin corrosion/irritation

May cause skin irritation.

**Serious eye damage/eye irritation**

May cause eye irritation.

**Respiratory or skin sensitization**

May cause respiratory tract irritation.

**Germ cell mutagenicity**

No information available.

**Carcinogenicity**

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Antimony trioxide	1309-64-4	Group 2B	Reasonably Anticipated	A2	X	A2
Lead monoxide	1317-36-8	Group 2A	Reasonably Anticipated	A3	X	Not listed
Arsenic trioxide	1327-53-3	Group 1	Known	A1	X	A1

**Specific target organ toxicity - single exposure**

None known

**Specific target organ toxicity - repeated exposure**

None known

**Reproductive toxicity**

No information available.

**Chronic effects**

No information available.

**11.2 Additional Information**

No information available.

**SECTION 12: Ecological information**

**12.1 Toxicity**

Product		Species	Test Results
Antimony trioxide	EC50	Pseudokirshneriella subcapitata	0.65 - 0.81 mg/L 96h
	EC51	Pseudokirshneriella subcapitata	0.63 - 0.8 mg/L 72 h
	LC50	Brachydanio rerio	>1000 mg/L 96 h
	EC50	Microtox	>3.5 mg/L 7 h
	EC51	Daphnia magna	361.5 - 496.0 mg/L 48 h
	EC52	Daphnia magna	>1000 mg/L 48 h
Lead monoxide	LC50	Pimephales promelas	0.3 mg/L 96h
	EC50	Water Flea	0.13 mg/L 48 h
	LC50	Pimephales promelas	135 mg/L 96 h

Arsenic trioxide	LC51	Oncorhynchus mykiss	>1000 mg/L 96 h
	LC52	Oncorhynchus mykiss	18.8 - 21.4 mg/L 96 h
	EC50	Microtox	31.43 mg/L 60 min
	EC51	Microtox	33.39 mg/L 30 min
	EC52	Microtox	43.56 mg/L 15 min
	EC53	Microtox	73.73 mg/L 5 min
	EC54	Water Flea	0.038 mg/L 24 h
	EC55	Water Flea	0.96 mg/L 96 h
	EC56	Water Flea	0.038 ng/L 24 h

### 12.2 Persistence and degradability

Based on information available. May persist insoluble in water.

### 12.3 Bio accumulative potential

No information available.

### 12.4 Mobility in soil

Will likely be mobile in the environment due to its water solubility. Is not likely mobile in the environment due its low water solubility. Low Pow: 18.1

### 12.5 Results of PBT and vPvB assessment

No information available.

### 12.6 Endocrine disrupting properties

No information available.

### 12.7 Other adverse effects

The toxicological properties have not been fully investigated.

## SECTION 13: Disposal considerations

### 13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## SECTION 14: Transport information

#### DOT (US)

Not regulated.

#### IMDG

Not regulated.

#### IATA

Not regulated.



## SECTION 15: Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not listed.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Listed (ANTIMONY TRIOXIDE) 1000 lb, 454 kg

Listed (ARSENIC TRIOXIDE) 1 lb, 0.454 kg

**SARA 304 Emergency release notification**

Not listed.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Listed (LEAD MONOXIDE) 30 µg/m<sup>3</sup> Action Level, 50 µg/m<sup>3</sup> TWA

Listed (ARSENIC TRIOXIDE) 10 µg/m<sup>3</sup> TWA, 5 µg/m<sup>3</sup> Action Level

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**SARA 313 (TRI reporting)**

Listed.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting thresholds
Antimony trioxide	1309-64-4	>95	1.0 %	-
Lead monoxide	1317-36-8	<0.1	> 0 %	RT = 100 lb
Arsenic trioxide	1327-53-3	<0.1	0.1 %	-

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Listed, (ANTIMONY TRIOXIDE)

Listed, (LEAD MONOXIDE)

Listed, (ARSENIC TRIOXIDE)

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not listed.

**Safe Drinking Water Act**

Listed, (ANTIMONY TRIOXIDE) Hazardous Substances, Reportable Quantities: 1000 lb, Toxic Pollutants.

Listed, (LEAD MONOXIDE) Toxic Pollutants.

Listed, (ARSENIC TRIOXIDE) Hazardous Substances, Reportable Quantities: 1 lb, Toxic Pollutants.

**FEMA Priority Substances Respiratory Health and Safety in the Flavor  
Manufacturing Workplace**

Not listed

**US state regulations**

**US. Massachusetts RTK - Substance List**

Listed (ANTIMONY TRIOXIDE)

Listed (LEAD MONOXIDE)

Listed (ARSENIC TRIOXIDE)

**US. New Jersey Worker and Community Right-to-Know Act**

Listed (ANTIMONY TRIOXIDE)

Listed (LEAD MONOXIDE)

Listed (ARSENIC TRIOXIDE)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Listed (ANTIMONY TRIOXIDE)

Listed (LEAD MONOXIDE)

Listed (ARSENIC TRIOXIDE)

**California Proposition 65**

Listed (ANTIMONY TRIOXIDE) Carcinogen

Listed (LEAD MONOXIDE) Carcinogen

Listed (ARSENIC TRIOXIDE) Carcinogen: 0.06 µg/day, Developmental:  
10 µg/day

**SECTION 16: Other information**

Issue date: 07/26/2024

Revision: 0

**SECTION 17: Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.