

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifiers** Product name Chloroform, stabilized with ethanol CAS number 67-66-3 Synonyms Formyl trichloride; Methane trichloride; Methenyl trichloride 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses Laboratory chemicals. 1.3 Details of the supplier of the safety data sheet Lab Alley, LLC 12501 Company Pauls Valley Road Austin, Texas 78737 U.S.A. 512-668-9918 512-886-4008 Telephone Fax 1.4 **Emergency telephone Emergency Phone #** US & Canada: 1-800-535-5053 **INFOTRAC** International 1-352-323-3500 **INFOTRAC**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

| Acute Oral Toxicity | Category 4 |
|-----------------------------------|------------|
| Acute Inhalation Toxicity | Category 3 |
| Skin Corrosion/Irritation | Category 2 |
| Serious Eye Damage/Eye Irritation | Category 2 |
| Carcinogenicity | Category 2 |
| Reproductive Toxicity | Category 2 |

| Specific Target Organ Toxicity (single exposure) | Category 3 |
|--|------------|
| Target Organ(s) - Respiratory system, Central nervous syst | em (CNS) |
| Specific Target Organ Toxicity (repeated exposure) | Category 2 |
| Target Organ(s) - Heart, Liver, Kidney, Blood | |
| Short-term (Acute) Aquatic Hazard | Category 3 |

2.2 GHS Label elements, including precautionary statements

| Pictogram |
|-----------|
|-----------|



Signal Word Danger

Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Toxic if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of causing cancer. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure. Harmful to aquatic life.

Precautionary Prevention: Obtain special instructions before use. Do not handle until all safety statements precautions have been read and understood. Use personal protective equipment as required. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink, or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear eye/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment. Response: IF exposed or concerned, get medical attention/advice. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

2.3 Hazardsnototherwiseclassified(HNOC)ornotcovered by GHS

WARNING: Cancer - https://www.p65warnings.ca.gov/.

SECTION 3: Composition/information on ingredients

3.1 Components

| Chemical name | Common name and synonyms | CAS number | Concentration |
|---------------|--|------------|---------------|
| Chloroform | Formyl trichloride; Methenyl trichloride | 67-66-3 | >98% |
| Ethanol | Ethyl alcohol; EtOH | 64-17-5 | <2% |

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

| If inhaled | Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. |
|-------------------------|--|
| In case of skin contact | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required. |
| In case of eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Seek medical advice. |
| If swallowed | Do NOT induce vomiting. Call a physician or poison control center immediately. |

4.2 Mostimportantsymptomsandeffects, bothacuteanddelayed

Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing. May cause decreases in blood pressure and other cardiac effects. Symptoms may be delayed.

4.3 Indication of any immediate medical attention and special treatment needed Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable extinguishing media No information available.

5.2 Specific hazards arising from the substance or mixture

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Hazardous Combustion Products: Carbon monoxide (CO). Carbon dioxide (CO2). Phosgene. Hydrogen chloride gas.

5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

5.4 Further information

| Flash Poin | h Point No information available. | | | | |
|-------------|-----------------------------------|-----------------------------------|-------------|------------------------|------|
| Autoignitic | on Temperat | erature No information available. | | | |
| Explosion | limits | | | | |
| | Upper | No data a | available. | | |
| | Lower | No data a | available. | | |
| | Sensitivity | to Mechanical Im | pact | No information availa | ble. |
| | Sensitivity | to Static Discharg | ge | No information availal | ole. |
| | NFPA | | - | | |
| | Health | Flammability | Instability | Physical hazards | |
| | 2 | 1 | 1 | N/A | |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

6.2 Environmental precautions

Should not be released into the environment.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions on safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed, seek immediate medical assistance.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep containers tightly closed in a dry, cool, and well-ventilated place. Protect from direct sunlight. Store under an inert atmosphere. Protect from moisture.

Incompatibilities

Strong oxidizing agents. Alkali metals. Aluminium. Acetone.

SECTION 8: Exposure controls/personal protection

8.1 Occupational exposure limits

| Component | Туре | Value | |
|------------|-------------------------------|----------|------------|
| Chloroform | (Vacated) TWA | 2 ppm | 9.78 mg/m3 |
| | Ceiling 50 ppm 240 m | | 240 mg/m3 |
| Ethanol | (Vacated) TWA 1000 ppm 1900 m | | 1900 mg/m3 |
| Luidioi | TWA | 1000 ppm | 1900 mg/m3 |

US.OSHATable Z-1 LimitsforAir Contaminants(29CFR 1910.1000)

US.ACGIHThreshold LimitValues

| Component | Туре | Value |
|------------|------|----------|
| Chloroform | TWA | 10 ppm |
| Ethanol | STEL | 1000 ppm |

US.NIOSH:Pocket GuidetoChemical Hazards

| Component | Туре | Value | |
|------------|------|---------------------|--|
| Chloroform | IDLH | 500 ppm | |
| | STEL | 2 ppm 9.78 mg/m3 | |
| Ethanol | IDLH | 3300 ppm | |
| Endior | TWA | 1000 ppm 1900 mg/m3 | |

Biological occupational exposure limits

No information available.

8.2 Exposure controls

Appropriate engineering controls

Useonlyunder a chemical fumehood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Body Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory protection

Followthe OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Control of environmental exposure

Avoid release to theenvironment.Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses, or onto the ground.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical State | Liquid |
|---------------------|--------------------------|
| Appearance | Colorless |
| Odor | Sweet |
| Odor Threshold | No information available |
| рH | No information available |
| Melting Point/Range | -83.2 °F (-64 °C) |
| Boiling Point/Range | 141.8 °F (61 °C) |
| Evaporation Rate | No information available |

| Flammability (solid) Flammability or explosive limit Upper | Not applicable No data available |
|---|--|
| Lower Vapor Pressure Vapor Density Density Solubility Partition coefficient; n-octanol/water Autoignition Temp Decomposition Temp Viscosity Molecular Formula Molecular Weight VOC Content(%) Oxidizing properties | 160 mmHg (68 °F (20 °C)) 4.12 - (Air = 1.0) 1.492 (77 °F (25 °C)) Soluble No data available No information available Distillable in an undecomposed state at normal pressure No information available CHCl3 119.38 g/mol No information available Noinformation available |

9.2 Other safety information

Noinformationavailable.

SECTION 10: Stability and reactivity

10.1 Reactivity

Noinformation available.

10.2Chemical stability

Stableundernormalconditions. Unstable upon depletion of inhibitor. Light sensitive.

10.3 Possibility of hazardous reactions

Noneundernormalprocessing.

10.4 Conditions to avoid

Incompatibleproducts.Heat, flames and sparks. Excess heat. Exposure to light. Protect from moisture.

10.5 Incompatible materials

Strongoxidizingagents, Alkali metals, Aluminium, Acetone.

10.6Hazardous decomposition products

Carbonmonoxide(CO), Carbondioxide(CO2), Phosgene, Hydrogen chloride gas.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|------------|---|--------------------|---|
| Chloroform | 908 mg/kg (Rat) 695 mg/kg (Rat) 450 mg/kg (Rat) | > 20 g/kg (Rabbit) | 10.5 mg/L (Rat) 4 h |
| Ethanol | 10470 mg/kg (Rat) 3450 mg/kg (Mouse) | - | 20000 ppm/10H (Rat) 117-125 mg/L (Rat) 4 h |

Skin corrosion/irritation

Irritating to skin.

Serious eye damage/eye irritation

Irritating to eyes.

Respiratory or skin sensitization

Noinformation available.

Germ cell mutagenicity

Noinformation available.

Carcinogenicity

| / / | 1 | i | | | | |
|------------|---------|------------|---------------------------|-------|------------|--------|
| Component | CAS | IARC | NTP | ACGIH | OSHA | Mexico |
| | | _ | | | | |
| Chloroform | 67-66-3 | Group 2B | Reasonably Anticipated | A3 | х | A3 |
| Ethanol | 64-17-5 | Not listed | Known | A3 | Not listed | A3 |

Specific target organ toxicity - single exposure

Respiratory system, Central nervous system (CNS).

Specific target organ toxicity - repeated exposure

Heart, Liver, Kidney, Blood.

Reproductive toxicity

Suspectedofdamagingfertility or the unborn child.

Chronic effects

Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing. May cause decreases in blood pressure and other cardiac effects. Symptoms may be delayed.

11.2 AdditionalInformation

Tumorigenic effects have been reported in experimental animals. See actual entry in RTECS for complete information.

SECTION 12: Ecological information

12.1 Toxicity

Do not empty into drains. Harmful to aquatic organisms; may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

| Product | | Species | Test Results | |
|------------|------|----------------------------|--|--|
| | EC50 | Freshwater Algae | 560 mg/L/48h | |
| | LC50 | Poecilia reticulata | 300 mg/L/96h static | |
| Chloroform | LC50 | Lepomis macrochirus | 18 mg/L/96h flow-through | |
| | LC50 | Oncorhynchus mykiss | 18 mg/L/96h flow-through | |
| | LC50 | Pimephales promelas | 71 mg/L/96h flow-through | |
| | EC50 | Photobacterium phosphoreum | 520 mg/L/5 min 670 mg/L/15 min 670 mg/L/30 min | |
| | EC50 | Water Flea | 28.9 mg/L/48h | |
| | EC50 | Chlorella vulgaris | 275 mg/L/72h | |
| | LC50 | Pimephales promelas | 14200 mg/l/96h | |
| Ethanol | EC50 | Photobacterium phosphoreum | 34634 mg/L/30 min 35470 mg/L/5 min | |
| | EC50 | Water Flea | 9268 mg/L/48h 10800 mg/L/24h | |

12.2 Persistenceanddegradability

Persistence is unlikely based on information available.

12.3 Bioaccumulativepotential

No information available.

12.4 Mobilityinsoil

Will likely be mobile in the environment due to its volatility.

12.5ResultsofPBTandvPvB assessment

No information available.

12.6 Endocrinedisruptingproperties

No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

|--|

U044

SECTION 14: Transport information

DOT (US)

| UN-no | UN1888 |
|----------------------|------------|
| Proper Shipping Name | CHLOROFORM |
| Hazard Class | 6.1 |
| Packing Group | III |
| | |
| IMDG | |

| UN-no | UN1888 |
|----------------------|------------|
| Proper Shipping Name | CHLOROFORM |
| Hazard Class | 6.1 |
| Packing Group | III |

IATA

| UN-no | UN1888 |
|----------------------|------------|
| Proper Shipping Name | CHLOROFORM |
| Hazard Class | 6.1 |
| Packing Group | III |

SECTION 15: Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section12(b)Export Notification (40 CFR 707, Subpt. D)

Not applicable.

CERCLA HazardousSubstanceList(40CFR302.4)

Listed, Chloroform (CAS #67-66-3), RQ: 10 lb.

SARA 304Emergencyreleasenotification

Listed, Chloroform (CAS #67-66-3), RQ: 10 lb.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302Extremelyhazardoussubstance

Listed, Chloroform (CAS #67-66-3), TPQ: 10000 lb.

SARA 311/312Hazardous See Section 2 for more information.

SARA 313(TRIreporting)

Listed, Chloroform (CAS #67-66-3).

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Listed, Chloroform (CAS #67-66-3).

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Listed, Chloroform (CAS #67-66-3),TQ: 20000 lb.

Safe Drinking Water Act

Containscomponent(s) regulated under the Safe Drinking Water Act.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Listed, Ethanol (CAS #64-17-5).

US state regulations

US. Massachusetts RTK - Substance List

Listed, Chloroform(CAS#67-66-3). Listed, Ethanol (CAS #64-17-5).

US. New Jersey Worker and Community Right-to-Know Act

Listed, Chloroform(CAS#67-66-3). Listed, Ethanol (CAS #64-17-5).

US. Pennsylvania Worker and Community Right-to-Know Law

Listed, Chloroform(CAS#67-66-3). Listed, Ethanol (CAS #64-17-5).

California Proposition 65

Listed, Chloroform (CAS #67-66-3). Listed, Ethanol (CAS #64-17-5).

SECTION 16: Other information

Issue date: 01/22/2019 Revision 1: 08/09/2023 Revision 2: 11/13/2024 Revision 3: 06/24/2025

SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.