

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name Ethanol 190 Proof (95%) w/ Lavender Oil

CAS number N/A

Synonyms N/A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses General uses.

1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC

12501 Pauls Valley Road Austin, Texas 78737

U.S.A.

Telephone 512-668-9918 Fax 512-886-4008

1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC

International 1-352-323-3500 INFOTRAC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Serious Eye Damage/Eye IrritationCategory 2Skin SensitizationCategory 1Flammable LiquidsCategory 2

2.2 GHS Label elements, including precautionary statements

Laballey.com Page 1 of 10

Pictogram



Signal Word Danger

Hazard statements Highly flammable liquid and vapor.

May cause an allergic skin reaction.

Causes serious eye irritation.

Precautionary statements

Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Fire: In case of fire, use sand, Carbon dioxide, or powder extinguisher to extinguish.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container to industrial combustion plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified.

SECTION 3: Composition/information on ingredients

3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Ethanol	Ethyl alcohol; EtOH	64-17-5	>=90%
Water	Aqua; H2O	7732-18-5	1-5%
Lavender Oil	-	8000-28-0	1-5%

SECTION 4: First aid measures

4.1 Description of first-aid measures

Laballey.com Page 2 of 10

General advice

If breathing is irregular or stopped, immediately seek medical assistance and

start first aid actions. Provide fresh air.

In case of skin contact Wash with plenty of soap and water.

In case of eye contact Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate

copiously with clean, fresh water for at least 10 minutes, holding the eyelids

apart.

If swallowed Rinse mouth with water (only if the person is conscious). Do NOT induce

vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still, and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray, BC-powder, Carbon dioxide (CO2).

Unsuitable extinguishing media Water jet.

5.2 Specific hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Hazardous combustion products: Carbon monoxide (CO), Carbon dioxide (CO2).

5.3 Special protective equipment and precautions for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

5.4 Further information

Laballey.com Page 3 of 10

Flash Point 9.7 °C at 1,013 hPa

Autoignition Temperature 455 °C

Explosion limits

Upper No data available.Lower No data available.

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

NFPA

Health	Flammability	Instability	Physical hazards
2	3	0	N/A

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases. Remove persons to safety.

6.2 Environmental precautions

Keep away from drains, surface, and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and materials for containment and cleaning up

Cover drains. Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder. Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements. For disposal see Section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions on safe handling

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition. No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Laballey.com Page 4 of 10

Hygiene measures

Wash hands after use. Do not eat, drink, or smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink, and animal feedings.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight. Keep away from sources of ignition. No smoking. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Take precautionary measures against static discharge.

Incompatibilities

Ignition sources.

SECTION 8: Exposure controls/personal protection

8.1 Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Va	lue
Ethanol	PEL-TWA	1000 ppm	1900 mg/m3

US. ACGIH Threshold Limit Values

Component	Туре	Value
Ethanol	STEL	1000 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Component	Туре	Value	
Ethanol	IDLH	3300 ppm	
Ethanol	TWA	1000 ppm	1900 mg/m3

Biological occupational exposure limits

No information available.

8.2 Exposure controls

Appropriate engineering controls

General ventilation. Individual protection measures (personal protective equipment).

Personal protective equipment

Eye/face protection

Wear eye/face protection. Use safety goggle with side protection. Wear faceshield.

Laballey.com Page 5 of 10

Skin protection

Wear suitable, chemical-resistant gloves.

Body Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Control of environmental exposure

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State Liquid Appearance Clear

Odor Characteristic

Odor Threshold
pH
No information available
800 at 1,013 hPa
Evaporation Rate
No information available

Flammability (solid) Not applicable
Flammability or explosive limit No data available

Upper

Lower

Vapor Pressure

Vapor Density

Density

Solubility

Partition coefficient:

169.3 hPa at 25 °C

No information available

No information available

No information available

n-octanol/water

Autoignition Temp 455 °C

Decomposition Temp

Viscosity

No information available

No information available

Molecular Formula N/A Molecular Weight N/A

VOC Content(%) No information available

Oxidizing properties None

9.2 Other safety information

No information available.

SECTION 10: Stability and reactivity

Laballey.com Page 6 of 10

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. If heated: Risk of ignition.

10.2 Chemical stability

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

10.5 Incompatible materials

Ignition sources.

10.6 Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethanol	10470 mg/kg (Rat)	-	117-125 mg/L/4h (Rat)

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Ethanol	64-17-5	Not listed				

Laballey.com Page 7 of 10

Specific target organ toxicity - single exposure

None known.

Specific target organ toxicity - repeated exposure

None known.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Chronic effects

No information available.

11.2 Additional Information

No information available.

SECTION 12: Ecological information

12.1 Toxicity

Product		Species	Test Results
	EC10 EC50	Freshwater Algae Freshwater Algae	11.5 mg/L, 72 hours 275 mg/L, 72 hours
Ethanol	LC50 NOEC	Freshwater Fish Freshwater Fish	11200 mg/L, 24 hours 250 mg/L
Ешапо	EC50	Freshwater Invertebrate Marine Invertebrate	5012 mg/L, 48 hours 857 mg/L, 48 hours
	NOEC	Freshwater Invertebrate Marine Invertebrate	9.6 mg/L, 10 days 79 mg/L, 96 hours

12.2 Persistence and degradability

No information available.

12.3 Bio accumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

Laballey.com Page 8 of 10

SECTION 13: Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

SECTION 14: Transport information

DOT (US)

UN-no UN1987

Proper Shipping Name Alcohol, n.o.s. (denatured ethanol)

Hazard Class 3 Packing Group II

IMDG

UN-no UN1987

Proper Shipping Name Alcohol, n.o.s. (denatured ethanol)

Hazard Class 3
Packing Group II

IATA

UN-no UN1987

Proper Shipping Name Alcohol, n.o.s. (denatured ethanol)

Hazard Class 3
Packing Group II

SECTION 15: Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not applicable.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Laballey.com Page 9 of 10

Not listed.

SARA 311/312 Hazardous

See Section 2 for more information.

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Listed, Ethanol (CAS #64-17-5).

US state regulations

US. Massachusetts RTK - Substance List

Listed, Ethanol (CAS #64-17-5).

US. New Jersey Worker and Community Right-to-Know Act

Listed, Ethanol (CAS #64-17-5).

US. Pennsylvania Worker and Community Right-to-Know Law

Listed, Ethanol (CAS #64-17-5).

California Proposition 65

Listed, Ethanol (CAS #64-17-5).

SECTION 16: Other information

Issue date: 12/28/2023 Revision 1: 11/18/2024

SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Laballey.com Page 10 of 10