

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	Ethanol 200 Proof (100%) w/ Eucalyptus Oil
CAS number	See Section 3
Synonyms	Specially Denatured Ethyl Alcohol With Eucalyptus Oil

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	General uses.
-----------------	---------------

1.3 Details of the supplier of the safety data sheet

Company	Lab Alley, LLC 12501 Pauls Valley Road Austin, Texas 78737 U.S.A.
Telephone	512-668-9918
Fax	512-886-4008

1.4 Emergency telephone

Emergency Phone #	US & Canada: 1-800-535-5053	INFOTRAC
	International 1-352-323-3500	INFOTRAC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1
Flammable Liquids	Category 2

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard statements

Highly flammable liquid and vapor.
May cause an allergic skin reaction.
Causes serious eye irritation.

Precautionary statements

Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Fire: In case of fire, use sand, Carbon dioxide, or powder extinguisher to extinguish.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container to industrial combustion plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified.

SECTION 3: Composition/information on ingredients

3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Ethanol	Ethyl alcohol; EtOH	64-17-5	>=95%
Eucalyptus Oil	-	470-82-6	1-5%

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

If inhaled	If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.
In case of skin contact	Wash with plenty of soap and water.
In case of eye contact	Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.
If swallowed	Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still, and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray, BC-powder, Carbon dioxide (CO₂).

Unsuitable extinguishing media Water jet.

5.2 Specific hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Hazardous combustion products: Carbon monoxide (CO), Carbon dioxide (CO₂).

5.3 Special protective equipment and precautions for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

5.4 Further information

Flash Point 9.7 °C at 1,013 hPa

Autoignition Temperature 300 °C

Explosion limits

Upper No data available.

Lower No data available.

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

NFPA

Health	Flammability	Instability	Physical hazards
2	3	0	N/A

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases. Remove persons to safety.

6.2 Environmental precautions

Keep away from drains, surface, and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and materials for containment and cleaning up

Cover drains. Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder. Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements. For disposal see Section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions on safe handling

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition. No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Hygiene measures

Wash hands after use. Do not eat, drink, or smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink, and animal feedings.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight. Keep away from sources of ignition. No smoking. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Take precautionary measures against static discharge.

Incompatibilities

Ignition sources. Oxidizers.

SECTION 8: Exposure controls/personal protection

8.1 Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value
Ethanol	PEL-TWA	1000 ppm 1900 mg/m3

US. ACGIH Threshold Limit Values

Component	Type	Value
Ethanol	STEL	1000 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value
Ethanol	IDLH	3300 ppm
	TWA	1000 ppm 1900 mg/m3

Biological occupational exposure limits

No information available.

8.2 Exposure controls

Appropriate engineering controls

General ventilation. Individual protection measures (personal protective equipment).

Personal protective equipment

Eye/face protection

Wear eye/face protection. Use safety goggle with side protection. Wear face-shield.

Skin protection

Wear suitable, chemical-resistant gloves.

Body Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Control of environmental exposure

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Clear
Odor	Characteristic
Odor Threshold	No information available
pH	No information available
Melting Point/Range	-97.8°C
Boiling Point/Range	64.7 °C at 1,013 hPa
Evaporation Rate	No information available
Flammability (solid)	Not applicable
Flammability or explosive limit	No data available
Upper	
Lower	
Vapor Pressure	169.3 hPa at 25 °C
Vapor Density	No information available
Density	No information available
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temp	300 °C
Decomposition Temp	No information available
Viscosity	No information available
Molecular Formula	N/A
Molecular Weight	N/A
VOC Content(%)	No information available
Oxidizing properties	None

9.2 Other safety information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. If heated: Risk of ignition.

10.2 Chemical stability

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

10.5 Incompatible materials

Ignition sources. Oxidizers.

10.6 Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethanol	10470 mg/kg (Rat)	-	117-125 mg/L/4h (Rat)

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Ethanol	64-17-5	Not listed	Not listed	Not listed	Not listed	Not listed

Specific target organ toxicity - single exposure

None known.

Specific target organ toxicity - repeated exposure

None known.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Chronic effects

No information available.

11.2 Additional Information

No information available.

SECTION 12: Ecological information

12.1 Toxicity

Product		Species	Test Results
Ethanol	EC10	Freshwater Algae	11.5 mg/L, 72 hours
	EC50	Freshwater Algae	275 mg/L, 72 hours
	LC50	Freshwater Fish	11200 mg/L, 24 hours
	NOEC	Freshwater Fish	250 mg/L
	EC50	Freshwater Invertebrate	5012 mg/L, 48 hours
		Marine Invertebrate	857 mg/L, 48 hours
	NOEC	Freshwater Invertebrate	9.6 mg/L, 10 days
		Marine Invertebrate	79 mg/L, 96 hours

12.2 Persistence and degradability

No information available.

12.3 Bio accumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

SECTION 14: Transport information

DOT (US)

UN-no	UN1987
Proper Shipping Name	Alcohol, n.o.s. (denatured ethanol)
Hazard Class	3
Packing Group	II

IMDG

UN-no	UN1987
Proper Shipping Name	Alcohol, n.o.s. (denatured ethanol)
Hazard Class	3
Packing Group	II

IATA

UN-no	UN1987
Proper Shipping Name	Alcohol, n.o.s. (denatured ethanol)
Hazard Class	3
Packing Group	II

SECTION 15: Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not applicable.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

See Section 2 for more information.

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Listed, Ethanol (CAS #64-17-5).

US state regulations**US. Massachusetts RTK - Substance List**

Listed, Ethanol (CAS #64-17-5).

US. New Jersey Worker and Community Right-to-Know Act

Listed, Ethanol (CAS #64-17-5).

US. Pennsylvania Worker and Community Right-to-Know Law

Listed, Ethanol (CAS #64-17-5).

California Proposition 65

Listed, Ethanol (CAS #64-17-5).

SECTION 16: Other information

Issue date: 03/06/2024

Revision 1: 11/18/2024

SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.