

# **SAFETY DATA SHEET**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name Ethyl Acetate

CAS number 141-78-6

Synonyms Acetic acid ethyl ester

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals.

## 1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC

12501 Pauls Valley Road Austin, Texas 78737

U.S.A.

Telephone 512-668-9918 Fax 512-886-4008

## 1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC

International 1-352-323-3500 INFOTRAC

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable Liquids Category 2
Serious Eye Damage/Eye Irritation Category 2
Specific Target Organ Toxicity (single exposure) Category 3

Target Organ(s) - Central nervous system (CNS)

## 2.2 GHS Label elements, including precautionary statements

Laballey.com Page 1 of 11

Pictogram



Signal Word Danger

Hazard statements Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Precautionary statements

Prevention: Wash face, hands, and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Keep cool.

Response: Get medical attention/advice if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Fire: In case of fire, use CO2, dry chemical, or foam for extinction.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal: Dispose of contents/container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Repeated exposure may cause skin dryness or cracking.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
---------------	--------------------------	------------	---------------

Laballey.com Page 2 of 11

Ethyl acetate	Acetic acid ethyl ester	141-78-6	<=100%

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

General advice

**If inhaled** Remove to fresh air. If not breathing, give artificial respiration. Get medical

attention if symptoms occur.

In case of skin contact Wash off immediately with plenty of water for at least 15 minutes. If skin

irritation persists, call a physician.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Get medical attention.

**If swallowed** Clean mouth with water and drink afterwards plenty of water.

# 4.2 Most important symptoms and effects, both acute and delayed

Difficulty in breathing. May cause central nervous system depression. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea, and vomiting.

# 4.3 Indication of any immediate medical attention and special treatment needed

If symptoms persist, call a physician. Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical,

alcohol-resistant foam.

**Unsuitable extinguishing media** Water may be ineffective, Do not use a solid water

stream as it may scatter and spread fire.

# 5.2 Specific hazards arising from the substance or mixture

Flammable. Risk of ignition. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Hazardous Combustion Products: Carbon monoxide (CO). Carbon dioxide (CO2).

# 5.3 Special protective equipment and precautions for firefighters

Laballey.com Page 3 of 11

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 5.4 Further information

Flash Point 24.8 °F (-4.0 °C) Closed Cup

**Autoignition Temperature** 798.8 °F (426 °C)

**Explosion limits** 

**Upper** 11.5% v/v **Lower** 2% v/v

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

**NFPA** 

Health	Flammability	Instability	Physical hazards
2	3	0	N/A

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation.

## 6.2 Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements.

## **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

#### Precautions on safe handling

Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

Laballey.com Page 4 of 11

# 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Flammables area. Keep away from heat, sparks, and flame. Keep container tightly closed in a dry and well-ventilated place.

#### Incompatibilities

Strong oxidizing agents. Strong acids. Amines. Peroxides.

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Occupational exposure limits

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value	
Ethyl acetate	(Vacated) TWA	400 ppm	1400 mg/m3
	TWA	400 ppm	1400 mg/m3

#### **US. ACGIH Threshold Limit Values**

Component	Туре	Value
Ethyl acetate	TWA	400 ppm

#### **US. NIOSH: Pocket Guide to Chemical Hazards**

Component	Type	Value	
Ethyl acetate	IDLH	2000 ppm	
	TWA	400 ppm 1400 mg/m3	

## **Biological occupational exposure limits**

No information available.

## 8.2 Exposure controls

## Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.

## Personal protective equipment

#### **Eye/face protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

#### **Skin protection**

Wear appropriate protective gloves and clothing to prevent skin exposure.

Laballey.com Page 5 of 11

#### **Body Protection**

Wear appropriate protective gloves and clothing to prevent skin exposure.

## **Respiratory protection**

No protective equipment is needed under normal use conditions.

#### Control of environmental exposure

No information available.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical State Liquid
Appearance Colorless

Odor No information available
Odor Threshold No information available
pH No information available

Melting Point/Range -119.2 °F (-84 °C) Boiling Point/Range 170.6 °F (77 °C)

Evaporation Rate No information available

Flammability (solid) Not applicable

Flammability or explosive limit

Upper 11.5% v/v Lower 2% v/v

Vapor Pressure 97.3 hPa (68 °F (20 °C))
Vapor Density No information available
Density 0.902 (77 °F (25 °C))
Solubility Soluble in water
Partition coefficient: No data available

n-octanol/water

Autoignition Temp 798.8 °F (426 °C)

Decomposition Temp

Viscosity

No information available

No information available

Molecular Formula C4 H8 O2
Molecular Weight 88.11 g/mol

VOC Content(%) No information available

Oxidizing properties Not oxidizing

## 9.2 Other safety information

No information available.

#### **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No information available.

Laballey.com Page 6 of 11

## 10.2 Chemical stability

Stable under normal conditions.

# 10.3 Possibility of hazardous reactions

None under normal processing.

#### 10.4 Conditions to avoid

Incompatible products. Keep away from open flames, hot surfaces, and sources of ignition.

## 10.5 Incompatible materials

Strong oxidizing agents, Strong acids, Amines, Peroxides.

## 10.6 Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO2).

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

## **Product Information, Component Information**

**Acute toxicity** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl acetate	10200 mg/kg (Rat)	>20 mL/kg (Rabbit) >18000 mg/kg (Rabbit)	58 mg/L (Rat; 8 h)

#### Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation. Repeated exposure may cause skin dryness or cracking.

## Serious eye damage/eye irritation

Irritating to eyes.

#### Respiratory or skin sensitization

Not a respiratory sensitizer. This product is not expected to cause skin sensitization.

## Germ cell mutagenicity

No information available.

Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Ethyl acetate	141-78-6	Not listed				

## Specific target organ toxicity - single exposure

Central nervous system (CNS).

Laballey.com Page 7 of 11

# Specific target organ toxicity - repeated exposure

None known.

#### Reproductive toxicity

No information available.

#### **Chronic effects**

May cause central nervous system depression. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea, and vomiting.

#### 11.2 Additional Information

The toxicological properties have not been fully investigated.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Do not empty into drains.

Product		Species	Test Results
	EC50	Freshwater Algae	3300 mg/L/48h
	LC50	Fathead minnow	230 mg/L/96h
	LC50	Gold orfe	270 mg/L/48h
Ethyl acetate	EC50	Microtox	1180 mg/L/5 min 1500 mg/L/15 min 5870 mg/L/15 min 7400 mg/L/2h
	EC50	Water Flea	717 mg/L/48h

## 12.2 Persistence and degradability

Persistence is unlikely based on information available.

## 12.3 Bio accumulative potential

No information available.

## 12.4 Mobility in soil

Will likely be mobile in the environment due to its volatility.

#### 12.5 Results of PBT and vPvB assessment

No information available.

## 12.6 Endocrine disrupting properties

No information available.

#### 12.7 Other adverse effects

No information available.

Laballey.com Page 8 of 11

# **SECTION 13: Disposal considerations**

## 13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Ethyl acetate - 141-78-6	U112	-

## **SECTION 14: Transport information**

## DOT (US)

UN-no UN1173

Proper Shipping Name ETHYL ACETATE

Hazard Class 3
Packing Group II

#### **IMDG**

UN-no UN1173

Proper Shipping Name ETHYL ACETATE

Hazard Class 3
Packing Group II

## **IATA**

UN-no UN1173

Proper Shipping Name ETHYL ACETATE

Hazard Class 3
Packing Group II

# **SECTION 15: Regulatory information**

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable.

## **CERCLA Hazardous Substance List (40 CFR 302.4)**

Listed, Ethyl acetate (CAS #141-78-6), RQ: 5000 lb.

## SARA 304 Emergency release notification

Not regulated.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Laballey.com Page 9 of 11

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **SARA 302 Extremely hazardous substance**

Not listed.

#### SARA 311/312 Hazardous

See Section 2 for more information.

#### SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

## **Safe Drinking Water Act**

Not regulated.

# **FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

Listed, Ethyl acetate (CAS #141-78-6).

# **US** state regulations

# **US. Massachusetts RTK - Substance List**

Listed, Ethyl acetate (CAS #141-78-6).

## **US. New Jersey Worker and Community Right-to-Know Act**

Listed, Ethyl acetate (CAS #141-78-6).

# **US. Pennsylvania Worker and Community Right-to-Know Law**

Listed, Ethyl acetate (CAS #141-78-6).

#### California Proposition 65

Not listed.

# **SECTION 16: Other information**

Issue date: 07/09/2024 Revision 1: 11/12/2024

#### **SECTION 17: Disclaimer**

Laballey.com Page 10 of 11

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Laballey.com Page 11 of 11