

SAFETY DATA SHEET

Revision Date 15-Feb-2022 Creation Date 21-Dec-2009 **Revision Number 1**

1. Identification

Product Name Ferrous sulfate heptahydrate

Cat No.: C3930/C3940

Synonyms Iron (II) sulfate heptahydrate (Crystalline/Certified ACS/USP/FCC/Tech)

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company **Emergency Telephone Number**

Infotrac: 800-535-5053

Lab Alley LLC 22111 Highway 71 West, Suite 601 Spicewood, Texas 78669 Tel.: 512-668-9918

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Category 4 Skin Corrosion/irritation Category 2 Serious Eye Damage/Eye Irritation Category 2 Specific target organ toxicity (single exposure) Category 3

Target Organs - Central nervous system (CNS).

Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Kidney, Liver, Blood.

Label Elements

Signal Word

Warning

Hazard Statements

Harmful if swallowed Causes skin irritation Causes serious eye irritation May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Response

Get medical attention/advice if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition / information on ingredients

Component	CAS-No	Weight %	
Iron (II) Sulfate heptahydrate	7782-63-0	> 99	
Ferrous sulfate	7720-78-7	-	

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a

respiratory medical device. Get medical attention immediately if symptoms occur.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms/effects No information available.

Notes to Physician Treat symptomatically

Fire-fighting measures

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Suitable Extinguishing Media

Unsuitable Extinguishing Media No information available

Flash Point Not applicable

No information available Method -

Autoignition Temperature

Explosion Limits

No information available

Upper No data available No data available Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Sulfur oxides Thermal decomposition can lead to release of irritating gases and vapors

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health Physical hazards **Flammability** Instability N/A

Accidental release measures

Use personal protective equipment. Ensure adequate ventilation, Avoid dust formation, **Personal Precautions**

Avoid contact with skin, eyes and clothing.

Should not be released into the environment. See Section 12 for additional ecological **Environmental Precautions**

Information.

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation. Up

7. Handling and storage

Handling Wear personal protective equipment, Ensure adequate ventilation, Avoid contact with skin.

eves and clothing. Avoid dust formation. Do not breathe dust.

Keep containers tightly closed in a dry, cool and well-ventilated place. Storage

8. Exposure controls / personal protection

This product does not contain any hazardous materials with occupational exposure limits **Exposure Guidelines** established by the region specific regulatory bodies.

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Iron (II) Sulfate heptahydrate	TWA: 1 mg/m ³	(Vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³
Ferrous sulfate	TWA: 1 mg/m ³	(Vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³
Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Iron (II) Sulfate heptahydrate 7782-63-0 (> 99)	TWA: 1.0 mg/m ³	TWA: 1 mg/m³ STEL: 2 mg/m³	TWA: 1 mg/m ³
Ferrous sulfate 7720-78-7 (-)	TWA: 1.0 mg/m ³	TWA: 1 mg/m³ STEL: 2 mg/m³	TWA: 1 mg/m ³

Ferrous sulfate heptahydrate

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face ProtectionWear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateSolidAppearanceBlue greenOdorOdorless

Odor Threshold

PH

3 - 5 (5 % Solution)

Melting Point/Range64 °C / 147.2 °FBoiling Point/Range300 °C / 572 °FFlash PointNot applicableEvaporation Ratenegligible

Flammability (solid,gas)

No information available

Flammability or explosive limits

Upper
LowerNo data available
No data availableVapor PressureNo information availableVapor DensityNo information available

Relative Density 1.898

SolubilityPartly soluble in waterPartition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information availableDecomposition temperatureNo information available

Viscosity
No information available
Molecular Formula
FeSO4.7H2O

Molecular Weight 278.01

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Air sensitive. Moisture sensitive.

Conditions to Avoid Avoid Avoid dust formation. Incompatible products. Excess heat. Exposure to air. Exposure to

moist air or water.

Incompatible Materials Strong oxidizing agents, Strong bases

Hazardous Decomposition Products Sulfur oxides, Thermal decomposition can lead to release of irritating gases and vapors

Ferrous sulfate heptahydrate

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Component Information

Component LD50 Oral		LD50 Dermal	LC50 Inhalation	
Ferrous sulfate	237 mg/kg (Rat)	Not listed	Not listed	

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

 Irritation
 Irritating to eyes and skin

 Sensitization
 No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Iron (II) Sulfate heptahydrate	7782-63-0	Not listed				
Ferrous sulfate	7720-78-7	Not listed				

Mutagenic Effects Mutagenic effects have occurred in experimental animals.

Reproductive Effects Experiments have shown reproductive toxicity effects on laboratory animals.

Developmental Effects No information available.

Teratogenicity Teratogenic effects have occurred in experimental animals.

STOT - single exposure Central nervous system (CNS)

STOT - repeated exposure Kidney Liver Blood

Aspiration hazard No information available

Symptoms / effects, both acute and delayed

No information available

Endocrine Disruptor Information No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals. See actual entry in

RTECS for complete information.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ferrous sulfate	Not listed	925 mg/L LC50 96 h	Not listed	152 mg/L EC50 = 48 h
		0.56 mg/L LC50 96 h		6.15 - 9.26 mg/L EC50 48 h

Persistence and Degradability No information available

Bioaccumulation/ Accumulation No information available.

Mobility No information available.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information						
DOT	Not regulated					
DOT TDG	Not regulated					
<u>IATA</u>	Not regulated					
IMDG/IMO_	Not regulated					
	15. Regulatory information					

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Iron (II) Sulfate heptahydrate	-	-	-	-	-		Χ	Χ	Χ	Χ	-
Ferrous sulfate	Х	Χ	-	231-753-5	-		Χ	Х	Х	Х	Х

Legend:

X - Listed

- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazardous Categorization

Acute Health HazardYesChronic Health HazardYesFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

Clean Water Act

Ferrous sulfate heptahydrate

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Iron (II) Sulfate heptahydrate	Х	-	-	-
Ferrous sulfate	Х	1000 lb	-	-

Clean Air Act

Not applicable

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Iron (II) Sulfate heptahydrate	1000 lb	-	
Ferrous sulfate	1000 lb	-	

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Iron (II) Sulfate heptahydrate	X	-	X	-	Х
Ferrous sulfate	X	X	X	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D1B Toxic materials D2B Toxic materials



16. Other information

Prepared By

Regulatory Affairs

Lab Alley LLC.

Email: customerservice@laballey.com

 Creation Date
 21-Dec-2009

 Revision Date
 15-Feb-2022

 Print Date
 15-Feb-2022

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS