

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name Formaldehyde 30%

CAS number 50-00-0

- Synonyms Formalin, methanal
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

Company	Lab Alley, LLC 12501 Pauls Valley Road Austin, Texas 78737 U.S.A.
Telephone	512-668-9918
Fax	512-886-4008

1.4 Emergency telephone

Emergency Phone #	US & Canada: 1-800-535-5053	INFOTRAC
	International 1-352-323-3500	INFOTRAC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable Liquids (Category 4) Acute oral toxicity (Category 3) Acute dermal toxicity (Category 3) Acute Inhalation Toxicity - Vapors (Category 3) Skin corrosion/irritation (Category 1B) Serious eye damage/eye irritation (Category 1) Skin Sensitization (Category 1) Germ Cell Mutagenicity (Category 2) Carcinogenicity (Category 1A) Specific target organ toxicity - single exposure (Category 1) Target Organs: Respiratory system, Central nervous system (CNS), Optic nerve.

2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard statements	Combustible liquid Causes severe skin burns and eye damage May cause respiratory irritation May cause an allergic skin reaction Suspected of causing genetic defects May cause cancer Causes damage to organs Toxic if swallowed, in contact with skin or if inhaled
Precautionary Statements	Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Keep away from heat/sparks/open flames/hot surfaces. No smoking Keep cool Immediately call a POISON CENTER or doctor/physician IF INHALED: Remove victim to fresh air and keep at rest in a positic comfortable for breathing Wash contaminated clothing before reuse IF ON SKIN (or hair): Take off immediately all contaminated clothing Rinse skin with water/shower If skin irritation or rash occurs: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Rinse mouth Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam for extinction Store locked up Store in a well-ventilated place. Keep container tightly closed Dispose of contents/container to an approved waste disposal plant

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Poison, may be fatal or cause blindness if swallowed. Vapor harmful. CANNOT BE MADE NON-POISO

SECTION 3: Composition/information on ingredients

3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Formaldehyde	Formalin, methanal	50-00-0	29.5-30.5%
Water	H2O	7732-18-5	69.5-70.5%

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

lf inhaled	If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.
In case of skin contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical
In case of eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
If swallowed	Do NOT induce vomiting. Call a physician or poison control center.

4.2 Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

4.3 Indication of any immediate medical attention and special treatment needed Note to physician: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

CO2, dry chemical, dry sand, alcohol-resistant foam.	Suitable extinguishing media	
--	------------------------------	--

Unsuitable extinguishing media No information available.

5.2 Specific hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

5.4 Further information

Flash Point	t	No inforn	No information available.			
Autoignitio	on Temperat	ure No inform	No information available.			
Explosion	limits	its				
	Upper	No inforn	nation avail	able.		
	Lower	No inforn	No information available.			
	Sensitivity	to Mechanical Im	chanical Impact No information available.			
	Sensitivity	to Static Discharg	Atic Discharge No information available.			
	NFPA					
	Health	Flammability	Instability	Physical hazards		
	3	2	0	N/A		

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

6.4 Reference to other sections

See section 2 for full list of hazard and precaution statements.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions on safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame.

Incompatibilities

Strong oxidizing agents. Potassium permanganate. Peroxides. Perchloric acid + aniline. Strong bases. Sodium hydroxide. Ammonia. Hydroxides. Sodium bisulfite. Strong acids. Hydrogen chloride. Isocyanates. Acid anhydrides. Magnesium carbonates. Iodine.

SECTION 8: Exposure controls/personal protection

8.1 Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Туре	Value
Formaldehyde	STEL	2 ppm
Formaldenyde	TWA	0.75 ppm

US. ACGIH Threshold Limit Values

Component	Туре	Value
Formoldobudo	STEL	0.3 ppm
Formaldehyde	TWA	0.1 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Component	Туре	Value
Formaldehyde	IDLH	20 ppm
ronnaidenyde	TWA	0.016 ppm

Biological occupational exposure limits

No informational available.

8.2 Exposure controls

Appropriate engineering controls

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin protection

Wear appropriate protective gloves.

Body Protection

Wear appropriate clothing to prevent skin exposure.

Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Control of environmental exposure

No information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	Irritating pungent
Odor Threshold	No information available.
рН	No information available.
Melting Point/Range	No information available.
Boiling Point/Range	No information available.
Evaporation Rate	No information available.
Flammability (solid)	Not applicable.
Flammability or explosive limit	
Upper	No information available.
Lower	No information available.
Vapor Pressure	No information available.
Vapor Density	No information available.
Density	No information available.

Solubility Partition coefficient; n-octanol/water Autoignition Temp Decomposition Temp Viscosity Molecular Formula Molecular Weight VOC Content(%) Oxidizing properties

Miscible. No information available. No information available. No information available. No information available. CH2O 30.03 No information available. None.

9.2 Other safety information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

None known, based on information available.

10.2 Chemical stability

Stable under normal conditions. Stabilized with Methanol. Hazardous polymerization may occur upon depletion of inhibitor.

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to avoid

Temperatures above 65°C. Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Strong oxidizing agents, Potassium permanganate, Peroxides, Perchloric acid + aniline, Strong bases, Sodium hydroxide, Ammonia, Hydroxides, Sodium bisulfite, Strong acids, Hydrogen chloride, Isocyanates, Acid anhydrides, Magnesium carbonates, Iodine.

10.6 Hazardous decomposition products

Formic acid, Oxygen from the air can oxidize formaldehyde to formic acid, especially when heated, Carbon monoxide (CO), Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Formaldehyde	500 mg/kg (rat)	270 mg/kg (rabbit)	0.578 mg/L (rat) 4h

Skin corrosion/irritation

Causes burns by all exposure routes.

Serious eye damage/eye irritation

Causes burns by all exposure routes.

Respiratory or skin sensitization

No information available.

Germ cell mutagenicity

Mutagenic effects have occured in humans.

Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Formaldehyde	50-00-0	Group 1	Listed	A1	Listed	A2

Specific target organ toxicity - single exposure

Respiratory system Central nervous system (CNS) Optic Nerve.

Specific target organ toxicity - repeated exposure

None known.

Reproductive toxicity

No information available.

Chronic effects

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

11.2 Additional Information

The toxicological properties have not been fully investigated.

SECTION 12: Ecological information

12.1 Toxicity

Product		Species	Test Results	
Folmaldehyde	EC50	Desmodesmus subspicatus	4.89 mg/L 72 h	
	LC50	Leuciscus idus	15 mg/L 96 h	
	EC50	Water flea	20 mg/L 96 h	
	EC50	Water flea	2 mg/L 48 h	

12.2 Persistence and degradability

Soluble in water. Persistence is unlikely based on information available. Miscible with water.

12.3 Bio accumulative potential

No information available.

12.4 Mobility in soil

Will likely be mobile in the environment due to its water solubility.

12.5 Results of PBT and vPvB assessment No information available.

12.6 Endocrine disrupting properties No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

SECTION 14: Transport information

DOT (US) UN no. Proper shipping name Hazard Class Packaging Group	UN2209 FORMALDEHYDE SOLUTIONS 8 III
IMDG UN no. Proper shipping name Hazard Class Packaging Group	UN2209 FORMALDEHYDE SOLUTIONS 8 III
IATA UN no. Proper shipping name Hazard Class Packaging Group	UN2209 FORMALDEHYDE SOLUTIONS 8 III

SECTION 15: Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

> TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4) Listed: Formaldehyde, RQ: 100 lb

SARA 304 Emergency release notification Not regulated

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not regulated. Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Listed.

SARA 313 (TRI reporting)

Listed: Formaldehyde, Weight: 35-41%, Threshold Values %: 0.1%

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act Not regulated

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Not listed

US state regulations

US. Massachusetts RTK - Substance List

Listed: Formaldehyde and Water

US. New Jersey Worker and Community Right-to-Know Act Listed: Formaldehyde

US. Pennsylvania Worker and Community Right-to-Know Law

Listed: Formaldehyde and Water

California Proposition 65

Listed: Formaldehyde, Carcinogen

SECTION 16: Other information

Issue date: 09/06/24

SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.