

Version 1.13

Revision Date: 05/13/2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

: GLYCOL ETHER EB

Recommended use of the chemical and restrictions on use

Recommended use : Manufacturer or supplier's details Company :

Solvent.

Lab Alley LLC 22111 Highway 71 West, Suite 601 Spicewood, Texas 78669 Tel.: 512-668-9918

Emergency telephone number: Infotrac: 800-535-5053

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 4
Acute toxicity (Oral)	: Category 4
Acute toxicity (Inhalation)	: Category 4
Acute toxicity (Dermal)	: Category 4
Skin irritation	: Category 2
Eye irritation	: Category 2A
Specific target organ toxicity - single exposure	: Category 3 (Respiratory system, Central nervous system)
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 H227 Combustible liquid. H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.



Version 1.13

Revision Date: 05/13/2022

Precautionary statements	: Prevention: P210 Keep away from heat/ sparks/ open flames/ hot surfaces.
	No smoking.
	P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling.
	P270 Do not eat, drink or smoke when using this product.
	P271 Use only outdoors or in a well-ventilated area.
	P280 Wear protective gloves/ eye protection/ face protection.
	Response:
	•
	P301 + P312 + P330 IF SWALLOWED: Call a POISON
	CENTER/ doctor if you feel unwell. Rinse mouth.
	P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.
	P304 + P340 + P312 IF INHALED: Remove person to fresh air
	and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water
	for several minutes. Remove contact lenses, if present and eas to do. Continue rinsing.
	P332 + P313 If skin irritation occurs: Get medical advice/ atten
	tion.
	P337 + P313 If eye irritation persists: Get medical advice/ atter
	tion.
	P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alco hol-resistant foam to extinguish.
	Storage:
	P403 + P233 Store in a well-ventilated place. Keep container
	tightly closed.
	P403 + P235 Store in a well-ventilated place. Keep cool.
	P405 Store locked up.
	Disposal:
	P501 Dispose of contents/ container to an approved waste dis-

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Substance

Hazardous components

CAS-No.	Chemical name	Weight percent
111-76-2	2-Butoxy ethanol	90 - 100

Actual concentration is withheld as a trade secret

Any Concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.



rsion 1.13	Revision Date: 05/13/2022
	Show this safety data sheet to the doctor in attendance.
	Symptoms of poisoning may appear several hours later.
	Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice.
	If symptoms persist, call a physician.
In case of skin contact	: If skin irritation persists, call a physician.
	If on skin, rinse well with water.
	If on clothes, remove clothes.
In case of eye contact	: Immediately flush eye(s) with plenty of water.
	Remove contact lenses.
	Protect unharmed eye.
	Keep eye wide open while rinsing.
	If eye irritation persists, consult a specialist.
If swallowed	: Clean mouth with water and drink afterwards plenty of water.
Il Swallowed	Keep respiratory tract clear.
	Do not induce vomiting without medical advice.
	Do not give milk or alcoholic beverages.
	Never give anything by mouth to an unconscious person.
	If symptoms persist, call a physician.
	Take victim immediately to hospital.
	rake vicini inineulalely to nospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	bon dioxide (CO2) ter spray chemical m	
Unsuitable extinguishing media	h volume water jet	
Specific hazards during fire- fighting	not allow run-off from t rses.	ire fighting to enter drains or water
Hazardous combustion prod- ucts	bon oxides	
Further information	ly in closed containme	e of fire, cans should be stored sepa- nts. fully closed containers.
Special protective equipment for firefighters		hing apparatus for firefighting if nec-

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	: Use personal protective equipment. Ensure adequate ventilation.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.



Version 1.13	Revision Date: 05/13/2022
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.
SECTION 7. HANDLING AND STO	RAGE
Advice on protection against fire and explosion	: Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.
Advice on safe handling	 Avoid formation of aerosol. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	regulations. : No smoking. Keep in a well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
111-76-2	2-Butoxy ethanol	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are un-known, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, expo-



Version 1.13		Revision Date: 05/13/2022
Hand protection		sure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concen- tration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold	: liquid : Colorless : mild, sweet, ester-like : 0.48 ppm	
pH	No data available	
Freezing Point (Melting	: -7574.8 °C (-103102.6 °F)	
point/freezing point) Boiling Point (Boiling	: 171 - 173.5 °C (340 - 344.3 °F)	
point/boiling range) Flash point	: 67 - 72 °C (153 - 162 °F) Method: closed cup	
Evaporation rate	: 0.06 - 0.1	
Flammability (solid, gas) Upper explosion limit	: No data available : 10.6 %(V)	
Lower explosion limit	: 1.1 %(V)	
Vapour pressure	: 0.60 - 0.8775 mmHg @ 20 - 25 °C (68 - 77 °	°F)
Relative vapour density	: > 4 @ 20 - 25 °C (68 - 77 °F) (Air = 1.0)	
Relative density	: 0.9 - 0.9040 @ 20 °C (68 °F) Reference substance: (water = 1)	
Density	: 0.9 g/cm3 @ 20 °C (68 °F)	
Solubility(ies) Water solubility	: 900 g/l completely miscible @ 25 °C (77 °F))



rsion 1.13	Revision Date: 05/13/2022
Solubility in other solvents Partition coefficient: n- octanol/water	: No data available : Pow: 6.46 @ 25 °C (77 °F) log Pow: 0.81 @ 25 °C (77 °F)
Auto-ignition temperature Thermal decomposition Viscosity	: 230 - 245 °C : No data available
Viscosity, dynamic	: 3.3 mPa.s @ 20 °C (68 °F)
Viscosity, kinematic	: 3.642 - 3.7 mm2/s @ 20 °C (68 °F)
Surface tension	: 65 mN/m

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	 No dangerous reaction known under conditions of normal use. Stable under normal conditions. Reacts with air to form peroxides.
Conditions to avoid	 Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: Acids aluminum Bases Oxidizing agents Amines Ammonia
Hazardous decomposition products	: Carbon oxides Aldehydes Ketones Organic acids

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity	
<u>Product:</u> Acute oral toxicity	: Acute toxicity estimate: 1,314 mg/kg
Acute inhalation toxicity	: Acute toxicity estimate: 11.11 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: Acute toxicity estimate: 1,112 mg/kg
<u>Components:</u> 111-76-2: Acute inhalation toxicity	: LC50 (Rat, male): 2.56 mg/l



Version 1.13

Revision Date: 05/13/2022

Exposure time: 4 h Test atmosphere: vapour Assessment: The component/mixture is moderately toxic after short term inhalation.

Skin corrosion/irritation

Components:

111-76-2: Result: Irritating to skin.

Serious eye damage/eye irritation

Components:

111-76-2: Species: Rabbit Result: Irritating to eyes.

Carcinogenicity	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Aspiration toxicity

Product:

No aspiration toxicity classification

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity		
No data available		
Persistence and degradability		
No data available		
Bioaccumulative potential		
No data available		



Version 1.13

Revision Date: 05/13/2022

Mobility in soil No data available	
Other adverse effects	
Product:	
Ozone-Depletion Potential	 Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Uni- var Solutions ChemCare: 1-800-637-7922
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation): NA1993, Combustible liquid, n.o.s., (2-BUTOXYETHANOL), CBL, III

IATA (International Air Transport Association): Not regulated as a dangerous good

IMDG-Code: Not regulated as a dangerous good

Special Notes:: The flash point for this material is greater than 100 F (38 C).
Therefore, in accordance with 49 CFR 173.150(f) non-bulk
containers (<450L or <119 gallon capacity) of this material
may be shipped as non-regulated when transported solely by
land, as long as the material is not a hazardous waste, a ma-
rine pollutant, or specifically listed as a hazardous substance.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity



Version 1.13

Revision Date: 05/13/2022

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Acute toxicity (an Skin corrosion or Serious eye dam	es, aerosols, liquids, or solids) ny route of exposure) r irritation nage or eye irritation rgan toxicity (single or repeated exposure)
SARA 302	:		this material are subject to the reporting re- ARA Title III, Section 302.
SARA 313	:	The following components are subject to reporting levels es- tablished by SARA Title III, Section 313:	
	1	11-76-2	2-Butoxy ethanol

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

111-76-2 2-Butoxy ethanol

Clean Water Act

Massachusetts Right To Know

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.


This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusette	111-76-2	2-Butoxy ethanol
	111-70-2	
Pennsylvania I	Right To Know	
	111-76-2	2-Butoxy ethanol
California Prop	65 :	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other re- productive harm.
The componen	its of this produc	t are reported in the following inventories:
TSCA	:	On TSCA Inventory
DSL	:	All components of this product are on the Canadian DSL
AICS	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory
ENCS	:	On the inventory, or in compliance with the inventory



•=•••==	
Version 1.13	Revision Date: 05/13/2022
KECI	: On the inventory, or in compliance with the inventory
PHIL	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

SECTION16. OTHER INFORMATION



The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Lab Alley Product Compliance Department.

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

Revision Date	:	05/13/2022

Legacy SDS: : R0000694, 10000027612

Material number:

16187744, 16187069, 16185048, 16186414, 16184338, 16184833, 16184837, 16184518, 16185932, 16185931, 16185662, 16174586, 16180948, 16180995, 16169466, 16168729, 16146382, 16144254, 16162190, 16161562, 16161470, 16161565, 16161564, 16161566, 16162382, 16148142, 16151160, 16144058, 16147068, 16146126, 16151311, 16144174,



Version 1.13

Revision Date: 05/13/2022

16145439, 16144418, 16159178, 16143364, 16143358, 16143349, 16159004, 16144048, 16141758, 16141113, 16132295, 16130390, 16127405, 16121258, 16118778, 70304, 16115289, 16106019, 16102525, 16100758, 16098446, 16086705, 16077390, 16074396, 16062657, 16056118, 16056117, 16061248, 16054520, 16048541, 16047096, 16032176, 16016635, 16015501, 16001400, 788372, 775994, 765987, 765863, 714415, 709916, 702242, 699239, 691013, 677574, 674238, 623616, 614620, 555430, 554369, 554322, 554285, 554205, 554137, 554095, 552664, 550801, 503690, 501960, 167270, 123115, 103486, 103127, 103077, 103067, 102851, 102791

Key or legend to abbreviations and acronyms used in the safety data sheet					
ACGIH	American Conference of Govern- ment Industrial Hygienists	LD50	Lethal Dose 50%		
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level		
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency		
NDSL	Canada, Non-Domestic Substanc- es List	NIOSH	National Institute for Occupational Safety & Health		
CNS	Central Nervous System	NTP	National Toxicology Program		
CAS	Chemical Abstract Service	NZloC	New Zealand Inventory of Chemi- cals		
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level		
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration		
EGEST	EOSCA Generic Exposure Scenar- io Tool	OSHA	Occupational Safety & Health Administration		
EOSCA	European Oilfield Specialty Chem- icals Association	PEL	Permissible Exposure Limit		
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commer- cial Chemical Substances		
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act		
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit		
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.		
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value		
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average		
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act		
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composi- tion, Complex Reaction Products, and Biological Materials		
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials		
			Information System		