

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name: Hydrogen Peroxide 25%
CAS number: 7722-84-1
Synonyms: Hydrogen Peroxide (H₂O₂)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses: Laboratory Chemicals.

1.3 Details of the supplier of the safety data sheet

Company : Lab Alley, LLC
22111 Highway 71 West, Suite 601
Spicewood, Texas 78669
U.S.A.

Telephone : 512-668-9918
Fax : 512-886-4008

1.4 Emergency telephone

Emergency Phone # : US & Canada: 1-800-535-5053 INFOTRAC
International 1-352-323-3500 INFOTRAC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing liquids (Category 2)
Acute toxicity, oral (Category 4)
Serious eye damage/eye irritation (Category 1)

2.2 GHS Label elements, including precautionary statements

Pictogram:



Signal Word:

Danger

Hazard statement(s):

May intensify fire; oxidizer. Harmful if swallowed. Causes serious eye damage.

Precautionary statement(s):

Prevention - Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/mist/vapors/spray. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/sparks/ open flames/hot surfaces. - No smoking. Keep/Store away from clothing/flammable materials/combustibles. Take any precaution to avoid mixing with combustibles/ flammables. Wear fire/ flame resistant/retardant clothing. **Response** - Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms occur. IF ON SKIN OR CLOTHING: Wash contaminated clothing before reuse. Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Rinse skin with water/shower.

Hazards not otherwise classified

No hazards not otherwise classified were identified.

SECTION 3: Composition/information on ingredients

3.1 Components

Chemical name	CAS-No	Weight %
Hydrogen peroxide	7722-84-1	25
Water	7732-18-5	75

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice:

If symptoms persist, call a physician.

If inhaled:

Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention.

- In case of skin contact:** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
- In case of eye contact:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
- In case of ingestion:** Clean mouth with water and drink afterwards plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

Causes eye burns. Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable (and unsuitable) extinguishing media

Use water spray or fog; do not use straight streams.

5.2 Specific hazards arising from the substance or mixture

Corrosive Material. Containers may explode when heated. Oxidizer: Contact with combustible/organic material may cause fire. In the event of fire and/or explosion do not breathe fumes. Thermal decomposition can lead to release of irritating gases and vapors. May ignite combustibles (wood paper, oil, clothing, etc.).

5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

5.4 Further information

None.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Do not use steel or aluminum tools or equipment.

6.2 Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See section 12 for additional ecological information. Avoid release to the environment. Collect spillage.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Keep away from clothing and other combustible materials.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. To maintain product quality. Keep refrigerated. Keep away from direct sunlight. Do not store in metal containers. Containers should be vented periodically in order to overcome pressure buildup. Do not store near combustible materials.

SECTION 8. Exposure controls/personal protection

8.1 Occupational exposure limits

Control parameters

Exposure Guidelines

Ingredients with workplace control parameters.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Hydrogen peroxide 7722-84-1	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m ³	IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m ³	Mexico: TWA 1 ppm Mexico: TWA 1.5 mg/m ³ Mexico: STEL 2 ppm Mexico: STEL 3 mg/m ³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Hydrogen peroxide 7722-84-1	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m ³	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m ³

8.2 Exposure controls

Appropriate engineering controls

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation especially in confined areas.

Personal protective equipment

Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tightly fitting safety goggles. Face-shield.

Skin and body protection

Long sleeved clothing.

Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Control of environmental exposure

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation especially in confined areas.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State	Liquid.
Appearance	Clear.
Odor	Slight.
Odor Thresh	No information available.
pH	3.3
Melting Point/Range	-33 °C / -27.4 °F
Boiling Point/Range	108 °C / 226.4 °F @ 760 mmHg
Flash Point	No information available.
Evaporation Rate	1.0 (Butyl acetate = 1.0
Flammability (solid, gas)	Not applicable.
Flammability or explosive limit	
Upper	: 100%
Lower	: 40%

Vapor Pressure	No information available.
Vapor Density	1.10
Density	1.11
Solubility	Miscible with water.
Partition coefficient; n-octanol/water	No data available.
Autoignition Temp	No information available.
Decomposition Temp	> 125 °C
Viscosity	No information available.
Molecular Formula	H2O2
Molecular Weight	34.01
VOC Content(%)	No data available.
Oxidizing properties	No data available.

9.2 Other safety information

None.

SECTION 10: Stability and reactivity

10.1 Reactivity

None known, based on information available.

10.2 Chemical stability

Stable under normal conditions. Sensitivity to light.

10.3 Possibility of hazardous reactions

None under normal processing. Hazardous polymerization does not occur.

10.4 Conditions to avoid

Incompatible products. Excess heat. Exposure to light.

10.5 Incompatible materials

Strong oxidizing agents, Metals, Reducing agents, Alcohols, Ammonia, copper, Copper alloys, lead oxides, Cyanides, Sulfides, lead, Acetone, Aluminium.

10.6 Hazardous decomposition products

Hydrogen, Oxygen. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute Toxicity

Product Information

Oral LD50

Category 4. ATE = 300 - 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	Not listed	Not listed
Hydrogen peroxide	376 mg/kg (Rat) (90%) 910 mg/kg (Rat) (20-60%) 1518 mg/kg (Rat) (8-20% sol)	>2000 mg/kg (Rabbit)	LC50 = 2000 mg/m ³ (Rat) 4 h

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

May cause irritation.

Serious eye damage/eye irritation

Causes severe eye burns. May cause irritation.

Respiratory or skin sensitization

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed
Hydrogen peroxide	7722-84-1	Not listed	Not listed	A3	Not listed	A3

IARC: (International Agency for Research on Cancer)

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen

A5 - Not Suspected as a Human Carcinogen

Reproductive toxicity

No information available.

Specific target organ toxicity - single exposure

None known.

Specific target organ toxicity - repeated exposure

None known.

Aspiration hazard

No information available.

Chronic effects

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and and danger of perforation.

11.2 Additional information

None.

SECTION 12. Ecological information

12.1 Toxicity

Ecotoxicity

Contains a substance which is: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Hydrogen peroxide	EC50 2.5 mg/L/72h	LC50: 16.4 mg/L/96h (P.promelas)	Not listed	EC50 7.7 mg/L/24h

12.2 Persistence and degradability

Persistence is unlikely Decomposes Soluble in water based on information available.

12.3 Bio accumulative potential

No information available.

12.4 Mobility in soil

Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Hydrogen peroxide	-1.1

12.5 Results of PBT and vBvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

The toxicological properties have not been fully investigated.

SECTION 13. Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

SECTION 14: Transport information

DOT

UN-No UN2014
 Proper Shipping Name Hydrogen peroxide, aqueous solutions
 Hazard Class 5.1
 Packing Group II

TDG

UN-No UN2014
 Proper Shipping Name Hydrogen peroxide, aqueous solutions
 Hazard Class 5.1
 Packing Group II

IMDG/IMO

UN-No UN2014
 Proper Shipping Name Hydrogen peroxide, aqueous solutions
 Hazard Class 5.1
 Packing Group II

ICAO/IATA

UN-No UN2014
 Proper Shipping Name Hydrogen peroxide, aqueous solutions
 Hazard Class 5.1
 Packing Group II

SECTION 15: Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Water	X	X	-	231-791-2	-		X	-	X	X	X
Hydrogen peroxide	X	X	-	231-765-0	-		X	X	X	X	X

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act Not applicable

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration
Not applicable

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Hydrogen peroxide	-	TQ: 7500 lb

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Hydrogen peroxide	-	1000 lb

California Proposition 65 This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	X	-	-
Hydrogen peroxide	X	X	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product contains the following DHS chemicals:

Component	DHS Chemical Facility Anti-Terrorism Standard
Hydrogen peroxide	2000 lb STQ (concentration of at least 30%)

Other International Regulations

Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class E Corrosive material



SECTION 16: Other information

Issue Date 10/28/2009
Revision Date 07/24/2023

Disclaimer:

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.