

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name Isoamyl Alcohol

CAS number 123-51-3

Synonyms Isoamyl alcohol, isopentyl alcohol

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals

1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC

12501 Pauls Valley Road Austin, Texas 78737

U.S.A.

Telephone 512-668-9918 Fax 512-886-4008

1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC

International 1-352-323-3500 INFOTRAC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids

Acute Inhalation Toxicty - Vapors

Skin Corrosion/irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 2

Category 2

Category 2

Category 3

Target Organs - Respiratory system.

2.2 GHS Label elements, including precautionary statements

Laballey.com Page 1 of 10

Pictogram



Signal Word Warning

Hazard statements Flammable liquid and vapor. Harmful if inhaled. Causes skin irritation.

Causes serious eye irritation. May cause respiratory irritation.

Precautionary statements:

Prevention Use only outdoors or in a well-ventilated area. Wash face, hands and any

exposed skin thoroughlt after handling. Wear protective gloves/protective

clothing/eye protection/face protection. Do not breath

dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. No Smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precuationary measures against static discharge. Keep cool.

Response Get medical attention/advice if you feel unwell.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or doctore/physician

if you feel unwell.

Skin If skin irritation occurs: Get medical advice/attention. IF ON SKIN (or

hair): Take off imediately all contaminated clothing. Rinse skin with

water/shower. Wash contaminated clothing before reuse.

Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Fire In case of fire: Use CO2, dry chemical, or foam for extinction.

Storage Store in a well-ventilated place. Keep container tightly closed. Store

locked up.

Disposal Dispose of contents/container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Repeated exposure may cause skin dryness or cracking.

SECTION 3: Composition/information on ingredients

3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration	
Isoamyl alcohol	isopentyl alcohol	123-51-3	>95%	

Laballey.com Page 2 of 10

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

If inhaled Move to fresh air. Do not use mouth-to-mouth method if victim ingested or

inhaled the substance; give artificial respiration with the air of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Obtain

medical attention. If not breathing, give artifical respiration.

In case of skin contact Wash off immediately with plenty of water for at least 15 minutes. Obtain medical

attention.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Get medical attention.

If swallowed Do not induce vomiting. Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulties. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical

or carbon dioxide. Cool closed containers exposed to

fire with water spray.

Unsuitable extinguishing media No information available

5.2 Specific hazards arising from the substance or mixture

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decompostion can lead to release of irritating gases and vapors. Hazardous combustion products include: carbon monoxide and carbon dioxide.

5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

5.4 Further information

Laballey.com Page 3 of 10

Flash Point 45 °C / 113 °F

Autoignition Temperature 365 °C / 689 °F

Explosion limits

 Upper
 8.0 vol%

 Lower
 1.2 vol%

Sensitivity to Mechanical Impact
Sensitivity to Static Discharge
No information available
No information available

NFPA

Health	Flammability	Instability	Physical hazards
2	2	0	N/A

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of igntion. Take precautionary measures against static discharges.

6.2 Environmental precautions

Should not be released into the environment. See Section 12 for additional ecological information.

6.3 Methods and materials for containment and cleaning up

Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Use spark-proof tools and explosion-proof equipment.

6.4 Reference to other sections

See section 2 for full list of hazard and precaution statements.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions on safe handling

Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin or on clothing. Do not breathe vapors or spray mist. Do not ingest. Keep away from open flames, hot surfaces and sources of igntion. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Use only non-sparking tools.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Laballey.com Page 4 of 10

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Flammables area.

Incompatibilities

No information available

SECTION 8: Exposure controls/personal protection

8.1 Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value	
	(Vacated) TWA	100 ppm 360 mg/m3	
Isoamyl alcohol	(Vacated) STEL	125 ppm 450 mg/m3	
	TWA	100 ppm 360 mg/m3	

US. ACGIH Threshold Limit Values

Component	Type	Value
Isoamyl alcohol	TWA	100 ppm
	STEL	125 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value		
	IDLH	500 ppm		
Isoamyl alcohol	TWA	100 ppm 360 mg/m3		
	STEL	125 ppm 450 mg/m3		

Biological occupational exposure limits

No information available

8.2 Exposure controls

Appropriate engineering controls

Use only under a chemical fume hood. Use explosion-proof electrical/ventilated/lighting/equipment. Ensure that eyewash stations and safety showers are closed to the workstation location. Ensure adequate venilation, espicially in confined areas.

Personal protective equipment

Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tightly fitting safety goggles. Face shield.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory protection

Laballey.com Page 5 of 10

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Control of environmental exposure

No information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State Liquid
Appearance Clear

Odor Characteristic

Odor Threshold No information available

pH 6.5-25 g/l aq.sol Melting Point/Range -117 $^{\circ}$ C / -178.6 $^{\circ}$ F

Boiling Point/Range 130 - 132 °C / 266 - 269.6 °F 760 mmHg

Evaporation Rate No information available Flammability (solid) No information available

Flammability or explosive limit

Upper 8.0 vol% Lower 1.2 vol%

Vapor Pressure4 hPa @ 20 °CVapor Density3.04 (Air = 1.0)Density0.807-0.811Solubilitymiscible

Partition coefficient; n-octanol/water No data available Autoignition Temp 365 °C / 689 °F

Decomposition Temp 335 °C

Viscosity 4.3 mPa s at 20 °C

Molecular Formula C5H12O Molecular Weight 88.15

VOC Content(%) No information available Oxidizing properties No information available

9.2 Other safety information

No information available

SECTION 10: Stability and reactivity

10.1 Reactivity

None known, based on information available.

10.2 Chemical stability

Stable under normal conditions.

Laballey.com Page 6 of 10

10.3 Possibility of hazardous reactions

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.

10.4 Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Strong oxidizing agents, metals, alkali metals, halogens, acids, acid anhydrides, acid chlorides, isocyanates.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
lacemul cleebel	1300 mg/kg (rat)	3250 mg/kg (rabbit)	•
Isoamyl alcohol	1	3970 μL/kg (rabbit)	•

Skin corrosion/irritation

No information available

Serious eye damage/eye irritation

Irritating to eyes

Respiratory or skin sensitization

Irritating to respiratory system

Germ cell mutagenicity

No information available

Carcinogenicity

<u> </u>						
Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Isoamyl alcohol	123-51-3	Not listed				

Specific target organ toxicity - single exposure

Respiratory system

Specific target organ toxicity - repeated exposure

None known

Laballey.com Page 7 of 10

Reproductive toxicity

No information available

Chronic effects

No information available

11.2 Additional Information

No information available

SECTION 12: Ecological information

12.1 Toxicity

Product		Species	Test Results
	EC50	Desmodesmus subspicatus	493 mg/L 72 h
	EC50	Desmodesmus subspicatus	181 mg/L 96 h
Isoamyl alcohol	LC50	Rainbow trout	700 mg/L 96 h
	EC50	Microtox	2500 mg/L 17h
	EC50	Daphnia magna (water flea)	260 mg/L 48 h

12.2 Persistence and degradability

Soluble in water. Persistence is unlikely due to the information available

12.3 Bio accumulative potential

No information avialable

12.4 Mobility in soil

Will likely be mobile in the environment due to its water solubility. log Pow = 1.28

12.5 Results of PBT and vPvB assessment

No information available

12.6 Endocrine disrupting properties

No information available

12.7 Other adverse effects

Tumorigenic effects have been reported in experimental animals.

SECTION 13: Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Laballey.com Page 8 of 10

SECTION 14: Transport information

DOT (US)

UN-No UN1105
Proper Shipping Name PENTANOLS

Hazard Class 3
Packing Group III

IMDG

UN-No UN1105
Proper Shipping Name PENTANOLS

Hazard Class 3
Packing Group III

IATA

UN-No UN1105
Proper Shipping Name PENTANOLS

Hazard Class 3
Packing Group III

SECTION 15: Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not listed

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed

SARA 304 Emergency release notification

Not listed

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

See section 2 for more information

SARA 313 (TRI reporting)

Not listed

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Laballey.com Page 9 of 10

Not listed

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not listed

Safe Drinking Water Act

Not listed

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Not listed

US state regulations

US. Massachusetts RTK - Substance List

Listed

US. New Jersey Worker and Community Right-to-Know Act Listed

US. Pennsylvania Worker and Community Right-to-Know Law Listed

California Proposition 65

Not listed

SECTION 16: Other information

Issue date: 09/13/2010 Revision 1: 10/18/2020 Revision 2: 07/19/2024 Revision 3: 07/03/2025

SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Laballey.com Page 10 of 10