

## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Isopropyl Alcohol 91%  
CAS number : 67-63-0  
Synonyms : IPA, Isopropyl Alcohol, Isopropanol

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : General purpose solvent.

#### 1.3 Details of the supplier of the safety data sheet

Company : Lab Alley, LLC  
22111 Highway 71 West, Suite 601  
Spicewood, Texas 78669  
U.S.A.

Telephone : 512-668-9918  
Fax : 512-886-4008

#### 1.4 Emergency telephone

Emergency Phone # : US & Canada: 1-800-535-5053      INFOTRAC  
International 1-352-323-3500      INFOTRAC

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2)  
Eye irritation (Category 2A)  
Specific target organ toxicity - single exposure (Category 3); Narcotic effects

## 2.2 GHS Label elements, including precautionary statements

Pictogram:



Signal Word:

**Danger**

Hazard statement(s):

Highly flammable liquid and vapor.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.

Precautionary statement(s):

**Prevention** - Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Keep cool.  
**Response** - Get medical attention/advice if you feel unwell. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None.

## SECTION 3: Composition/information on ingredients

### 3.1 Components

Chemical name	Common name and synonyms	CAS number	%
Isopropyl alcohol		67-63-0	90-91
Water		7732-18-5	9-10

### 3.2 Composition comments

All concentrations are in percent by weight unless otherwise indicated.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

General advice:

Show this safety data sheet to the doctor in attendance.

If inhaled:

Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention immediately if symptoms occur.

<b>In case of skin contact:</b>	Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
<b>In case of eye contact:</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
<b>If swallowed:</b>	Do not induce vomiting. Obtain medical attention.

## 4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulties. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# SECTION 5: Firefighting measures

## 5.1 Extinguishing media

**Suitable extinguishing media** : CO2, dry chemical, dry sand, alcohol-resistant foam.

**Unsuitable extinguishing media** : Water may ineffective.

## 5.2 Specific hazards arising from the substance or mixture

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

## 5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## 5.4 Further information

Use standard firefighting procedures and consider the hazards of other involved materials. Highly flammable liquid and vapor.

# SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Remove all sources of ignition. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing.

## 6.2 Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

## 6.3 Methods and materials for containment and cleaning up

Remove all sources of ignition. Soak up with inert absorbent material. Take precautionary measures against static discharges. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Wear personal protective equipment. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Do not ingest.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Flammables area.

## SECTION 8. Exposure controls/personal protection

### 8.1 Occupational exposure limits

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Isopropyl alcohol	TWA: 200 ppm STEL: 400 ppm	(Vacated) TWA: 400 ppm (Vacated) TWA: 980 mg/m <sup>3</sup> (Vacated) STEL: 500 ppm (Vacated) STEL: 1225 mg/m <sup>3</sup> TWA: 400 ppm TWA: 980 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

#### Legend

**ACGIH** - American Conference of Governmental Industrial Hygienists

**OSHA** - Occupational Safety and Health Administration

**NIOSH IDLH**: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

### 8.2 Exposure controls

#### Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/ equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

## Personal protective equipment

### Eye/face protection

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

### Skin protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

### Body Protection

Wear appropriate chemical resistant clothing.

### Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State	Liquid.
Appearance	Colorless liquid.
Odor	Alcohol-like.
Odor Thresh	Not available.
pH	Not available.
Melting Point/Range	-88 °C / -126.4 °F
Boiling Point/Range	82 °C / 179.6 °F
Flash Point	18 °C / 64.4 °F
Evaporation Rate	1.7
Flammability (solid)	Not applicable
Flammability or explosive limit	
	Upper : 12.7% v/v
	Lower : 2% v/v
Vapor Pressure	20 mmHg @ 332°C
Vapor Density	2.1
Density	0.785 g/ml (77 °F (25 °C))
Solubility	Miscible with water.

Partition coefficient; n-octanol/water	No data available.
Autoignition Temp	750.2 °F (399 °C)
Decomposition Temp	Not available
Viscosity	Not available
Molecular Formula	C3-H8-O
Molecular Weight	60.1 g/mo
VOC Content(%)	Not oxidizing.
Oxidizing properties	Not oxidizing.

## 9.2 Other safety information

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

### 10.2 Chemical stability

Material is stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous polymerization does not occur.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Avoid direct light. Contact with incompatible materials.

### 10.5 Incompatible materials

Strong oxidizing agents, Strong acids, Metals.

### 10.6 Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), peroxides.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Product Information, Component Information

#### Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropyl alcohol	5840 mg/kg ( Rat )	13900 mg/kg ( Rat ) 12870 mg/kg ( Rabbit )	72.6 mg/L ( Rat ) 4 h
Water	-	Not listed	Not listed

### **Skin corrosion/irritation**

Repeated exposure may cause skin dryness or cracking.

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Respiratory or skin sensitization**

Not a respiratory sensitizer. This product is not expected to cause skin sensitization.

### **Germ cell mutagenicity**

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

### **Carcinogenicity**

#### **IARC Monographs. Overall Evaluation of Carcinogenicity**

Not listed.

#### **NTP Report on Carcinogens**

Not listed.

#### **OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not regulated.

### **Reproductive toxicity**

Experiments have shown reproductive toxicity effects on laboratory animals. Developmental effects have occurred in experimental animals.

### **Specific target organ toxicity - single exposure**

May cause drowsiness and dizziness. Central nervous system (CNS).

### **Specific target organ toxicity - repeated exposure**

Not classified.

### **Aspiration hazard**

Not an aspiration hazard.

### **Chronic effects**

Prolonged inhalation may be harmful.

## **11.2 Additional Information**

None.

## **12. Ecological information**

### **12.1 Toxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Isopropyl alcohol	EC50: > 1000 mg/L, 72h (Desmodesmus subspicatus) EC50: > 1000 mg/L, 96h (Desmodesmus subspicatus)	LC50: > 1400000 µg/L, 96h (Lepomis macrochirus) LC50: = 9640 mg/L, 96h flow-through (Pimephales promelas) LC50: = 11130 mg/L, 96h static (Pimephales promelas)	= 35390 mg/L EC50 Photobacterium phosphoreum 5 min	13299 mg/L EC50 = 48 h 9714 mg/L EC50 = 24 h

## 12.2 Persistence and degradability

No data available

## 12.3 Bio accumulative potential

No data available.

## 12.4 Mobility in soil

Expected to be mobile in soil.

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

## 12.6 Endocrine disrupting properties

No data available

## 12.7 Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

## 13.1 Waste Disposal Methods

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. Dispose of contents/container in accordance with local/regional/national/international regulations.

## 13.2 Local disposal regulations

Dispose in accordance with all applicable regulations.

## 13.3 Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

## 13.4 Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

## 13.4 Contaminated packaging

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.



## SECTION 14: Transport information

### DOT (US)

UN number:	UN1219
Proper shipping name:	Isopropanol
Hazard Class:	3
Subsidiary risk:	
Packaging Group:	II
Environmental hazards:	
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB2, T4, TP1
Packaging exceptions	4b, 150
Packaging non bulk	202
Packaging bulk	242

### IATA

UN number:	UN1219
Proper shipping name:	Isopropanol
Hazard Class:	3
Subsidiary risk:	
Packaging Group:	II
Environmental hazards:	No
ERG Code:	3L
Special precautions for user:	Read safety instructions, SDS and emergency procedures before handling.

### IMDG

UN number:	UN1219
Proper shipping name:	Isopropanol
Hazard Class:	3
Subsidiary risk:	
Packaging Group:	II
Environmental hazards:	
Marine pollutant	No
EmS:	F-E, S-D
Special precautions for user:	Read safety instructions, SDS and emergency procedures before handling.
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code.</b>	Not established.

## SECTION 15: Regulatory information

All of the components in the product are on the following Inventory lists:

### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Isopropyl alcohol	X	X	-	200-661-7	-		X	X	X	X	X
Water	X	X	-	231-791-2	-		X	-	X	X	X

Legend:

X - Listed

### U.S. Federal Regulations

TSCA 12(b)

Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropyl alcohol	67-63-0	90-91	1.0

**SARA 311/312 Hazard Categories** See section 2 for more information

**CWA (Clean Water Act)** Not applicable

**Clean Air Act** Not applicable

**OSHA** Occupational Safety and Health Administration  
Not applicable

**CERCLA** Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know  
Regulations**

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Isopropyl alcohol	X	X	X	-	X
Water	-	-	X	-	-

**U.S. Department of Transportation**

Reportable Quantity (RQ): N  
DOT Marine Pollutant N  
DOT Severe Marine Pollutant N

**U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

**Other International Regulations**

**Mexico - Grade** Serious risk, Grade 3

**SECTION 16: Other information**

Issue Date 01/28/2010

Revision Date 09/26/2023

**Disclaimer:**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.