

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name Ninhydrin 0.05% in Butanol
CAS number Not applicable.
Synonyms Not applicable.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC
 12501 Pauls Valley Road
 Austin, Texas 78737
 U.S.A.

Telephone 512-668-9918
Fax 512-886-4008

1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC
 International 1-352-323-3500 INFOTRAC


SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable Liquids (Category 3)
Acute Oral Toxicity (Category 4)
Skin Corrosion/Irritation (Category 2)
Serious Eye Damage/Eye Irritation (Category 1)
Specific Target Organ Toxicity - single exposure (Category 3)
Target Organs - Respiratory System, Central Nervous System (CNS)

2.2 GHS Label elements, including precautionary statements

| | |
|--------------------------|---|
| Pictogram |  |
| Signal Word | Danger |
| Hazard statements | Flammable liquid and vapor Harmful if swallowed Causes skin irritation Causes serious eye damage May cause respiratory irritation May cause drowsiness or dizziness |
| Precautionary statements | Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool Get medical attention/advice if you feel unwell IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell If skin irritation occurs: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth In case of fire: Use CO2, dry chemical, or foam for extinction Store in a well-ventilated place. Keep container tightly closed Store locked up Dispose of contents/container to an approved waste disposal plant |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified.

SECTION 3: Composition/information on ingredients

3.1 Components

| Chemical name | Common name and synonyms | CAS number | Concentration |
|---|--------------------------|------------|---------------|
| n-Butyl Alcohol | Butanol | 71-36-3 | 99.90-99.99% |
| 1H-Indene-1,3(2H)-dione, 2,2-dihydroxy- | Ninhydrin | 485-47-2 | 0.01-0.10% |

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

- If inhaled** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention.
- In case of skin contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention. Remove and wash contaminated clothing and gloves, including the inside, before re-use.
- In case of eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
- If swallowed** Do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Aspiration hazard. Clean mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes severe eye damage. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

Note to Physician: Treat symptomatically. Symptoms may be delayed.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Unsuitable extinguishing media

5.2 Specific hazards arising from the substance or mixture

Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). May be ignited by heat, sparks or flames. Containers may explode when heated. Vapors may form explosives mixtures with air.

5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

5.4 Further information

Flash Point 37 °C / 98.6 °F

Autoignition Temperature 340 °C / 644 °F

Explosion limits

Upper 11.2 vol%

Lower 1.4 vol%

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 2 | 3 | 0 | N/A |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation.

6.2 Environmental precautions

Should not be released into the environment.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions on safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

Incompatibilities

Strong oxidizing agents. Reducing Agent. Acid chlorides. copper. Copper alloys. Acid anhydrides.

SECTION 8: Exposure controls/personal protection

8.1 Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Component | Type | Value |
|-----------------|------|-------------------|
| n-Butyl Alcohol | TWA | 100 ppm 300 mg/m3 |

US. ACGIH Threshold Limit Values

| Component | Type | Value |
|-----------------|------|--------|
| n-Butyl Alcohol | TWA | 20 ppm |

US. NIOSH: Pocket Guide to Chemical Hazards

| Component | Type | Value |
|-----------------|---------|------------------|
| n-Butyl Alcohol | IDLH | 1400 ppm |
| | Ceiling | 50 ppm 150 mg/m3 |

Biological occupational exposure limits

No information available.

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin protection

Wear appropriate protective gloves.

Body Protection

Wear appropriate clothing to prevent skin exposure.

Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

| | |
|--|---------------------------|
| Physical State | Liquid |
| Appearance | Colorless |
| Odor | Sweet |
| Odor Threshold | No information available. |
| pH | No information available. |
| Melting Point/Range | -90 °C / -130 °F |
| Boiling Point/Range | 117.4 °C / 243.3 °F |
| Evaporation Rate | No information available. |
| Flammability (solid) | Not applicable. |
| Flammability or explosive limit | |
| Upper | 11.2 vol% |
| Lower | 1.4 vol% |
| Vapor Pressure | 25 mmHg @ 6.52 °C |
| Vapor Density | No information available. |
| Density | No information available. |
| Solubility | Soluble in water. |
| Partition coefficient; n-octanol/water | No information available. |
| Autoignition Temp | No information available. |
| Decomposition Temp | No information available. |
| Viscosity | 2.94cP @ 20°C |
| Molecular Formula | Not applicable. |
| Molecular Weight | Not applicable. |
| VOC Content(%) | No information available. |
| Oxidizing properties | No information available. |

9.2 Other safety information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

None known, based on information available.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Reducing Agent. Copper alloys. copper. Halogens. Acids. Acid chlorides. Acid anhydrides. Oxidizing agent.

10.6 Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------------|-----------------|---------------------|------------------|
| n-Butyl Alcohol | 700 mg/kg (rat) | 3402 mg/kg (rabbit) | > 8000 ppm (rat) |

Skin corrosion/irritation

Irritating to skin.

Serious eye damage/eye irritation

Severe eye irritant.

Respiratory or skin sensitization

Irritating to respiratory system.

Germ cell mutagenicity

No information available.

Carcinogenicity

| Component | CAS | IARC | NTP | ACGIH | OSHA | Mexico |
|-----------------|----------|------------|------------|------------|------------|------------|
| Ninhydrin | 485-47-2 | Not listed | Not listed | Not listed | Not listed | Not listed |
| n-Butyl Alcohol | 71-36-3 | Not listed | Not listed | Not listed | Not listed | Not listed |

Specific target organ toxicity - single exposure

Respiratory system, Central Nervous System (CNS).

Specific target organ toxicity - repeated exposure

None known.

Reproductive toxicity

No information available.

Chronic effects

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

11.2 Additional Information

The toxicological properties have not been fully investigated.

SECTION 12: Ecological information

12.1 Toxicity

| Product | | Species | Test Results | |
|-----------------|------|---------------------------------|----------------------------|--------|
| n-Butyl Alcohol | EC50 | Pseudokirchneriella subcapitata | 225 mg/L | 96 h |
| | EC50 | Desmodesmus subspicatus | > 500 mg/L | 72 h |
| | EC50 | Desmodesmus subspicatus | > 500 mg/L | 96 h |
| | LC50 | Pimephales promelas | 1376 mg/L | 96 h |
| | LC50 | Pimephales promelas | 1740 mg/L flow-through | 96 h |
| | LC50 | Pimephales promelas | 1910000 µg/L static | 96 h |
| | LC50 | Pimephales promelas | 1730 - 1920 mg/L static | 96 h |
| | EC50 | Microtox | 2041.4 mg/L | 5 min |
| | EC50 | Microtox | 2186 mg/L | 30 min |
| | EC50 | Microtox | 3980 mg/L | 24 h |
| | EC50 | Microtox | 4400 mg/L | 17 h |
| | EC50 | Daphnia magna | 1328 mg/L | 48 h |
| | EC50 | Daphnia magna | 1897 - 2072 mg/L | 48 h |
| | EC50 | Daphnia magna | 1983 mg/L | 48 h |

12.2 Persistence and degradability

Soluble in water. Persistence is unlikely based on information available.

12.3 Bio accumulative potential

No information available.

12.4 Mobility in soil

Will likely be mobile in the environment due to its water solubility.
(n-Butyl Alcohol log Pow = 0.785)

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

SECTION 14: Transport information

DOT (US)

| | |
|----------------------|----------|
| UN-No | UN1120 |
| Proper Shipping Name | Butanols |
| Hazard Class | 3 |
| Packing Group | III |

IMDG

| | |
|----------------------|----------|
| UN-No | UN1120 |
| Proper Shipping Name | Butanols |
| Hazard Class | 3 |
| Packing Group | III |

IATA

| | |
|----------------------|----------|
| UN-No | UN1120 |
| Proper Shipping Name | Butanols |
| Hazard Class | 3 |
| Packing Group | III |

SECTION 15: Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Listed (n-Butyl Alcohol (Cas Number 71-36-3)). RQ: 5000 lb

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

See section 2 for more information.

SARA 313 (TRI reporting)

Regulated (n-Butyl Alcohol (Cas Number 71-36-3)).
Weight: > 99%; Threshold values: 1.0%

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Not listed.

US state regulations

US. Massachusetts RTK - Substance List

Listed (n-Butyl Alcohol (Cas Number 71-36-3)).

US. New Jersey Worker and Community Right-to-Know Act

Listed (n-Butyl Alcohol (Cas Number 71-36-3)).

US. Pennsylvania Worker and Community Right-to-Know Law

Listed (n-Butyl Alcohol (Cas Number 71-36-3)).

California Proposition 65

Not listed.

SECTION 16: Other information

Issue date: 10/22/2024

SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.