

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name Nitric Acid 40% Solution

CAS number 7697-37-2

Synonyms Azotic acid; Engraver's acid; Aqua fortis

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC

12501 Pauls Valley Road Austin, Texas 78737

U.S.A.

Telephone 512-668-9918 Fax 512-886-4008

1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC

International 1-352-323-3500 INFOTRAC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing Liquids
Corrosive to Metals
Category 1
Acute Inhalation Toxicity - Vapors
Category 3
Skin Corrosion/Irritation
Category 1A
Serious Eye Damage/Eye Irritation
Category 1

Laballey.com Page 1 of 11

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word Danger

Hazard statements May intensify fire; oxidizer.

May be corrosive to metals.

Causes severe skin burns and eye damage.

Toxic if inhaled.

Corrosive to the respiratory tract.

Precautionary statements

Prevention: Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep/Store away from clothing/ other combustible materials. Take any precaution to avoid mixing with combustibles. Keep only in original container. Wear respiratory protection.

Response: Immediately call a POISON CENTER or doctor/physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Fire: In case of fire, use CO2, dry chemical, or foam for extinction.

Spills: Absorb spillage to prevent material damage.

Storage: Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a dry place.

Disposal: Dispose of contents/container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified.

Laballey.com Page 2 of 11

SECTION 3: Composition/information on ingredients

3.1 Components

Chemical name	Chemical name Common name and synonyms		mical name Common name and synonyms CAS number		Concentration	
Nitric acid	Azotic acid; Aqua fortis	7697-37-2	39-41%			
Water	Aqua; H2O	7732-18-5	59-61%			

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if

victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove from exposure, lie down. Call a

physician immediately.

In case of skin contact Wash off immediately with plenty of water for at least 15 minutes. Remove

and wash contaminated clothing and gloves, including the inside, before re-

use. Call a physician immediately.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Immediate medical attention is required.

If swallowed Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Clean mouth with water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media CO2, dry chemical, dry sand, alcohol-resistant

foam.

Unsuitable extinguishing mediaNo information available.

Laballey.com Page 3 of 11

5.2 Specific hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin, and mucous membranes. Oxidizer; Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Hazardous Combustion Products: Nitrogen oxides (NOx).

5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

5.4 Further information

Flash Point No information available.

Autoignition Temperature No information available.

Explosion limits

Upper No data available.Lower No data available.

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

NFPA

Health	Flammability	Instability	Physical hazards	
3	0	0	OX	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment as required.

6.2 Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Wear self-contained breathing apparatus and protective suit.

6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements. See Section 12 for additional Ecological Information.

Laballey.com Page 4 of 11

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions on safe handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed, seek immediate medical assistance. Do not breathe mist/vapors/spray. Keep away from clothing and other combustible materials.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep containers tightly closed in a dry, cool, and well-ventilated place. Do not store near combustible materials. Do not store in metal containers. Keep in properly labeled containers. Corrosives area.

Incompatibilities

Combustible material. Strong bases. Reducing Agent. Metals. Finely powdered metals. Organic materials. Aldehydes. Alcohols. Cyanides. Ammonia. Strong reducing agents.

SECTION 8: Exposure controls/personal protection

8.1 Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value	
	(Vacated) TWA	2 ppm	5 mg/m3
Nitric acid [C≤70%]	(Vacated) STEL	4 ppm	10 mg/m3
	TWA	2 ppm	5 mg/m3

US. ACGIH Threshold Limit Values

Component	Type	Value
Nitric acid [C≤70%]	TWA	2 ppm
	STEL	4 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Component	Туре	Value	
	TWA	2 ppm	5 mg/m3
Nitric acid [C≤70%]	STEL	4 ppm	10 mg/m3
	IDLH	25 ppm	

Biological occupational exposure limits

No information available.

Laballey.com Page 5 of 11

8.2 Exposure controls

Appropriate engineering controls

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tight sealing safety goggles. Face protection shield.

Skin protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Body Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State Liquid

Appearance Clear to pale yellow

Odor Strong acrid

Odor Threshold

No information available

pH 0.1 (1.0N solution)

Melting Point/Range -41°C
Boiling Point/Range 120.5°C

Evaporation Rate No information available

Flammability (solid)

Flammability or explosive limit

Not flammable

No data available

Upper

Lower

Vapor Pressure No information available

Laballey.com Page 6 of 11

Vapor Density No information available Density No information available

Solubility Soluble

Partition coefficient; No data available

n-octanol/water

Autoignition Temp

No information available

Decomposition Temp

No information available

Viscosity 2.0 cPs Molecular Formula HNO3

Molecular Weight 63.013 g/mol

VOC Content(%) No information available

Oxidizing properties Oxidizer

9.2 Other safety information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Known reactive hazard.

10.2 Chemical stability

Oxidizer; contact with combustible/organic material may cause fire.

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to avoid

Incompatible products. Combustible material. Excess heat. Exposure to air or moisture over prolonged periods.

10.5 Incompatible materials

Combustible material, Strong bases, Reducing Agent, Metals, Finely powdered metals, Organic materials, Aldehydes, Alcohols, Cyanides, Ammonia, Strong reducing agents.

10.6 Hazardous decomposition products

Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

Component		LD50 Oral	LD50 Dermal	LC50 Inhalation	
	Nitric acid [C≤70%]	-	-	2500 ppm/1h (Rat)	

Laballey.com Page 7 of 11

Skin corrosion/irritation

Causes severe burns by all exposure routes. Can cause redness, pain, and severe burns.

Serious eye damage/eye irritation

Causes severe burns by all exposure routes. Vapors are irritating and may cause severe damage to the eyes. Splashes may cause severe burns and permanent eye damage.

Respiratory or skin sensitization

Causes severe burns by all exposure routes. May cause irritation of the nose, throat, and respiratory tract including coughing and choking. Higher concentrations or prolonged exposure to vapors of nitric acid may lead to pneumonia or pulmonary edema.

Germ cell mutagenicity

No information available.

Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Nitric acid [C≤70%]	7697-37-2	Not listed				

Specific target organ toxicity - single exposure

None known.

Specific target organ toxicity - repeated exposure

None known.

Reproductive toxicity

No information available.

Chronic effects

Ingestion causes severe swelling, severe damage to the delicate tissue, and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

11.2 Additional Information

The toxicological properties have not been fully investigated.

SECTION 12: Ecological information

12.1 Toxicity

Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

12.2 Persistence and degradability

Miscible with water. Persistence is unlikely based on information available.

12.3 Bio accumulative potential

Laballey.com Page 8 of 11

No information available.

12.4 Mobility in soil

Will likely be mobile in the environment due to its water solubility.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

SECTION 14: Transport information

DOT (US)

UN-no UN2031
Proper Shipping Name NITRIC ACID

Hazard Class 8
Packing Group II

IMDG

UN-no UN2031
Proper Shipping Name NITRIC ACID

Hazard Class 8
Packing Group II

IATA

UN-no UN2031
Proper Shipping Name NITRIC ACID

Hazard Class 8
Packing Group II

SECTION 15: Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Laballey.com Page 9 of 11

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable.

CERCLA Hazardous Substance List (40 CFR 302.4)

Listed, Nitric acid (CAS #7697-37-2), RQ: 1000 lb.

SARA 304 Emergency release notification

Listed, Nitric acid (CAS #7697-37-2), RQ: 1000 lb.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Listed, Nitric acid (CAS #7697-37-2), TQ: 500 lb.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Listed, Nitric acid (CAS #7697-37-2), RQ: 1000 lb.

SARA 311/312 Hazardous

Chronic Health Hazard.

SARA 313 (TRI reporting)

Listed, Nitric acid (CAS #7697-37-2).

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not applicable.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

Clean Water Act (CWA - Hazardous Substances)

Listed, Nitric acid (CAS #7697-37-2), RQ: 1000 lb.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Not listed.

US state regulations

US. Massachusetts RTK - Substance List

Listed, Nitric acid (CAS #7697-37-2).

US. New Jersey Worker and Community Right-to-Know Act

Listed, Nitric acid (CAS #7697-37-2).

US. Pennsylvania Worker and Community Right-to-Know Law

Laballey.com Page 10 of 11

Listed, Nitric acid (CAS #7697-37-2).

California Proposition 65

Not listed.

SECTION 16: Other information

Issue date: 12/04/2012 Revision 1: 08/07/2013 Revision 2: 12/08/2023 Revision 3: 02/08/2024 Revision 4: 01/10/2025

SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Laballey.com Page 11 of 11