

## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name PAN, 0.1% Indicator Solution in Methyl Alcohol

CAS number Not applicable.

Synonyms Not applicable.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals.

#### 1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC  
12501 Pauls Valley Road  
Austin, Texas 78737  
U.S.A.

Telephone 512-668-9918

Fax 512-886-4008

#### 1.4 Emergency telephone

Emergency Phone #	US & Canada: 1-800-535-5053	INFOTRAC
	International 1-352-323-3500	INFOTRAC

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute Oral Toxicity (Category 3)

Acute Dermal Toxicity (Category 3)

Acute Inhalation Toxicity (Category 3)

Serious Eye Damage/Eye Irritation (Category 2)


Reproductive Toxicity (Category 2)

Specific Target Organ Toxicity - single exposure (Category 1)

Specific Target Organ Toxicity - repeated exposure (Category 1)

Flammable liquids

## 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard statements	Toxic if swallowed Toxic in contact with skin Toxic if inhaled Causes serious eye irritation Suspected of damaging fertility or the unborn child Causes damage to organs Causes damage to organs through prolonged or repeated exposure Highly flammable liquid and vapor
Precautionary statements	Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating / lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool IF exposed: Call a POISON CENTER or doctor IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention Call a POISON CENTER or doctor if you feel unwell If skin irritation occurs: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor IF SWALLOWED: Immediately call a POISON CENTER or doctor Rinse mouth In case of fire: Use CO2, dry chemical, or foam to extinguish Store locked up. Store in a well-ventilated place. Keep container tightly closed Dispose of contents/container to an approved waste disposal plant

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Poison, may be fatal or cause blindness if swallowed. Vapor harmful. CANNOT BE MADE NON-POISONOUS.

## SECTION 3: Composition/information on ingredients

### 3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Methyl Alcohol	Methanol	67-56-1	99.85-99.95%
PAN	1-(2-Pyridylazo)-2-naphthol	85-85-8	0.05-0.15%

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

**If inhaled** Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If breathing has stopped, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen.

**In case of skin contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.

**In case of eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing.

**If swallowed** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause redness and tearing of the eyes. Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

### 4.3 Indication of any immediate medical attention and special treatment needed

Note to Physician: Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media** Dry chemical. Carbon dioxide (CO2). water spray. Alcohol resistant foam.  
Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

**5.2 Specific hazards arising from the substance or mixture**

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**5.3 Special protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**5.4 Further information**

**Flash Point** 11 - 12.2 °C / 51.8 - 54 °F (close cup)

**Autoignition Temperature** No information available.

**Explosion limits**

**Upper** 36.50%

**Lower** 6%

**Sensitivity to Mechanical Impact** No information available.

**Sensitivity to Static Discharge** No information available.

**NFPA**

Health	Flammability	Instability	Physical hazards
1	3	0	N/A

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

**6.2 Environmental precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

**6.3 Methods and materials for containment and cleaning up**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

**6.4 Reference to other sections**

See Section 2 for full list of hazard and precaution statements.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Precautions on safe handling

Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Flammables area.

#### Incompatibilities

Strong oxidizing agents. Strong acids. Acid anhydrides. Acid chlorides. Strong bases. Metals. Peroxides.

## SECTION 8: Exposure controls/personal protection

### 8.1 Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value
Methyl Alcohol	TWA	200 ppm 260 mg/m <sup>3</sup>

#### US. ACGIH Threshold Limit Values

Component	Type	Value
Methyl Alcohol	TWA	200 ppm
	STEL	250 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value
Methyl Alcohol	IDLH	6000 ppm
	TWA	200 ppm 260 mg/m <sup>3</sup>
	STEL	250 ppm 325 mg/m <sup>3</sup>

#### Biological occupational exposure limits

No information available.

## 8.2 Exposure controls

### Appropriate engineering controls

Measures Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

### Personal protective equipment

#### Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

#### Skin protection

Wear appropriate protective gloves.

#### Body Protection

Wear appropriate clothing to prevent skin exposure.

#### Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

#### Control of environmental exposure

Do not let product enter drains.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	No information available.
Odor Threshold	No information available.
pH	No information available.
Melting Point/Range	-98 °C / -144.4 °F
Boiling Point/Range	64 °C / 147.2 °F
Evaporation Rate	No information available.
Flammability (solid)	Not applicable.
Flammability or explosive limit	
Upper	36.50%
Lower	6%
Vapor Pressure	No information available.

Vapor Density	No information available.
Density	No information available.
Solubility	Miscible with water.
Partition coefficient; n-octanol/water	No information available.
Autoignition Temp	No information available.
Decomposition Temp	No information available.
Viscosity	No information available.
Molecular Formula	Not applicable.
Molecular Weight	Not applicable.
VOC Content(%)	No information available.
Oxidizing properties	No information available.

## 9.2 Other safety information

No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None known, based on information available.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

None under normal processing.

### 10.4 Conditions to avoid

Incompatible products. Heat, flames and sparks. Keep away from open flames, hot surfaces and sources of ignition.

### 10.5 Incompatible materials

Strong oxidizing agents, Strong acids, Acid anhydrides, Acid chlorides, Strong bases, Metals, Peroxides.

### 10.6 Hazardous decomposition products

Carbon monoxide (CO), Formaldehyde.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Product Information, Component Information

#### Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methyl Alcohol	1187 - 2769 mg/kg	17100 mg/kg (rabbit)	128.2 mg/L (rat)

#### Skin corrosion/irritation

May cause skin irritation.

**Serious eye damage/eye irritation**

May cause eye irritation.

**Respiratory or skin sensitization**

No information available.

**Germ cell mutagenicity**

No information available.

**Carcinogenicity**

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Methyl Alcohol	67-56-1	Not listed	Not listed	Not listed	Not listed	Not listed
PAN	85-85-8	Not listed	Not listed	Not listed	Not listed	Not listed

**Specific target organ toxicity - single exposure**

Optic nerve. Central nervous system (CNS). Respiratory system.

**Specific target organ toxicity - repeated exposure**

Kidney. Liver. Spleen. Blood.

**Reproductive toxicity**

No information available.

**Chronic effects**

May cause blindness: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

**11.2 Additional Information**

The toxicological properties have not been fully investigated.

**SECTION 12: Ecological information**

**12.1 Toxicity**

Product		Species	Test Results	
Methyl Alcohol	LC50	Pimephales promelas	> 10000 mg/L	96 h
	EC50	Microtox	39000 mg/L	25 min
	EC50	Microtox	40000 mg/L	15 min
	EC50	Microtox	43000 mg/L	5 min
	EC50	Water flea	> 10000 mg/L	24 h

**12.2 Persistence and degradability**

Persistence is unlikely based on information available.



### 12.3 Bio accumulative potential

No information available.

### 12.4 Mobility in soil

Will likely be mobile in the environment due to its volatility. (Methyl Alcohol log Pow = -0.74)

### 12.5 Results of PBT and vPvB assessment

No information available.

### 12.6 Endocrine disrupting properties

No information available.

### 12.7 Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## SECTION 14: Transport information

### DOT (US)

UN-No	UN1230
Proper Shipping Name	Methanol
Hazard Class	3
Packing Group	II

### IMDG

UN-No	UN1230
Proper Shipping Name	Methanol
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	II

### IATA

UN-No	UN1230
Proper Shipping Name	Methanol
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	II

## SECTION 15: Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not listed.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Listed (Methyl Alcohol (Cas Number 67-56-1)). RQ: 5000 lb

**SARA 304 Emergency release notification**

Not listed.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous**

See section 2 for more information.

**SARA 313 (TRI reporting)**

Listed (Methyl Alcohol (Cas Number 67-56-1)).  
Weight: > 99%; Threshold Values: 1.0%

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Regulated (Methyl Alcohol (Cas Number 67-56-1)).

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act**

Not regulated.

**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

Not listed.

**US state regulations**

**US. Massachusetts RTK - Substance List**

Listed (Methyl Alcohol (Cas Number 67-56-1)).

**US. New Jersey Worker and Community Right-to-Know Act**

Listed (Methyl Alcohol (Cas Number 67-56-1)).

**US. Pennsylvania Worker and Community Right-to-Know Law**

Listed (Methyl Alcohol (Cas Number 67-56-1)).

**California Proposition 65**

Listed (Methyl Alcohol (Cas Number 67-56-1)).

**SECTION 16: Other information**

Issue date: 10/22/2024

**SECTION 17: Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.