

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name Peracetic Acid 15%

CAS number See Section 3 for component information

Synonyms N/A

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Biocide, Bacteriocide.

# 1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC 12501

Pauls Valley Road Austin,

Texas 78737 U.S.A.

512-668-9918

Telephone 512-886-4008

Fax

# 1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC

International 1-352-323-3500 INFOTRAC

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable Liquids Acute
Oral Toxicity Acute
Inhalation Toxicity Acute
Dermal Toxicity Skin
Corrosion Serious Eye
Damage
Category 1
Category 1
Category 1

Laballey.com Page 1 of 13

Specific Target Organ Toxicity (single exposure)

Acute Aquatic Toxicity

Category 1

Chronic Aquatic Toxicity

Category 1

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard statements

Combustible liquid.

Harmful if swallowed, in contact with skin or if inhaled

Causes severe skin burns and eye damage.

Causes serious eye damage. May cause respiratory irritation.

Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash skin throorughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call POISON CENTER/doctor.

Fire: In case of fire, use dry sand, dry chemical, or alcohol-resistant foam to extinguish.

Spills: Collect spillage.

Storage: Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

Disposal: Dispose of contents/container to an approved waste disposal plant.

Laballey.com Page 2 of 13

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Water	Aqua; H2O	7732-18-5	39-49%
Peracetic acid	-	79-21-0	14-17%
Acetic acid	-	64-19-7	24-29%
Hydrogen peroxide	-	7722-84-1	13-15%

# **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

# General advice If inhaled

Potential for exposure by inhalation if aerosols or mists are generated. Move victims to fresh air. With labored breathing: Provide with oxygen. Consult a doctor. If the casualty is not breathing: Perform mouth-to-mouth resuscitation, notify emergency physician immediately.

In case of skin contact Wash off affected area immediately with plenty of water for at least 15 minutes. If symptoms persist, consult a physician for treatment.

In case of eye contact With eye held open, thoroughly rinse immediately with plenty of water for at

least 10 minutes. Consult an opthalmologist immediately if the symptoms persist. When dealing with caustic substances, notify emergency physician immediately.

immediately.

If swallowed Rinse mouth. Immediately give large quantities of water to drink. Obtain

medical attention. When dealing with caustic substances, notify emergency

physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation of skin and mucous membranes. Causes burns. Daze, headache, vertigo, somnolence (sleepiness), nausea. Health injuries may be delayed. Strongly irritating to corrosive. Harmful in contact with skin and if swallowed.

# 4.3 Indication of any immediate medical attention and special treatment needed

The initial focus is only on the local action, characterized by quickly progressing deep tissue damage. In the eye, caustic/ irritating and harmful liquids cause, depending on the intensity of exposure, various levels of irritation, destruction, and ablation of the epithelium of the conjunctiva and cornea, corneal clouding, edema and ulcerations. Danger! Possible loss of eyesight! Superficial irritations and damage up to ulcerations and scarring develop on the

Laballey.com Page 3 of 13

skin. After accidental absorption in the body, the pathology and clinical findings are dependent on the kinetics of the substance (quantity of absorbed substance, the absorption time, and the effectiveness of early elimination measures (first aid)/ excretion - metabolism). A specific action of the substance is unknown. In case of substances with high water solubility, irritations up to formation of necrosis in the upper respiratory tract may result after inhalation of caustic/ irritating aerosols and mists. The initial focus is on the local action: signs of irritation of the respiratory tract such as coughing, burning behind the sternum, tears, burning in the eyes or nose. There is a risk of pulmonary edema!

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Water spray, foam, dry powder, or Carbon dioxide. Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment.

Unsuitable extinguishing media Do not use full-force water jet in order to avoid

dispersal and spread of the fire. Organic

compounds.

## 5.2 Specific hazards arising from the substance or mixture

Involved in fire, it may decompose yielding oxygen. Release of oxygen may support combustion. Risk of overpressure and burst due to decomposition in confined spaces and pipes. Hazardous substances might be released in case of fire: Carbon monoxide, Carbon dioxide.

#### 5.3 Special protective equipment and precautions for firefighters

In the case of fire, wear respiratory protective equipment independent of surrounding air and chemical protective suit. Evacuate personnel to safe areas. Keep out unprotected persons. Remove sources of ignition. In case of fire, remove the endangered containers and bring to a safe place, if this can be done safely. In the case of fire, cool the containers that are at risk with water or dilute with water (flooding). Ensure there are sufficient retaining facilities for water used to extinguish fire. Water used to extinguish fire should not enter drainage systems, soil or stretches of water. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## 5.4 Further information

Flash Point 79 °C (ISO 2719)

**Autoignition Temperature** 280 °C (DIN 51 794)

**Explosion limits** 

Upper No data available.Lower No data available.

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

Laballey.com Page 4 of 13

#### **NFPA**

Health	Flammability	Instability	Physical hazards
3	2	1	N/A

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep out unprotected persons. Evacuate personnel to safe areas.

### 6.2 Environmental precautions

Obey relevant local, state, provincial and federal laws and regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil. If the product contaminates rivers and lakes or drains, inform respective authorities.

## 6.3 Methods and materials for containment and cleaning up

Absorb with liquid-binding material (e.g. inert absorbent universal binder) and pick up. Do not use: textiles, saw dust, combustible substances. Rinse away any residue with plenty of water. Dispose of absorbed material in accordance with the regulations. Pack and label wastes like the pure substance. Do not detach label from the delivery containers prior to disposal. Clean contaminated surface thoroughly. Recommended cleaning agent: water. Ventilate room.

#### 6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

**Precautions on safe handling** Use personal protective equipment. Check the proper condition of personal safety equipment

before use. Observe ergonomic requirements when selecting personal safety equipment. Avoid contact with eyes, skin, and clothing. The work-place related airborne concentrations have to be kept below of the indicated exposure limits. If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used. Do not breathe in vapours, aerosols, sprays. Ensure there is good room ventilation. Immediately change moistened and saturated work clothes. Immediately rinse contaminated or saturated clothing with water. Avoid impurities and heat effect. Never return spilled product into its original container for re-use. (Risk of decomposition.). Provide for installation of emergency shower and eye bath. Set up safety and operation procedures. To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132) be conducted before using this product.

#### Hygiene measures

Laballey.com Page 5 of 13

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes, skin, and clothing. Do not inhale vapour, aerosols, mist. Ensure there is good room ventilation. Immediately rinse contaminated or saturated clothing with water. Immediately change moistened and saturated work clothes. Any contaminated protective equipment is to be cleaned after use. Contaminated work clothing should not be allowed out of the workplace. No eating, drinking, smoking, or snuffing tobacco at work. Wash face and/or hands before break and end of work. Preventive skin protection Use barrier cream regularly.

# 7.2 Conditions for safe storage, including any incompatibilities

## **Storage conditions**

Avoid sun rays, heat, heat effect. Temperature requirement during storage max. 40 °C. Store in original container, well ventilated, dry, clean, lockable. Use adequate venting devices on all packages, containers and tanks and check correct operation periodically. Do not confine product in unvented vessels or between closed valves. Risk of overpressure and burst due to decomposition in confined spaces and pipes. Check containers and tanks at regular intervals to detect any special changes such as pressure build-up (distension), damage, leakage. Transport and store container in upright position only. Do not empty container by means of pressure. Always close container tightly after removal of product. Do not keep the container sealed. Assure impermeability at all times. Avoid residues of the product on the containers. Store containers in such a manner that liquids released are collected in a catch vessel in case of leaks. Do not store together with: alkalis, reductants, metallic salts (risk of decomposition). Do not store together with: inflammable substances (risk of fire). Keep away from incompatible substances. Release of oxygen may support combustion. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Regularly verify the availability of water to deal with emergencies (for cooling, tank flooding, fire fighting) and check correct operation periodically. For detailed information on design specifications for the construction of tank- and dosing installations ask the producer for advice. Only use containers which are specially permitted for: Peracetic acid. For transport, storage and tank installations only use suitable materials. - Suitable container material: Polyethylene. polypropylene polytetrafluoroethylene Polyvinyl chloride (PVC). glass ceramics.

#### Incompatibilities

Iron, copper, brass, bronze, aluminium, zinc, lead, tin, mild steel.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value	
Acetic acid	PEL	10 ppm	25 mg/m3
Hydrogen peroxide	PEL	1 ppm	1.4 mg/m3

#### **US. ACGIH Threshold Limit Values**

Component	Type	Valu
Acetic acid	STEL	е
	TWA	15 ppm

10 ppm

Laballey.com Page 6 of 13

Hydrogen peroxide	TWA	1 ppm

### **US. NIOSH: Pocket Guide to Chemical Hazards**

Component	Type	Value	
Acetic acid	Ceiling	40 ppm	
Acetic acid	TWA	10 ppm 25 mg/m3	
Hydrogen peroxide	TWA	1 ppm	
Trydrogen peroxide	PEL	1 ppm 1.4 mg/m3	

# **Biological occupational exposure limits**

No information available.

## 8.2 Exposure controls

## Appropriate engineering controls

Ensure suitable suction/aeration at the work place and with operational machinery. Provide for installation of emergency shower and eye bath.

#### Personal protective equipment

## Eye/face protection

Use chemical splash goggles or face shield. When handling larger quantities: protective screen.

# Skin protection

Wear protective clothing and gloves, acid-proof. Suitable materials are: PVC, neoprene, nitrile rubber, rubber. A safety shower and eye wash fountain should be readily available.

#### **Body Protection**

To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29 CFR 1910.132) be conducted before using this product.

## Respiratory protection

Do not inhale vapor, aerosols, mist. If workplace exposure limit is exceeded apply Respiratory protective equipment. Wear a self-contained respiratory apparatus. If necessary: Local ventilation. A respiratory protection program that meets OSHA 1910.134 and ANSI z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining the suitability of various types of respirators. Note time limit for wearing respiratory protective equipment.

#### Control of environmental exposure

No information available.

Laballey.com Page 7 of 13

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical State Liquid
Appearance Colorless

Odor Stinging, vinegar-like
Odor Threshold No data available
pH approx. 0 (20 °C)

Melting Point/Range Approximate -73 °C (EEC method 92/69/EEC, A 1)

Boiling Point/Range >= 60 °C decomposes

Evaporation Rate No data available

Flammability (solid) Not applicable

Flammability or explosive limit No data available

Upper

Lower

Vapor Pressure 1,700 Pa (20 °C)

Vapor Density

Density 1.14 g/ml (20 °C)

Solubility

Partition coefficient;
n-octanol/water

Miscible
-0.26 280 °C
>= 60 °C

Autoignition Temp 1.554 mm2/s (20 °C) | 1.017 mm2/s (40 °C)

Decomposition Temp N/A
Viscosity N/A

Molecular Formula No data available
Molecular Weight No data available

VOC Content(%)
Oxidizing properties

## 9.2 Other safety information

No information available.

#### **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Risk of self-accelerating, exothermic decomposition with the development of oxygen at Effect of thermal energy / heat. Product is a(n) oxidizing agent and reactive.

# 10.2Chemical stability

Stable under recommended storage conditions. Product is supplied in stabilised form. Commercial products are stabilised to reduce risk of decomposition due to contamination.

#### 10.3 Possibility of hazardous reactions

Risk of overpressure and burst due to decomposition in confined spaces and pipes. Risk of decomposition in contact with incompatible substances, impurities, metals, alkalis, reducing agents. Release of oxygen may support combustion.

Laballey.com Page 8 of 13

## 10.4 Conditions to avoid

Sun rays, heat, heat effect.

# 10.5 Incompatible materials

Impurities, decomposition catalysts metals, nonferrous heavy metal, aluminium, zinc. metallic salts, alkalis, reducing agents, flammable material, organic solvent.

## 10.6Hazardous decomposition products

Steam, oxygen, acetic acid.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# **Product Information, Component Information**

## **Acute toxicity**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Peracetic acid 15%	1015 mg/kg	1912 mg/kg	0.49 mg/l

#### Skin corrosion/irritation

Strongly corrosive (Test substance: peracetic acid 5%).

## Serious eye damage/eye irritation

Corrosive (Test substance: peracetic acid 5%).

## Respiratory or skin sensitization

Strongly corrosive (Test substance: peracetic acid 10%).

#### Germ cell mutagenicity

Ames test: predominantly negative.

#### Carcinogenicity

No carcinogens present or none present in regulated quantities.

# Specific target organ toxicity - single exposure

Respiratory system.

# Specific target organ toxicity - repeated exposure

None known.

## Reproductive toxicity

No information available.

#### **Chronic effects**

No information available.

Laballey.com Page 9 of 13

## 11.2Additional Information

No information available.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Product		Species	Test Results
	LC50	Freshwater fish (P. platessa)	11 mg/l 96h
	LC50	Freshwater fish (O. mykiss)	1-2 mg/l 96h
	EC50	Water flea (D. magna) Algae	0.5 - 1.1 mg/l 48h
	IC50	(S. capricornutum) Activated	0.18 mg/l 120h
Peracetic acid	EC50	sludge Fish (D. rerio) Water	5.1 mg/l 3h
	NOEC	flea (D. magna) Microtox	0.015 mg/l 33d
	NOEC	Water flea (D. magna) Water	0.05 mg/l 21d
	EC50	flea (D. magna) Microtox (E.	>933.6 mg/kg 28d
PAA solution	NOEC	foetida) Terrestrial plants	1 mg/l 48h
	EC50		3.3 mg/l 48h
	LC50		>1000 mg/kg 14d
	NOEC		180 mg/kg 14d

# 12.2 Persistence and degradability

Readily biodegradable (according to OECD TG 301 E).

# 12.3Bio accumulative potential

Low; see Section 9 for log pow.

# 12.4Mobility in soil

No information available.

#### 12.5Results of PBT and vPvB assessment

No information available.

# 12.6 Endocrine disrupting properties

No information available.

# 12.7 Other adverse effects

Does not contain any heavy metals and compounds from EC directive 76.464.

# **SECTION 13: Disposal considerations**

# 13.1Waste Disposal Methods

Laballey.com Page 10 of 13

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# **SECTION 14: Transport information**

DOT (US)

UN-no UN3109

Proper Shipping Name Organic peroxide type F, liquid (Peroxyacetic acid, type

F stabilized - 14%-17%, contains acetic acid)

Hazard Class 5.1(8)
Packing Group

Special Precautions for User: Keep separate from alkalis, powdered metals and

flammables.

**IMDG** 

UN-no UN3109

Proper Shipping Name Organic peroxide type F, liquid (Peroxyacetic acid, type

F stabilized - 14%-17%, contains acetic acid)

Hazard Class 5.1(8)
Packing Group

Special Precautions for User: "Separated from" acids and alkalis. Protected from

sources of heat. Keep separate from alkalis, powdered metals and flammable substances.

IATA

UN-no UN3109

Proper Shipping Name Organic peroxide type F, liquid (Peroxyacetic acid, type F

stabilized - 14%-17%, contains acetic acid)

Hazard Class 5.1(8)
Packing Group

Special Precautions for User:

Must be protected from direct sunlight and stored away from

all sources of heat in a well-ventilated area. Must be

protected from direct sunlight and kept separate from alkalis,

powdered metals and flammable substances.

# **SECTION 15: Regulatory information**

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Listed, Acetic acid (CAS #64-19-7), RQ: 5000 lb.

SARA 304 Emergency release notification

Laballey.com Page 11 of 13

Listed, Peracetic acid (CAS #79-21-0), RQ: 500 lb.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

# SARA 302 Extremely hazardous substance

Listed, Peracetic acid (CAS #79-21-0), TPQ: 500 lb.

#### SARA 311/312 Hazardous

See Section 2 for more information.

#### SARA 313 (TRI reporting)

Listed, Peracetic acid (CAS #79-21-0).

## Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Listed, Peracetic acid (CAS #79-21-0).

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Listed, Peracetic acid (CAS #79-21-0), RQ: 10000 lb.

#### Clean Water Act (CWA)

Listed, Acetic acid (CAS #64-19-7).

# **FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

Listed, Acetic acid (CAS #64-19-7).

#### **US** state regulations

#### **US. Massachusetts RTK - Substance List**

Listed, Acetic acid (CAS #64-19-7).

Listed, Peracetic acid (CAS #79-21-0).

Listed, Hydrogen peroxide (CAS #7722-84-1).

#### US. New Jersey Worker and Community Right-to-Know Act

Listed, Acetic acid (CAS #64-19-7).

Listed, Peracetic acid (CAS #79-21-0).

Listed, Hydrogen peroxide (CAS #7722-84-1).

## US. Pennsylvania Worker and Community Right-to-Know Law

Listed, Acetic acid (CAS #64-19-7).

Listed, Peracetic acid (CAS #79-21-0).

Listed, Hydrogen peroxide (CAS #7722-84-1).

#### **California Proposition 65**

Not listed.

### **SECTION 16: Other information**

Laballey.com Page 12 of 13

Issue date: 12/05/2023 Revision 1: 07/01/2024 Revision 2: 11/08/2024

## **SECTION 17: Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Laballey.com Page 13 of 13