

512-668-9918

Phenol Crystals, ACS Reagent Grade

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name Phenol Crystals

CAS number 108-95-2

Synonyms Carbolic acid; Hydroxybenzene

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals

## 1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC

12501 Pauls Valley Road Austin, Texas 78737

U.S.A.

Telephone 512-668-9918 Fax 512-886-4008

## 1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC

International 1-352-323-3500 INFOTRAC

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute oral toxicity (Category 3)

Acute dermal toxicity (Category 3)

Acute Inhalation Toxicity - Dusts and Mists (Category 3)

Skin Corrosion/Irritation (Category 1B)

Serious Eye Damage/Eye Irritation (Category 1)

Germ Cell Mutagenicity (Category 2)

Specific target organ toxicity (single exposure) (Category 3)

Target Organs - Respiratory system

Specific target organ toxicity (repeated exposure) (Category 1)

Laballey.com Page 1 of 10

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

#### Hazard statements

Causes severe skin burns and eye damage

May cause respiratory irritation May cause drowsiness or dizziness Suspected of causing genetic defects

Causes damage to organs through prolonged or repeated exposure

Toxic if swallowed, in contact with skin or if inhaled.

## Precautionary statements

Prevention Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hand and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. No smoking

Keep cool

Response Immediately call a POISON CENTER or doctor/physician

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing

Skin Wash contaminated clothing before reuse

IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with

water/shower

Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

Ingestion Rinse mouth

Do NOT induce vomiting

Fire In case of fire: Use CO2, dry chemical, or foam for extinction

Storage Store locked up

Store in a well-ventilated place. Keep container tightly closed.

Disposal Dispose of contents/container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Toxic to aquatic life with long lasting effects.

# **SECTION 3: Composition/information on ingredients**

# 3.1 Components

Laballey.com Page 2 of 10

Chemical name	Common name and synonyms	CAS number	Concentration
Phenol	Carbolic acid; Hydroxybenzene	108-95-2	>90%

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### General advice

If inhaled Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-

to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Immediate medical attention is required.

In case of skin contact Wash off immediately with plenty of water for at least 15 minutes. Immediate

medical attention is required.

In case of eye contact In the case of contact with eyes, rinse immediately with plenty of water and seek

medical advice. Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

**If swallowed**Do NOT induce vomiting. Call a physician or poison control center immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: May cause central nervous system depression.

# 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician: treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media Water mist may be used to cool closed containers.

CO2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable extinguishing media No information available

# 5.2 Specific hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes.

## 5.3 Special protective equipment and precautions for firefighters

Laballey.com Page 3 of 10

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

#### 5.4 Further information

**Flash Point** 79 °C / 174.2 °F

**Autoignition Temperature** 605 °C / 1121 °F

**Explosion limits** 

**Upper** 8.6 vol % **Lower** 1.7 vol %

Sensitivity to Mechanical Impact
Sensitivity to Static Discharge
No information available

**NFPA** 

Health	Flammability	Instability	Physical hazards
4	2	1	N/A

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation.

# 6.2 Environmental precautions

Should not be released into the environment.

## 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

#### 6.4 Reference to other sections

See section 2 for full list of hazard and precaution statements.

#### **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

## Precautions on safe handling

Wear perosnal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe (dust, vapor, mist, gas). Avoid dust formation.

### Hygiene measures

Handle in accordance with good industrial hygiene practices.

Laballey.com Page 4 of 10

# 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, and flame. Protect from moisture. Protect from light. Corrosives area. Store under an inert atmosphere. Keep container tightly closed in a dry and well-ventilated place.

## Incompatibilities

No information available

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value	
Phenol	TWA	5 ppm	19 mg/m3

#### **US. ACGIH Threshold Limit Values**

Component	Type	Value
Phenol	TWA	5 ppm (skin)

#### **US. NIOSH: Pocket Guide to Chemical Hazards**

Component	Type	Value	
	IDLH	250 ppm	
Phenol	TWA	5 ppm (skin) 19 mg/m3	
	Ceiling	15.6 ppm 60 mg/m3	

## 8.2 Exposure controls

#### Appropriate engineering controls

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

## Personal protective equipment

#### **Eye/face protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

#### Skin protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

### **Respiratory protection**

Effective dust mask filter type A

Laballey.com Page 5 of 10

# Control of environmental exposure

No information available

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical State Crystalline solid

Appearance Colorless - Translucent White

Odor Pungent

Odor Threshold No information available pH 6 @  $20^{\circ}$ C 10 g/L aq.sol Melting Point/Range 39 -  $42^{\circ}$ C / 102.2 -  $107.6^{\circ}$ F Boiling Point/Range 182 °C /  $359.6^{\circ}$ F @  $760^{\circ}$  mmHg

Evaporation Rate No information available Flammability (solid) No information available

Flammability or explosive limit

Upper 8.6 vol% Lower 1.7 vol%

Vapor Pressure 0.4 mbar @ 20 °C Vapor Density Not applicable

Density 1.07

Solubility Soluble in water
Partition coefficient; n-octanol/water No data available
Autoignition Temp 605 °C / 1121 °F

Decomposition Temp

No information available
Viscosity

3.437 mPa.s (50°C)

Molecular Formula C6 H6 O Molecular Weight 94.11

VOC Content(%) No information available
Oxidizing properties No information available

# 9.2 Other safety information

No information available

## **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Yes

## 10.2 Chemical stability

Hygroscopic, Light sensitive

# 10.3 Possibility of hazardous reactions

None under normal processing

### 10.4 Conditions to avoid

Laballey.com Page 6 of 10

Avoid dust formation. Incompatible products. Exposure to moisture. Exposure to light. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or water.

# 10.5 Incompatible materials

Acids, Bases, Strong oxidizing agents, Halogens, Lead, Metals.

## 10.6 Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO2)

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

## **Product Information, Component Information**

## **Acute toxicity**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phenol	60 mg/kg (Human	300 mg/kg (Human	0.5 mg/L (Human
	evidence)	evidence)	evidence)

#### Skin corrosion/irritation

Causes burns by all exposure routes.

## Serious eye damage/eye irritation

Causes burns by all exposure routes.

#### Respiratory or skin sensitization

No information available

#### Germ cell mutagenicity

No information available

### Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Phenol	108-95-2	Not listed				

## Specific target organ toxicity - single exposure

Respiratory system

#### Specific target organ toxicity - repeated exposure

Liver, Kidney, Blood, Central nervous system.

### Reproductive toxicity

Experiments have shown reproductive toxicity effects on laboratory animals.

#### **Chronic effects**

No information available

Laballey.com Page 7 of 10

### 11.2 Additional Information

No information available

## **SECTION 12: Ecological information**

# 12.1 Toxicity

Product		Species	Test Results
	EC50	Freshwater Algae	187-279 mg/L, 72h
	EC50	Freshwater Algae	0.0188 - 0.1044 mg/L, 96h
	EC50	Freshwater Algae	46.42 mg/L, 96h
	LC50	Freshwater Fish	4-7 mg/L, 96h
	LC50	Freshwater Fish	32 mg/L 96h
Phenol	EC50	Microtox	21-36 mg/L, 30 min
FILETIO	EC50	Microtox	23.28 mg/L, 5 min
	EC50	Microtox	25.61 mg/L, 15 min
	EC50	Microtox	28.8 mg/L, 5 min
	EC50	Microtox	31.6 mg/L, 15 min
	EC50	Water Flea	10.2 - 15.5 mg/L, 48h
	EC50	Water Flea	4.24 - 10.7 mg/L, 48h

# 12.2 Persistence and degradability

Soluble in water. Persistence is unlikely based on information available.

# 12.3 Bio accumulative potential

No information available.

## 12.4 Mobility in soil

Will likely be mobile in the environment due to its water solubility.

#### 12.5 Results of PBT and vPvB assessment

No information available

# 12.6 Endocrine disrupting properties

No information available

#### 12.7 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# **SECTION 14: Transport information**

Laballey.com Page 8 of 10

DOT (US)

UN-no. UN1671

Proper Shipping Name PHENOL, SOLID

Hazard Class 6.1 Packing Group II

**IMDG** 

UN-no. UN1671

Proper Shipping Name PHENOL, SOLID

Hazard Class 6.1 Packing Group II

**IATA** 

UN-no. UN1671

Proper Shipping Name PHENOL, SOLID

Hazard Class 6.1 Packing Group II

# **SECTION 15: Regulatory information**

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Listed

SARA 304 Emergency release notification

Not regulated

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

See section 2 for more information

SARA 313 (TRI reporting)

Listed

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Listed

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Laballey.com Page 9 of 10

Not listed

# **Safe Drinking Water Act**

Not regulated

**US** state regulations

**US. Massachusetts RTK - Substance List** 

Listed

US. New Jersey Worker and Community Right-to-Know Act

Listed

US. Pennsylvania Worker and Community Right-to-Know Law

Listed

**California Proposition 65** 

Not listed

#### **SECTION 16: Other information**

Issue date: 12/03/2010 Revision 1: 01/19/2020 Revision 2: 07/15/2024

#### **SECTION 17: Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Laballey.com Page 10 of 10