

## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name	Potassium Hydroxide 45% Solution
CAS number	See Section 3
Synonyms	N/A

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Laboratory chemicals.
-----------------	-----------------------

#### 1.3 Details of the supplier of the safety data sheet

Company	Lab Alley, LLC 12501 Pauls Valley Road Austin, Texas 78737 U.S.A.
Telephone	512-668-9918
Fax	512-886-4008

#### 1.4 Emergency telephone

Emergency Phone #	US & Canada: 1-800-535-5053	INFOTRAC
	International 1-352-323-3500	INFOTRAC

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals	Category 1
Acute Oral Toxicity	Category 4
Skin Corrosion/Irritation	Category 1A
Serious Eye Damage/Eye Irritation	Category 1
Specific Target Organ Toxicity (single exposure)	Category 3
Target Organ(s) - Respiratory system	

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard statements

May be corrosive to metals.  
Harmful if swallowed.  
Causes severe skin burns and eye damage.  
May cause respiratory irritation.

Precautionary statements

Prevention: Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink, or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Keep only in original container.

Response: Immediately call a POISON CENTER or doctor/physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Spills: Absorb spillage to prevent material damage.

Storage: Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in corrosive resistant polypropylene container with a resistant inliner. Store in a dry place.

Disposal: Dispose of contents/container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified.

# SECTION 3: Composition/information on ingredients

## 3.1 Components

---

Chemical name	Common name and synonyms	CAS number	Concentration
Water	Aqua; H <sub>2</sub> O	7732-18-5	50-60%
Potassium hydroxide	Caustic potash; Potassium hydrate	1310-58-3	40-50%

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

- If inhaled** If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.
- In case of skin contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.
- In case of eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
- If swallowed** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue, and danger of perforation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media** CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

**Unsuitable extinguishing media** No information available.

### 5.2 Specific hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin, and mucous membranes.

### 5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### 5.4 Further information

**Flash Point** No information available.

**Autoignition Temperature** No information available.

#### Explosion limits

**Upper** No data available.

**Lower** No data available.

**Sensitivity to Mechanical Impact** No information available.

**Sensitivity to Static Discharge** No information available.

#### NFPA

Health	Flammability	Instability	Physical hazards
3	0	0	N/A

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2 Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Precautions on safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed, seek immediate medical assistance.

### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Corrosives area. Keep containers tightly closed in a dry, cool, and well-ventilated place.

### Incompatibilities

Strong oxidizing agents.

## SECTION 8: Exposure controls/personal protection

### 8.1 Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value
Potassium hydroxide	(Vacated) Ceiling	2 mg/m <sup>3</sup>

#### US. ACGIH Threshold Limit Values

Component	Type	Value
Potassium hydroxide	Ceiling	2 mg/m <sup>3</sup>

#### US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value
Potassium hydroxide	Ceiling	2 mg/m <sup>3</sup>

#### Biological occupational exposure limits

No information available.

### 8.2 Exposure controls

#### Appropriate engineering controls

Ensure that eyewash stations and safety showers are close to the workstation location.

#### Personal protective equipment

##### Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

##### Skin protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

### Body Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

### Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Inorganic gases and vapours filter. Type B. Grey. or. Ammonia and organic ammonia derivatives filter. Type K. Green. conforming to EN14387.

### Control of environmental exposure

No information available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	Odorless
Odor Threshold	No information available
pH	> 13
Melting Point/Range	-13 °C
Boiling Point/Range	Approximately 100°C
Evaporation Rate	
Flammability (solid)	Not applicable
Flammability or explosive limit	No data available
Upper	
Lower	
Vapor Pressure	No information available
Vapor Density	No information available
Density	No information available
Solubility	Miscible
Partition coefficient; n-octanol/water	No data available
Autoignition Temp	No information available
Decomposition Temp	No information available
Viscosity	No information available
Molecular Formula	KOH
Molecular Weight	56.11 g/mol
VOC Content(%)	No information available
Oxidizing properties	No information available

## 9.2 Other safety information

No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No information available.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

None under normal processing.

### 10.4 Conditions to avoid

Incompatible products.

### 10.5 Incompatible materials

Strong oxidizing agents.

### 10.6 Hazardous decomposition products

None under normal use conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Product Information, Component Information

#### Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium hydroxide	333-384 mg/kg (Rat)	-	-

#### Skin corrosion/irritation

Causes severe burns by all exposure routes.

#### Serious eye damage/eye irritation

Causes severe burns by all exposure routes.

#### Respiratory or skin sensitization

No information available.

#### Germ cell mutagenicity

No information available.

#### Carcinogenicity

---

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed
Potassium hydroxide	1310-58-3	Not listed	Not listed	Not listed	Not listed	Not listed

**Specific target organ toxicity - single exposure**

Respiratory system.

**Specific target organ toxicity - repeated exposure**

None known.

**Reproductive toxicity**

No information available.

**Chronic effects**

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue, and danger of perforation.

**11.2 Additional Information**

Effects The toxicological properties have not been fully investigated.

**SECTION 12: Ecological information**

**12.1 Toxicity**

Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Product		Species	Test Results
Potassium hydroxide	LC50	Freshwater Fish	50-165 mg/L (96h)

**12.2 Persistence and degradability**

Soluble in water. Persistence is unlikely based on information available.

**12.3 Bio accumulative potential**

No information available.

**12.4 Mobility in soil**

Will likely be mobile in the environment due to its water solubility.

**12.5 Results of PBT and vPvB assessment**

No information available.

**12.6 Endocrine disrupting properties**

No information available.

**12.7 Other adverse effects**

No information available.



## SECTION 13: Disposal considerations

### 13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## SECTION 14: Transport information

### DOT (US)

UN-no	UN1814
Proper Shipping Name	POTASSIUM HYDROXIDE, SOLUTION
Hazard Class	8
Packing Group	II

### IMDG

UN-no	UN1814
Proper Shipping Name	POTASSIUM HYDROXIDE, SOLUTION
Hazard Class	8
Packing Group	II

### IATA

UN-no	UN1814
Proper Shipping Name	POTASSIUM HYDROXIDE, SOLUTION
Hazard Class	8
Packing Group	II

## SECTION 15: Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**  
Not applicable.

**CERCLA Hazardous Substance List (40 CFR 302.4)**  
Listed, Potassium hydroxide (CAS #1310-58-3), RQ: 1000 lb.

**SARA 304 Emergency release notification**  
Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**  
Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous**

See Section 2 for more information.

**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Clean Water Act (CWA) - Hazardous Substances**

Listed, Potassium hydroxide (CAS #1310-58-3), RQ: 1000 lb.

**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

Not listed.

**US state regulations**

**US. Massachusetts RTK - Substance List**

Listed, Potassium hydroxide (CAS #1310-58-3).

**US. New Jersey Worker and Community Right-to-Know Act**

Listed, Potassium hydroxide (CAS #1310-58-3).

**US. Pennsylvania Worker and Community Right-to-Know Law**

Listed, Potassium hydroxide (CAS #1310-58-3).

**California Proposition 65**

Not listed.

**SECTION 16: Other information**

Issue date: 07/24/2024

Revision 1: 12/18/2024

**SECTION 17: Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.