



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

| | |
|--------------|---|
| Product name | Potassium Permanganate 0.042 N Solution |
| CAS number | See Section 3 |
| Synonyms | N/A |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|-----------------|-----------------------|
| Identified uses | Laboratory chemicals. |
|-----------------|-----------------------|

1.3 Details of the supplier of the safety data sheet

| | |
|-----------|--|
| Company | Lab Alley, LLC 12501 Pauls Valley Road Austin, Texas 78737 U.S.A. |
| Telephone | 512-668-9918 |
| Fax | 512-886-4008 |

1.4 Emergency telephone

| | | |
|-------------------|------------------------------|----------|
| Emergency Phone # | US & Canada: 1-800-535-5053 | INFOTRAC |
| | International 1-352-323-3500 | INFOTRAC |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

2.2 GHS Label elements, including precautionary statements

Not classified.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Toxic to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1 Components

| Chemical name | Common name and synonyms | CAS number | Concentration |
|------------------------|--------------------------|------------|---------------|
| Water | Aqua; H ₂ O | 7732-18-5 | 99.86-99.88% |
| Potassium permanganate | - | 7722-64-7 | 0.12 - 0.14% |

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

| | |
|--------------------------------|--|
| If inhaled | Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. |
| In case of skin contact | Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention if irritation develops. Consult a physician if necessary. |
| In case of eye contact | Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms persist, call a physician. |
| If swallowed | Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary. |

4.2 Most important symptoms and effects, both acute and delayed

Health injuries are not known or expected under normal use.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

| | |
|---------------------------------------|--|
| Suitable extinguishing media | The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire. |
| Unsuitable extinguishing media | No information available. |

5.2 Specific hazards arising from the substance or mixture

No information available.

5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

5.4 Further information

Flash Point No information available.

Autoignition Temperature No information available.

Explosion limits

Upper No data available.

Lower No data available.

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 2 | 0 | 0 | N/A |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes, and clothing. Remove all sources of ignition.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements, or confined areas.

6.3 Methods and materials for containment and cleaning up

Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth). In case of large spill, dike if needed. Dike far ahead of liquid spill for later disposal. Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Clean contaminated surface thoroughly.

6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions on safe handling

Wear personal protective equipment. Avoid contact with skin, eyes, and clothing. Keep away from heat and sources of ignition. Do not ingest. Do not breathe vapors or spray mist. Provide sufficient air exchange and/or exhaust in work rooms. All equipment used when handling the product must be grounded. Keep away from incompatible materials.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatibilities

Strong reducing agents. Strong acids. Strong bases.

SECTION 8: Exposure controls/personal protection

8.1 Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Component | Type | Value |
|------------------------|---------|---------------------|
| Potassium Permanganate | Ceiling | 5 mg/m ³ |

US. ACGIH Threshold Limit Values

| Component | Type | Value |
|------------------------|------|------------------------|
| Potassium Permanganate | TWA | 0.02 mg/m ³ |
| | TWA | 0.1 mg/m ³ |

US. NIOSH: Pocket Guide to Chemical Hazards

| Component | Type | Value |
|------------------------|------|-----------------------|
| Potassium Permanganate | IDLH | 500 mg/m ³ |
| | TWA | 1 mg/m ³ |
| | STEL | 3 mg/m ³ |

Biological occupational exposure limits

No information available.

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Personal protective equipment

Eye/face protection

Goggles or Safety glasses with side-shields.

Skin protection

Gloves.

Body Protection

Chemical resistant apron. Long sleeved clothing.

Respiratory protection

Respiratory protection is not necessary for normal handling. Good room ventilation or use of local exhaust (fume hood) is sufficient. Use a vapor respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapor, inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---------------------------------|--------------------------|
| Physical State | Liquid |
| Appearance | Dark purple |
| Odor | Odorless |
| Odor Threshold | No information available |
| pH | No information available |
| Melting Point/Range | 0 °C / 32 °F |
| Boiling Point/Range | 100 °C / 212 °F |
| Evaporation Rate | >1 |
| Flammability (solid) | Not applicable |
| Flammability or explosive limit | No data available |
| Upper | |
| Lower | |
| Vapor Pressure | 14 mmHg |
| Vapor Density | 0.7 |
| Density | 1 |
| Solubility | Soluble in water |

| | |
|---|--------------------------|
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temp | No information available |
| Decomposition Temp | No information available |
| Viscosity | No information available |
| Molecular Formula | KMnO4 |
| Molecular Weight | 158.04 |
| VOC Content(%) | No information available |
| Oxidizing properties | No information available |

9.2 Other safety information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerization does not occur.

10.4 Conditions to avoid

Heat. Ignition sources. Incompatible materials.

10.5 Incompatible materials

Strong reducing agents. Strong acids. Strong bases.

10.6 Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|------------------------|-----------------|--------------------|-----------------|
| Potassium Permanganate | 750 mg/kg (Rat) | > 2000 mg/kg (Rat) | - |

Skin corrosion/irritation

May cause skin irritation.

Serious eye damage/eye irritation

May cause eye irritation.

Respiratory or skin sensitization

May cause irritation of respiratory tract.

Germ cell mutagenicity

No information available.

Carcinogenicity

| Component | CAS | IARC | NTP | ACGIH | OSHA | Mexico |
|------------------------|-----------|------------|------------|------------|------------|------------|
| Water | 7732-18-5 | Not listed | Not listed | Not listed | Not listed | Not listed |
| Potassium Permanganate | 7722-64-7 | Not listed | Not listed | Not listed | Not listed | Not listed |

Specific target organ toxicity - single exposure

None known.

Specific target organ toxicity - repeated exposure

None known.

Reproductive toxicity

No information available.

Chronic effects

No information available.

11.2 Additional Information

May cause gastrointestinal irritation with nausea, vomiting, and diarrhea. May cause kidney damage. The toxicological properties have not been fully investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic organisms; may cause long-term adverse effects in the aquatic environment. The product contains the following substances which are hazardous for the environment. Do not allow material to contaminate ground water system.

| Product | | Species | Test Results | |
|------------------------|-------|-------------------------|--------------|------|
| Potassium permanganate | LC50 | Poecilia reticulata | 0.47 mg/L | 96 h |
| | EC50 | Daphnia magna | 0.06 mg/L | 48 h |
| | ErC50 | Desmodesmus subspicatus | 0.8 mg/L | 72 h |
| | NOEC | Desmodesmus subspicatus | 0.32 mg/L | 72 h |
| | EC50 | Activated sludge | 164 mg/L | 3 h |

12.2 Persistence and degradability

May persist based on information available.

12.3 Bio accumulative potential

No information available.

12.4 Mobility in soil

Will likely be mobile in the environment due to its water solubility.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

SECTION 14: Transport information

DOT (US)

| | |
|----------------------|---|
| UN-no | UN3082 |
| Proper Shipping Name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (POTASSIUM PERMANGANATE SOLUTION) |
| Hazard Class | 9 |
| Packing Group | III |

IMDG

| | |
|----------------------|---|
| UN-no | UN3082 |
| Proper Shipping Name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (POTASSIUM PERMANGANATE SOLUTION) |
| Hazard Class | 9 |
| Packing Group | III |

IATA

| | |
|----------------------|---|
| UN-no | UN3082 |
| Proper Shipping Name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (POTASSIUM PERMANGANATE SOLUTION) |
| Hazard Class | 9 |
| Packing Group | III |

SECTION 15: Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable.

CERCLA Hazardous Substance List (40 CFR 302.4)

Listed, Potassium permanganate (CAS #7722-64-7), RQ: 100 lb.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

See Section 2 for more information.

SARA 313 (TRI reporting)

Listed, Potassium permanganate (CAS #7722-64-7).

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Listed, Potassium permanganate (CAS #7722-64-7).

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA) - Hazardous Substances

Listed, Potassium permanganate (CAS #7722-64-7), RQ: 100 lb.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Not listed.

US state regulations

US. Massachusetts RTK - Substance List

Listed, Potassium permanganate (CAS #7722-64-7).

US. New Jersey Worker and Community Right-to-Know Act

Listed, Potassium permanganate (CAS #7722-64-7).

US. Pennsylvania Worker and Community Right-to-Know Law

Listed, Potassium permanganate (CAS #7722-64-7).

California Proposition 65

Not listed.

SECTION 16: Other information

Issue date: 10/18/2024

Revision 1: 03/06/2025

SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.