

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name Potassium Permanganate

CAS number 7722-64-7

Synonyms Permanganic acid, potassium salt; Condy's crystal; Chameleon

mineral; Potassium manganate(VII)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC

12501 Pauls Valley Road Austin. Texas 78737

U.S.A.

Telephone 512-668-9918 Fax 512-886-4008

1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC

International 1-352-323-3500 INFOTRAC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing Solids
Category 2
Acute Oral Toxicity
Category 4
Skin Corrosion/Irritation
Category 1C
Serious Eye Damage/Eye Irritation
Category 1
Reproductive Toxicity
Category 2

Laballey.com Page 1 of 11

Specific Target Organ Toxicity (single exposure)

Category 3

Target Organ(s) - Respiratory system, Central nervous system (CNS)

Specific Target Organ Toxicity (repeated exposure)

Category 2

Target Organ(s) - Brain

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word Danger

Hazard statements May intensify fire; oxidizer.

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Suspected of damaging the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

Precautionary statements

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink, or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep/Store away from clothing/ other combustible materials. Take any precaution to avoid mixing with combustibles.

Response: Immediately call a POISON CENTER or doctor/physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Fire: In case of fire, use CO2, dry chemical, or foam for extinction.

Storage: Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Laballey.com Page 2 of 11

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Very toxic to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Potassium permanganate	Permanganic acid, potassium salt; Potassium manganate(VII)	7722-64-7	>95%

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

If inhaled Remove to fresh air. If not breathing, give artificial respiration. Call a

physician or poison control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device.

In case of skin contact Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes. Call a physician immediately.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Immediate medical attention is required. Keep eye wide open while

rinsing.

Immediate medical attention is required. Do NOT induce vomiting. Drink

plenty of water. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue, and danger of perforation.

4.3 Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. Treat symptomatically.

SECTION 5: Firefighting measures

Laballey.com Page 3 of 11

5.1 Extinguishing media

Suitable extinguishing media CO2, dry chemical, dry sand, alcohol-resistant

foam.

Unsuitable extinguishing mediaNo information available.

5.2 Specific hazards arising from the substance or mixture

The product causes burns of eyes, skin, and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire-fighting to enter drains or water courses. Hazardous Combustion Products: Heavy metal oxides. Potassium oxides.

5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

5.4 Further information

Flash Point No information available.

Autoignition Temperature No information available.

Explosion limits

Upper No data available.Lower No data available.

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

NFPA

Health	Flammability	Instability	Physical hazards
3	0	2	OX

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes, or clothing.

6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

Laballey.com Page 4 of 11

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Soak up with inert absorbent material.

6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions on safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed, seek immediate medical assistance. Keep away from clothing and other combustible materials.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep containers tightly closed in a dry, cool, and well-ventilated place. Corrosives area. Do not store near combustible materials.

Incompatibilities

Reducing agents. Strong acids. Strong reducing agents. Combustible material.

SECTION 8: Exposure controls/personal protection

8.1 Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value
Potassium normanganato	(Vacated) Ceiling	5 mg/m3
Potassium permanganate	Ceiling	5 mg/m3

US. ACGIH Threshold Limit Values

Component	Туре	Value
Potassium pormanganato	TWA	0.02 mg/m3
Potassium permanganate	TWA	0.1 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value		
	IDLH	500 mg/m3		
Potassium permanganate	TWA	1 mg/m3		

Laballey.com Page 5 of 11

•		
	STEL	3 mg/m3

Biological occupational exposure limits

No information available.

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles, as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN 166.

Skin protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Body Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Control of environmental exposure

No information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State Solid powder
Appearance Dark brown
Odor Odorless

Odor Threshold No information available

pH 8 (16 g/l @ 20°C) Melting Point/Range 240 °C / 464 °F

Boiling Point/Range No information available

Evaporation Rate Not applicable

Flammability (solid) No information available

Flammability or explosive limit No data available

Laballey.com Page 6 of 11

Upper Lower

Vapor Pressure No information available

Vapor Density

Density

Solubility

Partition coefficient:

Not applicable
2.700 g/cm3
Soluble in water
No data available

n-octanol/water

Autoignition Temp No information available

Decomposition Temp 240 °C

Viscosity Not applicable

Molecular Formula K Mn O4
Molecular Weight 158.04 g/mol

VOC Content(%) No information available

Oxidizing properties Oxidizer

9.2 Other safety information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Reactive hazard. Oxidizer: Contact with combustible/organic material may cause fire.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to avoid

Incompatible products. Excess heat. Combustible material.

10.5 Incompatible materials

Reducing agents, Strong acids, Strong reducing agents, Combustible material.

10.6 Hazardous decomposition products

Heavy metal oxides, Potassium oxides.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Component	LD00 Oral	LD00 Dciiilai	LOGO IIIII didiloii

Laballey.com Page 7 of 11

Potassium permanganate 750 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
--	--------------------	---

Skin corrosion/irritation

Causes severe irritation and/or burns.

Serious eye damage/eye irritation

Causes severe irritation and/or burns.

Respiratory or skin sensitization

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Potassium permanganate	7722-64-7	Not listed				

Specific target organ toxicity - single exposure

Respiratory system, Central nervous system (CNS).

Specific target organ toxicity - repeated exposure

Brain.

Reproductive toxicity

Possible risk of harm to the unborn child.

Chronic effects

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue, and danger of perforation.

11.2 Additional Information

The toxicological properties have not been fully investigated.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic organisms; may cause long-term adverse effects in the aquatic environment. Do not allow material to contaminate ground water system.

Product		Species	Test Results
	EC50	Freshwater Algae	0.41 mg/L, 72h

Laballey.com Page 8 of 11

Potassium permanganate	LC50	Freshwater Fish	2.97-3.11 mg/L, 96h 3.16-3.77 mg/L, 96h 3.3-3.93 mg/L, 96h 2.3 mg/L, 96h 0.769-1.27 mg/L, 96h 1.08-1.38 mg/L, 96h 1.8-5.6 mg/L, 96h 2.7 mg/L, 96h
---------------------------	------	-----------------	--

12.2 Persistence and degradability

May persist based on information available.

12.3 Bio accumulative potential

No information available.

12.4 Mobility in soil

Will likely be mobile in the environment due to its water solubility.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

SECTION 14: Transport information

DOT (US)

UN-no UN1490

Proper Shipping Name POTASSIUM PERMANGANATE

Hazard Class 5.1 Packing Group II

IMDG

UN-no UN1490

Proper Shipping Name POTASSIUM PERMANGANATE

Hazard Class 5.1

Laballey.com Page 9 of 11

Packing Group II

IATA

UN-no UN1490

Proper Shipping Name POTASSIUM PERMANGANATE

Hazard Class 5.1 Packing Group II

SECTION 15: Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable.

CERCLA Hazardous Substance List (40 CFR 302.4)

Listed, Potassium permanganate (CAS #7722-64-7), RQ: 100 lb.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

See Section 2 for more information.

SARA 313 (TRI reporting)

Listed, Potassium permanganate (CAS #7722-64-7).

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Listed, Potassium permanganate (CAS #7722-64-7).

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA) Hazardous Substances

Listed, Potassium permanganate (CAS #7722-64-7), RQ: 100 lb.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Not listed.

Laballey.com Page 10 of 11

US state regulations

US. Massachusetts RTK - Substance List

Listed, Potassium permanganate (CAS #7722-64-7).

US. New Jersey Worker and Community Right-to-Know Act

Listed, Potassium permanganate (CAS #7722-64-7).

US. Pennsylvania Worker and Community Right-to-Know Law

Listed, Potassium permanganate (CAS #7722-64-7).

California Proposition 65

Not listed.

SECTION 16: Other information

Issue date: 10/23/2009 Revision 1: 07/20/2022 Revision 2: 12/04/2024

SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Laballey.com Page 11 of 11