

SAFETY DATA SHEET

Creation Date 17-Nov-2009 Revision Date 12-Jan-2019 **Revision Number** 1 1. Identification **Product Name** Sulfur Cat No. : C8010, C8011, C8020, C8030 Synonyms Sulphur; Brimstone. **Recommended Use** Laboratory chemicals. Uses advised against No Information available Details of the supplier of the safety data sheet **Emergency Telephone Number** Company Lab Alley LLC InfoTrac: 800-535-5053

2. Hazard(s) identification

Classification

22111 Highway 71 West, Suite 601 Spicewood, Texas 78669 Tel.: 512-668-9918

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin Corrosion/irritation | |
|---|----|
| Serious Eye Damage/Eye Irritation | |
| Specific target organ toxicity (single exposure | e) |
| Target Organs - Respiratory system. | |
| Combustible dust | |

Category 2 Category 2 Category 3

Yes

Label Elements

Signal Word Warning

Hazard Statements

May form combustible dust concentrations in air Causes skin irritation Causes serious eye irritation May cause respiratory irritation



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition / information on ingredients

| Component | CAS-No | Weight % |
|-----------|-----------|----------|
| Sulfur | 7704-34-9 | >95 |

| 4. First-aid measures | | | | | | |
|---|---|--|--|--|--|--|
| General Advice | If symptoms persist, call a physician. | | | | | |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention. | | | | | |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention. | | | | | |
| Inhalation | Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention. | | | | | |
| Ingestion | Do not induce vomiting. Obtain medical attention. | | | | | |
| Most important symptoms/effects Notes to Physician | None reasonably foreseeable. Treat symptomatically | | | | | |
| | 5. Fire-fighting measures | | | | | |
| Suitable Extinguishing Media | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. | | | | | |
| Unsuitable Extinguishing Media | No information available | | | | | |
| Flash Point | 168 °C / 334.4 °F | | | | | |
| Method - | No information available | | | | | |
| Autoignition Temperature Explosion Limits | 235 °C / 455 °F | | | | | |
| Upper | 46.0 vol % | | | | | |
| Lower | 3.3 vol % | | | | | |
| Sensitivity to Mechanical Impac | | | | | | |
| Sensitivity to Static Discharge | No information available | | | | | |

Specific Hazards Arising from the Chemical

Flammable. Fine dust dispersed in air may ignite. Dust can form an explosive mixture in air. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Sulfur oxides

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

| NFPA Health 2 | Flammability 2 | Instability 0 | Physical hazards N/A | | |
|-------------------------------------|--|--|---|--|--|
| | 6. Accidental re | elease measures | | | |
| Personal Precautions | | quipment. Remove all sources on a sources on a sources on a source on a source on a source of the so | of ignition. Avoid dust formation. s and clothing. | | |
| Environmental Precautions | Avoid release to the envir | onment. See Section 12 for add | litional ecological information. | | |
| Methods for Containment and C Up | ean Remove all sources of igr container for disposal. Ave | | spillage and collect in suitable | | |
| | 7. Handling | and storage | | | |
| Handling | | yes and clothing. Avoid ingestio | entilation. Avoid dust formation. n and inhalation. Keep away from | | |
| Storage | Keep containers tightly clo and sources of ignition. Fl | | tilated place. Keep away from hea | | |
| 8. | Exposure controls | / personal protecti | on | | |
| Exposure Guidelines | | ntain any hazardous materials w specific regulatory bodies. | ith occupational exposure limits | | |
| Engineering Measures | | | . Use explosion-proof vash stations and safety showers | | |
| Personal Protective Equipment | | | | | |
| Eye/face Protection | | ve eyeglasses or chemical safe tection regulations in 29 CFR 19 | | | |
| Skin and body protection | Wear appropriate protecti | ve gloves and clothing to preve | nt skin exposure. | | |
| Respiratory Protection | EN 149. Use a NIOSH/MS | or regulations found in 29 CFR SHA or European Standard EN ded or if irritation or other symp | | | |
| Hygiene Measures | Handle in accordance with | h good industrial hygiene and sa | afety practice. | | |
| | 9. Physical and ch | nemical properties | | | |
| Physical State Appearance | | Solid Yellow | | | |

Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Yellow rotten-egg like No information available No information available 114 °C / 237.2 °F 445 °C / 833 °F

| Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits |
|---|
| Upper |
| Lower |
| Vapor Pressure |
| Vapor Density |
| Relative Density |
| Solubility |
| Partition coefficient; n-octanol/water |
| Autoignition Temperature |
| Decomposition Temperature |
| Viscosity |
| Molecular Formula |
| Molecular Weight |

168 °C / 334.4 °F Not applicable No information available

46.0 vol % 3.3 vol % 10 mmHg @ 246 °C Not applicable No information available Insoluble in water No data available 235 °C / 455 °F No information available Not applicable S 32.05

| 10. Stability and reactivity | | | | | |
|--|---|--|--|--|--|
| Reactive Hazard | None known, based on information available | | | | |
| Stability | Stable under normal conditions. | | | | |
| Conditions to Avoid | Avoid dust formation. Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. | | | | |
| Incompatible Materials | Strong oxidizing agents | | | | |
| Hazardous Decomposition Products Sulfur oxides | | | | | |
| Hazardous Polymerization | Hazardous polymerization does not occur. | | | | |
| Hazardous Reactions | None under normal processing. | | | | |
| | | | | | |

11. Toxicological information

Acute Toxicity

Product Information

| Component Information | | | |
|-----------------------------|--------------------------|---------------------|--------------------|
| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
| Sulfur | 3000 mg/kg (Rat) | 2000 mg/kg (Rabbit) | 9.23 mg/L (Rat)4 h |
| Toxicologically Synergistic | No information available | | |

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico | |
|--|-----------|----------------------------------|------------|------------|------------|------------|--|
| Sulfur | 7704-34-9 | Not listed | Not listed | Not listed | Not listed | Not listed | |
| Mutagenic Effects | | No information available | | | | | |
| Reproductive Effect | S | No information available. | | | | | |
| Developmental Effe | cts | No information available. | | | | | |
| Teratogenicity | | No information available. | | | | | |
| STOT - single expos STOT - repeated exp | | Respiratory system None known | | | | | |

| Aspiration hazard | No information available |
|--|---|
| Symptoms / effects,both acute and | No information available |
| delayed Endocrine Disruptor Information | No information available |
| Other Adverse Effects | See actual entry in RTECS for complete information. |

12. Ecological information

Ecotoxicity

This product contains the following substance(s) which are hazardous for the environment.

| Component | Freshwater Algae Freshwater Fish | | Microtox | Water Flea | | |
|---|---|--|----------|-----------------|--|--|
| Sulfur | Not listed | Oncorhynchus Not listed mykiss:LC50>180mg/L/96h | | EC50: >5g/L/48h | | |
| Persistence and DegradabilityInsoluble in waterBioaccumulation/ AccumulationNo information available. | | | | | | |
| Mobility Is not likely mobile in the environment due its low water solubility. | | | | | | |
| | 13. D | isposal considera | ations | | | |
| Waste Disposal Methods | thods Chemical waste generators must determine whether a discarded chemical is classified | | | | | |

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

| DOT | |
|----------------------|--|
| UN-No | UN1350 |
| Proper Shipping Name | SULFUR, NOT REGULATED BY CONFORMING TO 49CFR SPECIAL PROVISION 30. |
| Hazard Class | 4.1 |
| Packing Group | III |
| TDG | |
| UN-No | UN1350 |
| Proper Shipping Name | SULPHUR |
| Hazard Class | 4.1 |
| Packing Group | III |
| | |
| UN-No | UN1350 |
| Proper Shipping Name | Sulphur |
| Hazard Class | 4.1 |
| Packing Group | III |
| IMDG/IMO | |
| UN-No | UN1350 |
| Proper Shipping Name | Sulphur |
| Hazard Class | 4.1 |
| Packing Group | III |
| | 15. Regulatory information |

All of the components in the product are on the following Inventory lists: Australia X = listed China Canada Europe TSCA Korea Philippines

International Inventories

| Component | TSCA | DSL | NDSL | EINECS | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|-----------|------|-----|------|-----------|--------|-----|-------|------|------|-------|------|
| Sulfur | Х | Х | - | 231-722-6 | - | | Х | - | Х | Х | Х |

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

| applicable |
|------------|
| |

| SARA 313 | Not applicable |
|----------|----------------|
| | |

| SARA 311/312 Hazardous Categorization Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden Release of Pressure Hazard Reactive Hazard | | Yes No Yes No No |
|--|----------------|------------------------------|
| Clean Water Act | Not applicable | |

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-----------|---------------|------------|--------------|----------|--------------|
| Sulfur | Х | Х | Х | - | Х |

U.S. Department of Transportation

| Reportable Quantity (RQ): | |
|-----------------------------|---|
| DOT Marine Pollutant | Ν |
| DOT Severe Marine Pollutant | Ν |

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.


Other International Regulations

Mexico - Grade

Slight risk, Grade 1

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR



B4 Flammable solid D2B Toxic materials



| 16. Other information | | |
|--------------------------------|--|--|
| Prepared By | Regulatory Affairs Lab Alley LLC Email: customerservice@laballey.com | |
| Creation Date Revision Date | 17-Nov-2009 12-Jan-2019 | |
| Print Date Revision Summary | 12-Jan-2019 This document has been updated to comply with the US OSHA HazCom 2012 Standard | |
| | replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS) | |

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS