

SAFETY DATA SHEET

Creation Date 19-Nov-2009 Revision Date 5-Oct-2023 **Revision Number 1**

1. Identification

Propylene Glycol, 50% **Product Name**

Cat No.: C6705

Synonyms 1,2-Propanediol; 1,2-Dihydroxypropane; Methyl Glycol (USP/FCC)

Recommended Use Manufacturing and compounding.

No Information available Uses advised against

Details of the supplier of the safety data sheet

Company Lab Alley, LLC 12501 Paul's Valley Road Suite F Austin, TX 78737

U.S.A.

Tel.: 512-668-9918

Emergency Telephone Number

Infotrac: 800-535-5053

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity (single exposure) Category 3

Target Organs - Central nervous system (CNS). Specific target organ toxicity - (repeated exposure)

Category 2

Target Organs - Kidney, spleen, Blood.

Label Elements

Signal Word

Warning

Hazard Statements

May cause drowsiness or dizziness

May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Response

Get medical attention/advice if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition / information on ingredients

Component	CAS-No	Weight %	
1,2-Propylene glycol	57-55-6	50	
Water	7732-18-5	50	

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if

symptoms occur.

Ingestion Do not induce vomiting. Obtain medical attention.

Most important symptoms/effects

Notes to Physician

No information available. Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media No information available

Flash Point 99 °C / 210.2 °F Method - No information available

Autoignition Temperature

Explosion Limits

400 °C / 752 °F

Upper 12.6 vol % **Lower** 2.6 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO2)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards211N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Avoid contact with skin,

eyes and clothing.

Environmental Precautions Should not be released into the environment. See Section 12 for additional ecological

information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up**

7. Handling and storage

Handling Wear personal protective equipment. Ensure adequate ventilation. Avoid contact with skin,

eyes and clothing. Do not breathe vapors or spray mist.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat

and sources of ignition.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
1,2-Propylene glycol			TWA: 10 mg/m ³
			TWA: 50 ppm
			TWA: 155 mg/m ³

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State viscous liquid Liquid

Appearance Clear Odor Odorless

Odor ThresholdNo information availablepH6-8100g/l aq. sol

Melting Point/Range -60 °C / -76 °F

Boiling Point/Range 187 °C / 368.6 °F

Flash Point 99 °C / 210.2 °F

Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

 Upper
 12.6 vol %

 Lower
 2.6 vol %

Vapor Pressure0.13 mbar @ 20 °CVapor Density2.62 (Air = 1.0)Relative Density1.03 - 1.04SolubilitySoluble in waterPartition coefficient; n-octanol/waterNo data available

Autoignition Temperature400 °C / 752 °FDecomposition TemperatureNo information availableViscosity45 mPa.s at 20 °C

Molecular FormulaC3 H8 O2Molecular Weight76.10

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Hygroscopic.

Conditions to Avoid Incompatible products. Excess heat. Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Acids

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
1,2-Propylene glycol	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	Not listed

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes and skin

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	CAS-No IARC NTP		ACGIH	OSHA	Mexico	
1,2-Propylene glycol	57-55-6	Not listed	Not listed	Not listed	Not listed	Not listed	

Mutagenic Effects Mutagenic effects have occurred in experimental animals.

Reproductive Effects Experiments have shown reproductive toxicity effects on laboratory animals.

Developmental EffectsNo information available.

Teratogenicity Teratogenic effects have occurred in experimental animals.

STOT - single exposure Central nervous system (CNS)

STOT - repeated exposure Kidney spleen Blood

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals. See actual entry in

RTECS for complete information.

12. Ecological information

Ecotoxicity

	Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ī	1,2-Propylene glycol	19000 mg/L EC50 = 96 h	51400 mg/L LC50 96 h 41 -	= 710 mg/L EC50	10000 mg/L EC50 > 24 h
1		_	47 mL/L LC50 96 h 51600	Photobacterium	1000 mg/L EC50 > 48 h
1			mg/L LC50 96 h 710 mg/L phosphoreum 30 min		_
1			LC50 96 h		

Persistence and Degradability
Bioaccumulation/ Accumulation

Miscible with water Persistence is unlikely based on information available.

No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

Component	log Pow		
1,2-Propylene glycol	-0.9		

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information						
· · · · · · · · · · · · · · · · · · ·						
DOT TDG IATA	Not regulated					
IATA	Not regulated					
MDG/IMO Not regulated						
15. Regulatory information						

International Inventories

	Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Ī	1,2-Propylene glycol	Х	Х	-	200-338-0	-		Χ	Х	Х	Х	Χ

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act Not applicable

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLANot applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
1,2-Propylene glycol	-	Х	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Slight risk, Grade 1

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class D2B Toxic materials



16. Other information

Prepared By Regulatory Affairs

Lab Alley LLC

Email: customerservice@laballey.com

 Creation Date
 19-Nov-2009

 Revision Date
 5-Oct-2023

 Print Date
 5-Oct-2023

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS