

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name Pyridine

CAS number 110-86-1

Synonyms Azine; Azabenzene

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC

12501 Pauls Valley Road Austin, Texas 78737

U.S.A.

Telephone 512-668-9918 Fax 512-886-4008

1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC

International 1-352-323-3500 INFOTRAC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable Liquids

Acute Oral Toxicity

Acute Dermal Toxicity

Acute Inhalation Toxicity

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 2

Category 2

Category 2

Category 2

Laballey.com Page 1 of 11

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word Danger

Hazard statements Highly flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

Harmful if swallowed, in contact with skin or if inhaled.

Precautionary statements

Prevention: Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink, or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

Fire: In case of fire, use CO2, dry chemical, or foam for extinction.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

WARNING: Cancer - https://www.p65warnings.ca.gov/.

Laballey.com Page 2 of 11

SECTION 3: Composition/information on ingredients

3.1 Components

Chemical name Common name and synonyms		CAS number	Concentration
Pyridine	Azine; Azabenzene	110-86-1	>95%

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

If inhaled Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or

inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial

respiration.

In case of skin contact Wash off immediately with plenty of water for at least 15 minutes. Get

medical attention.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Get medical attention.

If swallowed Do NOT induce vomiting. Call a physician or poison control center

immediately.

4.2 Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea, and vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media CO2, dry chemical, dry sand, alcohol-resistant

foam. Water mist may be used to cool

closed containers.

Unsuitable extinguishing media Water may be ineffective.

Laballey.com Page 3 of 11

5.2 Specific hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

Hazardous Combustion Products: Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen cyanide (hydrocyanic acid). Nitrogen oxides (NOx).

5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

5.4 Further information

Flash Point 17 °C / 62.6 °F

Autoignition Temperature 482 °C / 899.6 °F

Explosion limits

Upper 12.4 vol % **Lower** 1.8 vol %

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

NFPA

Health	Flammability	Instability	Physical hazards
3	3	0	N/A

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements.

SECTION 7: Handling and storage

Laballey.com Page 4 of 11

7.1 Precautions for safe handling

Precautions on safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces, and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep containers tightly closed in a dry, cool, and well-ventilated place. Keep away from heat, sparks, and flame. Flammables area.

Incompatibilities

Strong acids. Alkaline. Oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1 Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value		
Pyridine	(Vacated) TWA	5 ppm	15 mg/m3	
i yndine	TWA	5 ppm	15 mg/m3	

US. ACGIH Threshold Limit Values

Component	Type	Value
Pyridine	TWA	1 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Component	Туре	Value	
Pyridine	IDLH	1000 ppm	
Fyndine	TWA	5 ppm	15 mg/m3

Biological occupational exposure limits

No information available.

8.2 Exposure controls

Appropriate engineering controls

Laballey.com Page 5 of 11

Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Body Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Control of environmental exposure

No information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State Liquid
Appearance Colorless
Odor Fishy
Odor Threshold 0.66 ppm

pH 8.5 (15 g/l aq. solution)

Melting Point/Range $-42 \,^{\circ}\text{C} \, / \, -43.6 \,^{\circ}\text{F}$

Boiling Point/Range 115 - 116 °C / 239 - 240.8 °F Evaporation Rate No information available

Flammability (solid) Not applicable

Flammability or explosive limit

Upper 12.4 vol % Lower 1.8 vol %

Vapor Pressure 20 mbar @ 20 °C

Vapor Density 2.73
Density 0.978

Solubility Soluble in water

Laballey.com Page 6 of 11

Partition coefficient: No data available

n-octanol/water

Autoignition Temp 482 °C / 899.6 °F

Decomposition Temp

Viscosity

No information available

0.95 mPa.s at 20 °C

Molecular Formula C5 H5 N Molecular Weight 79.1 g/mol

VOC Content(%)

Oxidizing properties

No information available

No information available

9.2 Other safety information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces, and sources of ignition.

10.5 Incompatible materials

Strong acids, Alkaline, Oxidizing agents.

10.6 Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen cyanide (hydrocyanic acid), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

,			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Pyridine	866 mg/kg (Rat)	1000 - 2000 mg/kg (Rabbit)	12.898 mg/L (Rat) 4h

Skin corrosion/irritation

Irritating to skin.

Laballey.com Page 7 of 11

Serious eye damage/eye irritation

Irritating to eyes.

Respiratory or skin sensitization

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Pyridine	110-86-1	Group 2B	Not listed	A3	Х	A3

Specific target organ toxicity - single exposure

None known.

Specific target organ toxicity - repeated exposure

None known.

Reproductive toxicity

No information available.

Chronic effects

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea, and vomiting.

11.2 Additional Information

The toxicological properties have not been fully investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic organisms; may cause long-term adverse effects in the aquatic environment.

Product		Species	Test Results
	LC50	Oncorhynchus mykiss	4.6 mg/L, 96h static
Pyridine	LC50	Cyprinus carpio	26 mg/L, 96h semi-static
Pyridine	LC50	Pimephales promelas	63.4 - 73.6 mg/L, 96h flow- through

12.2 Persistence and degradability

Persistence is unlikely.

12.3 Bio accumulative potential

No information available.

Laballey.com Page 8 of 11

12.4 Mobility in soil

Will likely be mobile in the environment due to its water solubility (log Pow = 0.65).

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Pyridine - 110-86-1	U196	-

SECTION 14: Transport information

DOT (US)

UN-no UN1282
Proper Shipping Name PYRIDINE

Hazard Class 3
Packing Group II

IMDG

UN-no UN1282
Proper Shipping Name PYRIDINE

Hazard Class 3 Packing Group II

IATA

UN-no UN1282
Proper Shipping Name PYRIDINE

Hazard Class 3
Packing Group II

SECTION 15: Regulatory information

Laballey.com Page 9 of 11

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not applicable.

CERCLA Hazardous Substance List (40 CFR 302.4)

Listed, Pyridine (CAS #110-86-1), RQ: 1000 lb.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

See Section 2 for more information.

SARA 313 (TRI reporting)

Listed, Pyridine (CAS #110-86-1).

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Listed, Pyridine (CAS #110-86-1).

US state regulations

US. Massachusetts RTK - Substance List

Listed, Pyridine (CAS #110-86-1).

US. New Jersey Worker and Community Right-to-Know Act

Listed, Pyridine (CAS #110-86-1).

US. Pennsylvania Worker and Community Right-to-Know Law

Laballey.com Page 10 of 11

Listed, Pyridine (CAS #110-86-1).

California Proposition 65

Listed, Pyridine (CAS #110-86-1).

SECTION 16: Other information

Issue date: 06/19/2024 Revision 1: 01/07/2025

SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Laballey.com Page 11 of 11