



[www.laballey.com](http://www.laballey.com)

512-668-9918

Buy [SDA 38B-32 Ethanol 200 Proof \(100%\) w/ Bergamot Oil](#)

## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and company/undertaking

#### 1.1 Product identifiers

Product name: SDA 38B-32 Ethanol 200 Proof (100%) w/ Bergamot Oil

CAS number: See section 3

Synonyms: None

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: General uses

#### 1.3 Details of the supplier of the safety data sheet

Company

Lab Alley, LLC

12501 Pauls Valley Road, Suite A,  
Austin, TX 78737 U.S.A

Telephone 512-668-9918

Fax 512-886-4008

#### 1.4 Emergency telephone

**Emergency Phone #** US & Canada: 1-800-535-5053 INFOTRACK  
International 1-352-323-3500 INFOTRACK

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### GHS classification in accordance with 29 CFR 1910 (OSHA HCS)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.4S	skin sensitization	1	Skin Sens.1	H317
B.6	flammable liquid	2	Flam. Liq. 2	H225

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects. The product is combustible and can be ignited by potential ignition sources.

### 2.2 GHS label elements including precautionary statements.

#### Pictogram



**Signal word:** Danger

#### Hazard Statement

H225 Highly flammable liquid and vapor.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

#### Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to industrial combustion plant.

Hazardous ingredients for labelling: Bergamot Oil

### 2.3 Hazards not otherwise classified (HNOC)

Of no significance.

## SECTION 3: Composition/information on ingredients

Chemical name	Common name	CAS number	Concentration by weight
Ethanol 200 Proof		64-17-5	≥ 95%
Bergamot Oil		89957-91-5	1 – < 5%

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

### **Following skin contact**

Wash with plenty of soap and water.

### **Following eye contact**

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

### **Following ingestion**

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### **4.2 Most Important Symptoms and Effects, Acute and Delayed**

Symptoms and effects are not known to date.

### **4.3. Medical Attention or Special Treatment Needed**

None

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing Media**

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet

### **5.2. Specific Hazards Arising from the Substance or Mixture**

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### **5.3. Special Protective Equipment for Firefighters**

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### **5.4 Further Information**

Not available

## **SECTION 6: Accidental release measures**

## **6.1. Personal Precautions, Protective Equipment and Emergency Procedures**

### **For non-emergency personnel**

Remove persons to safety.

### **For emergency responders**

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

## **6.2 Environmental Precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## **6.3 Methods and materials for containment and Cleaning up**

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## **6.4 Reference to other sections**

For disposal see section 13.

# **SECTION 7: Handling and storage**

## **7.1 Precautions for safe handling**

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

## Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedings.

### 7.2 Conditions for safe storage, including any incompatibilities.

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packaging which is approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8. Exposure controls/personal protection

### 8.1 Occupations Exposure Guidelines

Component	TLV	OSHA PEL/Ca/ 29CFR 1910.1000	NIOSH REL	Mexico OEL (TWA)
Ethanol (ethyl alcohol) CAS: 64-17- 5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm (10 h) TWA: 1900 mg/m <sup>3</sup> (10 h)	

ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

STEL: short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

### Relevant DNELs of components

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Bergamot	89957-91-5	DNEL	6.88 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Bergamot	89957-91-5	DNEL	3.9 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

## 8.2 Exposure Controls

### Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

### Eye/face protection

Wear eye/face protection. Use safety goggles with side protection. Wear face-shield.

### Skin protection- Hand protection

Wear suitable gloves.

### Other protection measures

Wash hands thoroughly after handling. Protective clothing against liquid chemicals. Footwear protects against chemicals.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Avoid release to the environment.

### Personal Protective Equipment

Wear protective gloves and eye protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

## SECTION 9: Physical and chemical properties

Physical state: liquid

Color: clear, colorless liquid

Particle: not relevant (liquid)

Odor: characteristic

pH (value): not determined

Melting point/freezing point: -97.8°C

Initial boiling point and boiling range: 64.7 °C at 1,013 hPa

Flash point: 9.7 °C at 1,013 hPa

Evaporation rate: not determined

Flammability (solid, gas): not relevant, (fluid)

Vapor pressure: 169.3 hPa at 25 °C

Density: not determined

Vapor density: this information is not available

Relative density: information on this property is not available.

Solubility(ies): not determined.

Partition coefficient

- n-octanol/water (log KOW): this information is not available

Auto-ignition temperature: 235 °C (auto-ignition temperature (liquids and gases))

Viscosity: not determined

Explosive properties: none

Oxidizing properties: none

Liquid content: 100 %

Solid content: 0 %

Temperature class (USA, acc. to NEC 500): T2C (maximum permissible surface temperature on the equipment: 230°C)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive



substance(s). Risk of ignition.

If heated:

Risk of ignition

### **10.2 Chemical stability**

See below "Conditions to avoid".

### **10.3 Possibility of hazardous reactions**

No known hazardous reactions.

### **10.4 Conditions to avoid**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### **10.5 Incompatible materials**

Oxidizers

### **10.6 Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

### **11.1 Information on Toxicological Effects**

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula). Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### **Acute toxicity**

Shall not be classified as acutely toxic.

#### **Skin corrosion/irritation**

Shall not be classified as corrosive/irritant to skin.

#### **Serious eye damage/eye irritation**

Causes serious eye irritation.

#### **Respiratory or skin sensitization**

May cause an allergic skin reaction.

**Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

**Carcinogenicity**

Shall not be classified as carcinogenic.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans**

Name of substance	CAS No	Classification	Number
Ethanol 200 Proof	64-17-5	1	

Legend 1 Carcinogenic to humans

**Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

**Specific target organ toxicity - single exposure**

Shall not be classified as a specific target organ toxicant (single exposure).

**Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

**Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

**SECTION 12. Ecological information**

**12.1. Ecotoxicity**

Shall not be classified as hazardous to the aquatic environment.

**12.2. Persistence and Degradability**

Data not available.

**12.3. Bio-accumulative Potential**

Data not available.

**12.4. Mobility in Soil**

Data not available.

**12.5. Other Adverse Ecological Effects**

Data not available.

**SECTION 13. Disposal considerations**

**13.1 Waste Disposal Method**

**Waste treatment methods**

Solvent reclamation/regeneration.

**Sewage disposal-relevant information**

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

**Waste treatment of containers/packages**

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

**Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into categories that can be handled separately by the local or national waste management facilities.

**SECTION 14: Transport information****14.1 UN number**

DOT UN 1170

**14.2 UN proper shipping name**

DOT Ethanol solutions (Bergamot Oil)

**14.3 Transport hazard class(es)**

DOT 3

**14.4 Packing group**

DOT II

**14.5 Environmental hazards**

non-environmentally hazardous acc. to the dangerous goods regulations

**14.6 Special precautions for user**

Do not handle until all safety precautions have been read and understood.

**14.7 Information for each of the UN Model Regulations**

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

**Particulars in the shipper's declaration**

UN1170, Ethanol solutions, 3, II

Danger label(s) 3



Special provisions (SP) 24, IB2, T4, TP1

ERG No 127

**International Maritime Dangerous Goods Code (IMDG) - Additional information**

Marine pollutant -

Danger label(s) 3



Special provisions (SP) 144

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-E, S-D

Stowage category A

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**

Danger label(s) 3



Special provisions (SP) A3, A58, A180

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

**SECTION 15: Regulatory information**

**15.1. Occupational Safety and Health Administration (OSHA) Hazards**

Not listed.

**15.2. Superfund Amendment and Reauthorization Act (SARA TITLE III )**

**- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)**

none of the ingredients are listed

**- Specific Toxic Chemical Listings (EPCRA Section 313)**

none of the ingredients are listed

**Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)**

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

**Clean Air Act**

none of the ingredients are listed

**Right to Know Hazardous Substance List**

- Hazardous Substance List (NJ-RTK)

Ethanol 200 Proof

CAS: 64-17-5

Classifications: CA, MU, TE, F3

Legend: CA Carcinogenic, F3 Flammable - Third Degree, MU Mutagenic, TE Teratogenic

**California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987**

ethanol (ethyl alcohol)

CAS: 64-17-5

Remarks: in alcoholic beverages

Toxicity: developmental

**Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)**

none of the ingredients are listed

**NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Flammability 3

Health 2

Instability 0

Special hazard - blank

## United States of America Toxic Substances Control Act (TSCA) List

All ingredients are listed (ACTIVE) or exempt from listing

### International Inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

### Legend

AIIC Australian Inventory of Industrial Chemicals

CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances

KECI Korea Existing Chemicals Inventory

NZIoC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## 15.3 Other International Regulations

Not available

## SECTION 16: Other information

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapor.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

**Date of issue: 3/6/2024**

## SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.