

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifiers

Product name Silica Gel, Indicating

CAS number N/A

Synonyms N/A

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals.

## 1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC

12501 Pauls Valley Road Austin, Texas 78737

U.S.A.

Telephone 512-668-9918 Fax 512-886-4008

# 1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC

International 1-352-323-3500 INFOTRAC

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Carcinogenicity Category 1A Reproductive Toxicity Category 1B

# 2.2 GHS Label elements, including precautionary statements

Laballey.com Page 1 of 10

Pictogram



Signal Word Danger

Hazard statements May cause cancer by inhalation.

May damage fertility.

Precautionary statements

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective

equipment as required.

Response: IF exposed or concerned, get medical attention/advice.

Storage: Store locked up.

Disposal: Dispose of contents/container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Harmful to aquatic life with long lasting effects.

WARNING: Cancer.

# **SECTION 3: Composition/information on ingredients**

# 3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Silica, amorphous	Silica gel; Silicon dioxide (amorphous)	7631-86-9	99.50%
Cobalt(II) chloride	Cobaltous chloride	7646-79-9	0.50%

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### General advice

If inhaled Remove to fresh air. If not breathing, give artificial respiration. Get medical

attention if symptoms occur.

In case of skin contact Wash off immediately with plenty of water for at least 15 minutes. If skin

irritation persists, call a physician.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Get medical attention.

If swallowed Clean mouth with water and drink afterwards plenty of water. Get medical

attention if symptoms occur.

Laballey.com Page 2 of 10

## 4.2 Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

# 4.3 Indication of any immediate medical attention and special treatment needed

If symptoms persist, call a physician. Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media Not combustible.

**Unsuitable extinguishing media**No information available.

# 5.2 Specific hazards arising from the substance or mixture

Keep product and empty container away from heat and sources of ignition. Hazardous Combustion Products: Hydrogen chloride. Silicon dioxide. Cobalt oxides.

## 5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 5.4 Further information

Flash Point No information available.

**Autoignition Temperature** No information available.

**Explosion limits** 

Upper No data available.Lower No data available.

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

**NFPA** 

Health	Flammability	Instability	Physical hazards
2	0	1	N/A

Laballey.com Page 3 of 10

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

# 6.2 Environmental precautions

Should not be released into the environment. Collect spillage. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.

## 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

#### 6.4 Reference to other sections

See Section 12 for additional Ecological Information.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Precautions on safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Store under an inert atmosphere. Keep container tightly closed in a dry and well-ventilated place. Protect from moisture.

#### Incompatibilities

Oxidizing agents.

## **SECTION 8: Exposure controls/personal protection**

# 8.1 Occupational exposure limits

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component		Type	Value	
Silica, amorphous		(Vacated) TWA	6 mg/m3	

#### **US. ACGIH Threshold Limit Values**

Component	Type	Value
-----------	------	-------

Laballey.com Page 4 of 10

Cobaltous chloride	TWA	0.02 mg/m3

#### **US. NIOSH: Pocket Guide to Chemical Hazards**

Component	Туре	Value
Silica amorphous	IDLH	3000 mg/m3
Silica, amorphous	TWA	6 mg/m3

#### **Biological occupational exposure limits**

No information available.

## 8.2 Exposure controls

#### Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

# Personal protective equipment

## Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

#### Skin protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

#### **Body Protection**

Wear appropriate protective gloves and clothing to prevent skin exposure.

#### Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particulates filter conforming to EN 143.

#### Control of environmental exposure

No information available.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical State Solid granules

Appearance No information available
Odor No information available
Odor Threshold No information available

Laballey.com Page 5 of 10

pH 6

Melting Point/Range No data available

Boiling Point/Range No information available

Evaporation Rate Not applicable

Flammability (solid) No information available

Flammability or explosive limit No data available

Upper

Lower

Vapor Pressure No information available

Vapor Density Not applicable

Density No information available Solubility No information available

Partition coefficient; No data available

n-octanol/water

Autoignition Temp No information available Decomposition Temp No information available

Viscosity Not applicable

Molecular Formula N/A
Molecular Weight N/A

VOC Content(%)

Oxidizing properties

No information available

No information available

# 9.2 Other safety information

No information available.

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No information available.

## 10.2 Chemical stability

Hygroscopic.

## 10.3 Possibility of hazardous reactions

None under normal processing.

#### 10.4 Conditions to avoid

Exposure to moist air or water.

## 10.5 Incompatible materials

Oxidizing agents.

## 10.6 Hazardous decomposition products

Hydrogen chloride, Silicon dioxide, Cobalt oxides.

# **SECTION 11: Toxicological information**

Laballey.com Page 6 of 10

# 11.1 Information on toxicological effects

## **Product Information, Component Information**

**Acute toxicity** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Silica, amorphous	>5000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	-
Cobaltous chloride	80 mg/kg (Rat)	-	-

#### Skin corrosion/irritation

No information available.

## Serious eye damage/eye irritation

No information available.

# Respiratory or skin sensitization

No information available.

# Germ cell mutagenicity

No information available.

Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Silica, amorphous	7631-86-9	Not listed	Known	Not listed	Not listed	Not listed
Cobaltous chloride	7646-79-9	Group 2B	Reasonably Anticipated	A3	X	Not listed

# Specific target organ toxicity - single exposure

None known.

## Specific target organ toxicity - repeated exposure

None known.

#### Reproductive toxicity

No information available.

#### **Chronic effects**

No information available.

# 11.2 Additional Information

The toxicological properties have not been fully investigated.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Laballey.com Page 7 of 10

Harmful to aquatic organisms; may cause long-term adverse effects in the aquatic environment. Do not allow material to contaminate ground water system.

Product		Species	Test Results
	EC50	Freshwater Algae	440 mg/L/72h
Silica, amorphous	LC50	Freshwater Fish	5000 mg/L/96h
	EC50	Water Flea	7600 mg/L/48h
Cobaltous chloride	LC50	Cyprinus carpio	0.33 mg/L/96h
	EC50	Water Flea	1.1-1.6 mg/L/48h

## 12.2 Persistence and degradability

Insoluble in water. May persist.

## 12.3 Bio accumulative potential

No information available.

# 12.4 Mobility in soil

Is not likely mobile in the environment due its low water solubility.

#### 12.5 Results of PBT and vPvB assessment

No information available.

# 12.6 Endocrine disrupting properties

No information available.

#### 12.7 Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

# 13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# **SECTION 14: Transport information**

**DOT (US)** Not regulated.

IMDG Not regulated.

IATA Not regulated.

# **SECTION 15: Regulatory information**

Laballey.com Page 8 of 10

# **US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable.

## **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Listed, Silica amorphous (CAS #7631-86-9).

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

## SARA 302 Extremely hazardous substance

Not listed.

#### SARA 311/312 Hazardous

See Section 2 for more information.

## SARA 313 (TRI reporting)

Listed, Cobaltous chloride (CAS #7646-79-9).

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Listed, Cobaltous chloride (CAS #7646-79-9).

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

#### Safe Drinking Water Act

Not regulated.

# **FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

Not listed.

#### **US** state regulations

#### **US. Massachusetts RTK - Substance List**

Listed, Silica amorphous (CAS #7631-86-9).

## **US. New Jersey Worker and Community Right-to-Know Act**

Listed, Cobaltous chloride (CAS #7646-79-9). Listed, Silica amorphous (CAS #7631-86-9).

#### US. Pennsylvania Worker and Community Right-to-Know Law

Listed, Cobaltous chloride (CAS #7646-79-9).

Laballey.com Page 9 of 10

Listed, Silica amorphous (CAS #7631-86-9).

## **California Proposition 65**

Listed, Silica amorphous (CAS #7631-86-9).

# **SECTION 16: Other information**

Issue date: 10/30/2024

## **SECTION 17: Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Laballey.com Page 10 of 10