

SAFETY DATA SHEET

Creation Date 16-Nov-2010 Revision Date 14-Oct-2019 Revision Number 1

1. Identification

Product Name Sodium fluoride

Cat No. : C7440, C7450

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Emergency Telephone Number

Lab Alley LLC InfoTrac: 800-535-5053 22111 Highway 71 West, Suite 601

Spicewood, Texas 78669 Tel.: 512-668-9918

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Skin Corrosion/irritation

Category 2
Serious Eye Damage/Eye Irritation

Category 2

Label Elements

Signal Word

Danger

Hazard Statements

Toxic if swallowed Causes skin irritation Causes serious eye irritation



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Contact with acids liberates very toxic gas

3. Composition / information on ingredients

Component	CAS-No	Weight %
Sodium fluoride	7681-49-4	>95

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if

symptoms occur.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

vomiting, or flu-like symptoms

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media No information available

Revision Date 14-Oct-2019 Sodium fluoride

Flash Point Not applicable

No information available Method -

Autoignition Temperature

Explosion Limits

Not applicable

No data available Upper Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Non-combustible. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Gaseous hydrogen fluoride (HF)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Flammability Instability Physical hazards Health 3 0 0 N/A

Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment. Avoid contact with the

skin and the eyes. Avoid dust formation.

See Section 12 for additional ecological information. Do not flush into surface water or **Environmental Precautions**

sanitary sewer system.

Methods for Containment and Clean Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Do not flush into surface water or sanitary sewer system. Up

7. Handling and storage

Ensure adequate ventilation. Wear personal protective equipment. Avoid dust formation. Do Handling

not breathe dust. Do not get in eyes, on skin, or on clothing. Use only in well-ventilated

areas.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from Storage

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium fluoride	TWA: 2.5 mg/m ³	(Vacated) TWA: 2.5 mg/m ³	IDLH: 250 mg/m ³
			TWA: 2.5 mg/m ³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Sodium fluoride	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Revision Date 14-Oct-2019 Sodium fluoride

Eye/face Protection Wear appropriate protective eveglasses or chemical safety googles as described by

OSHA's eve and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection **Respiratory Protection**

Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

9. Physical and chemical properties

Physical State Powder Solid White **Appearance** Odorless Odor

Odor Threshold No information available

pН 7.4

Melting Point/Range 993 °C / 1819.4 °F **Boiling Point/Range** 1700 °C / 3092 °F Flash Point Not applicable Not applicable **Evaporation Rate**

Flammability (solid,gas) No information available

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** 1 mmHg @ 1077 °C Vapor Density Not applicable **Relative Density** 2.78 (H2O=1) Solubility 4g/100ml (25°C)

Partition coefficient; n-octanol/water No data available Not applicable **Autoignition Temperature**

Decomposition Temperature No information available

Not applicable **Viscosity**

F Na Molecular Formula 41.98 **Molecular Weight**

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions. Moisture sensitive.

Incompatible products. Exposure to moist air or water. **Conditions to Avoid**

Incompatible Materials Acids

Hazardous Decomposition Products Gaseous hydrogen fluoride (HF)

Hazardous Polymerization Hazardous polymerization does not occur.

None under normal processing. **Hazardous Reactions**

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium fluoride	52 mg/kg (Rat)	> 2000 mg/kg (Rat)	Not listed

Toxicologically Synergistic

No information available

Products

Revision Date 14-Oct-2019 Sodium fluoride

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes and skin

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Sodium fluoride	7681-49-4	Not listed				

No information available **Mutagenic Effects**

Reproductive Effects No information available.

Developmental Effects No information available.

No information available. **Teratogenicity**

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Other side effects may include nausea, headache, diarrhea, cramps, vomiting, or flu-like

symptoms

Endocrine Disruptor Information No information available

Other Adverse Effects See actual entry in RTECS for complete information.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Component Freshwater Algae		Microtox	Water Flea
Sodium fluoride	850 mg/L EC50 = 72 h 272	Lepomis macrochirus:	-	338 mg/L EC50 = 48 h
	mg/L EC50 = 96 h	530 mg/L LC50 96 h (static)		98 mg/L EC50 = 48 h (static)
		830 mg/L LC50 96 h		
		(semi-static)		
		Pimephales promelas:		
		180 mg/L LC50 96 h		
		Oncorhynchus mykiss:		
		38 - 68 mg/L LC50 96 h		

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN1690 **UN-No**

SODIUM FLUORIDE, SOLID **Proper Shipping Name**

Hazard Class 6.1 Ш **Packing Group**

TDG

UN-No UN1690

Proper Shipping Name SODIUM FLUORIDE, SOLID

Hazard Class 6.1 Packing Group III

IATA

UN-No UN1690

Proper Shipping Name SODIUM FLUORIDE, SOLID

Hazard Class 6.
Packing Group

IMDG/IMO

UN-No UN1690

Proper Shipping Name SODIUM FLUORIDE, SOLID

Hazard Class 6.1
Packing Group

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Sodium fluoride	Х	Χ	-	231-667-8	-		Χ	Χ	Χ	Х	Χ

Legend:

X - Listed

- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Sodium fluoride	X	1000 lb	-	-

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Sodium fluoride	1000 lb	-	

California Proposition 65 This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium fluoride	X	X	X	X	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class D1B Toxic materials

D2A Very toxic materials D2B Toxic materials



16. Other information

Prepared By Regulatory Affairs

Lab Alley LLC

Email: customerservice@laballey.com

 Creation Date
 16-Nov-2010

 Revision Date
 14-Oct-2019

 Print Date
 14-Oct-2019

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS