

## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name	Sodium Hydroxide 3N Solution
CAS number	1310-73-2
Synonyms	N/A

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Laboratory chemicals.
-----------------	-----------------------

#### 1.3 Details of the supplier of the safety data sheet

Company	Lab Alley, LLC 12501 Pauls Valley Road Austin, Texas 78737 U.S.A.
Telephone	512-668-9918
Fax	512-886-4008

#### 1.4 Emergency telephone

Emergency Phone #	US & Canada: 1-800-535-5053	INFOTRAC
	International 1-352-323-3500	INFOTRAC


### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals	Category 1
Skin Corrosion	Category 1A
Serious Eye Damage	Category 1

#### 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard statements	May be corrosive to metals. Causes severe skin burns and eye damage.
Precautionary statements	<p>Prevention: Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Keep only in original container.</p> <p>Response: Immediately call a POISON CENTER or doctor/physician.</p> <p>IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</p> <p>IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.</p> <p>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.</p> <p>Spills: Absorb spillage to prevent material damage.</p> <p>Storage: Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in corrosive-resistant polypropylene container with a resistant inliner. Store in a dry place.</p> <p>Disposal: Dispose of contents/container to an approved waste disposal plant.</p>

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified.

## SECTION 3: Composition/information on ingredients

### 3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Water	Aqua; H <sub>2</sub> O	7732-18-5	85-90%
Sodium hydroxide	Caustic soda; Lye	1310-73-2	10-15%

## SECTION 4: First aid measures

## 4.1 Description of first-aid measures

### General advice

<b>If inhaled</b>	Remove to fresh air. Call physician.
<b>In case of skin contact</b>	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.
<b>In case of eye contact</b>	Rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.
<b>If swallowed</b>	Make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

## 4.2 Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue, and danger of perforation.

## 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable extinguishing media</b>	No information available.

### 5.2 Specific hazards arising from the substance or mixture

Corrosive material. Non-combustible; substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products: Sodium oxides.

### 5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 5.4 Further information

**Flash Point** No information available.

**Autoignition Temperature** No information available.

### Explosion limits

**Upper** No data available.

**Lower** No data available.

**Sensitivity to Mechanical Impact** No information available.

**Sensitivity to Static Discharge** No information available.

### NFPA

Health	Flammability	Instability	Physical hazards
3	0	1	COR

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe areas. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.

### 6.2 Environmental precautions

Avoid release to the environment. Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and materials for containment and cleaning up

Wear self-contained breathing apparatus and protective suit. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements. See Section 12 for additional Ecological Information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Precautions on safe handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Do not ingest. If swallowed, seek immediate medical assistance.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep containers tightly closed in a dry, cool, and well-ventilated place. Corrosives area.

### Incompatibilities

Acids. Organic materials. Metals.

## SECTION 8: Exposure controls/personal protection

### 8.1 Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value
Sodium hydroxide	TWA	2 mg/m <sup>3</sup>
	Ceiling	2 mg/m <sup>3</sup>

#### US. ACGIH Threshold Limit Values

Component	Type	Value
Sodium hydroxide	Ceiling	2 mg/m <sup>3</sup>

#### US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value
Sodium hydroxide	IDLH	10 mg/m <sup>3</sup>
	Ceiling	2 mg/m <sup>3</sup>

#### Biological occupational exposure limits

No information available.

### 8.2 Exposure controls

#### Appropriate engineering controls

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Personal protective equipment

##### Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

##### Skin protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

##### Body Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

### Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particulates filter conforming to EN 143.

### Control of environmental exposure

Do not let product enter drains.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	No information available
Odor Threshold	No information available
pH	>= 14
Melting Point/Range	No information available
Boiling Point/Range	No information available
Evaporation Rate	No information available
Flammability (solid)	Not applicable
Flammability or explosive limit	No data available
Upper	
Lower	
Vapor Pressure	No information available
Vapor Density	No information available
Density	1.13 g/mL
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temp	No information available
Decomposition Temp	No information available
Viscosity	1.76 cSt, kinematic
Molecular Formula	NaOH
Molecular Weight	39.997 g/mol
VOC Content(%)	No information available
Oxidizing properties	Not oxidizing

### 9.2 Other safety information

No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Corrosive to metals. Exothermic reaction with acids.

## 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

No decomposition if stored and applied as directed.

## 10.4 Conditions to avoid

Incompatible products. Excess heat. Freezing temperatures.

## 10.5 Incompatible materials

Water, Acids, Organic materials, Chlorinated solvents, Aluminum, Phosphorus, Tin/tin oxides, Zinc, Metals.

## 10.6 Hazardous decomposition products

Hydrogen. Sodium oxides.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Product Information, Component Information

##### Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide	325 mg/kg (Rabbit)	1350 mg/kg (Rabbit)	-

##### Skin corrosion/irritation

Causes severe burns.

##### Serious eye damage/eye irritation

Risk of serious damage to eyes.

##### Respiratory or skin sensitization

No information available.

##### Germ cell mutagenicity

No information available.

##### Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Sodium hydroxide	1310-73-2	Not listed	Not listed	Not listed	Not listed	Not listed

##### Specific target organ toxicity - single exposure

None known.

##### Specific target organ toxicity - repeated exposure

None known.

**Reproductive toxicity**

No information available.

**Chronic effects**

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue, and danger of perforation.

**11.2 Additional Information**

The toxicological properties have not been fully investigated.

**SECTION 12: Ecological information**

**12.1 Toxicity**

Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

Product		Species	Test Results
Sodium hydroxide	LC50	Oncorhynchus mykiss	45.4 mg/L, 96h static

**12.2 Persistence and degradability**

Soluble in water. Persistence is unlikely based on information available.

**12.3 Bio accumulative potential**

No information available.

**12.4 Mobility in soil**

Will likely be mobile in the environment due to its water solubility.

**12.5 Results of PBT and vPvB assessment**

No information available.

**12.6 Endocrine disrupting properties**

No information available.

**12.7 Other adverse effects**

No information available.

**SECTION 13: Disposal considerations**

**13.1 Waste Disposal Methods**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.



## SECTION 14: Transport information

### DOT (US)

UN-no	UN1824
Proper Shipping Name	SODIUM HYDROXIDE SOLUTION
Hazard Class	8
Packing Group	II

### IMDG

UN-no	UN1824
Proper Shipping Name	SODIUM HYDROXIDE SOLUTION
Hazard Class	8
Packing Group	II

### IATA

UN-no	UN1824
Proper Shipping Name	SODIUM HYDROXIDE SOLUTION
Hazard Class	8
Packing Group	II

## SECTION 15: Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**  
Not applicable.

**CERCLA Hazardous Substance List (40 CFR 302.4)**  
Listed, Sodium hydroxide (CAS #1310-73-2), RQ: 1000 lb.

**SARA 304 Emergency release notification**  
Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**  
Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**  
**SARA 302 Extremely hazardous substance**  
Not listed.

**SARA 311/312 Hazardous**  
See Section 2 for more information.

**SARA 313 (TRI reporting)**  
Not regulated.

## Other federal regulations

### **Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

### **Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

### **Clean Water Act (CWA) - Hazardous Substances**

Listed, Sodium hydroxide (CAS #1310-73-2), 1000 lb.

### **FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

Not listed.

## US state regulations

### **US. Massachusetts RTK - Substance List**

Listed, Sodium hydroxide (CAS #1310-73-2).

### **US. New Jersey Worker and Community Right-to-Know Act**

Listed, Sodium hydroxide (CAS #1310-73-2).

### **US. Pennsylvania Worker and Community Right-to-Know Law**

Listed, Sodium hydroxide (CAS #1310-73-2).

### **California Proposition 65**

Not listed.

## SECTION 16: Other information

Issue date: 10/18/2013

Revision 1: 10/09/2024

Revision 2: 12/30/2024

## SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.