

## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name Sulfuric Acid 10% Solution, Reagent Grade

CAS number 7664-93-9

Synonyms No information available.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory Chemicals

#### 1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC  
12501 Pauls Valley Road  
Austin, Texas 78737  
U.S.A.

Telephone 512-668-9918

Fax 512-886-4008

#### 1.4 Emergency telephone

<b>Emergency Phone #</b>	US & Canada: 1-800-535-5053	INFOTRAC
	International 1-352-323-3500	INFOTRAC

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive metals (Category 1)

Skin Corrosion/Irritation (Category 1A)

Serious Eye Damage/Eye Irritation (Category 1)

Specific Target Organ Toxicity - single exposure (Category 3)  
 Target Organ- Respiratory tract irritation  
 Hazardous to the aquatic environment - short-term (Category 3)  
 Hazardous to the aquatic environment - long-term (Category 3)

## 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard statements	May be corrosive to metals Causes skin irritation Causes serious eye damage May cause respiratory irritation
Precautionary statements	Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep only in original container IF exposed or concerned: Get medical attention/advice IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing immediately call a POISON CENTER or doctor/physician Absorb spillage to prevent material damage Store locked up Store in a well-ventilated place. Keep container tightly closed Store in corrosive resistant polypropylene container with a resistant inliner Store in a dry place Dispose of contents/container to an approved waste disposal plant

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Warning. Cancer - <https://www.p65warnings.ca.gov/>

# SECTION 3: Composition/information on ingredients

## 3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Sulfuric Acid	Hydrogen sulfate	7664-93-9	9.5 - 10.5%

Water	Aqua; H2O	7732-18-5	89.5 - 90.5%
-------	-----------	-----------	--------------

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

<b>If inhaled</b>	Remove to fresh air. Get medical attention immediately if symptoms occur.
<b>In case of skin contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
<b>In case of eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
<b>If swallowed</b>	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

### 4.2 Most important symptoms and effects, both acute and delayed

None reasonable foreseeable.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Foam, Powder, Carbon dioxide (CO2)
<b>Unsuitable extinguishing media</b>	The product reacts with water and will generate heat.

### 5.2 Specific hazards arising from the substance or mixture

Move containers from fire area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involved materials.

### 5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 5.4 Further information

<b>Flash Point</b>	No information available.
<b>Autoignition Temperature</b>	No information available.

## Explosion limits

**Upper** No information available.

**Lower** No information available.

**Sensitivity to Mechanical Impact** No information available.

**Sensitivity to Static Discharge** No information available.

### NFPA

Health	Flammability	Instability	Physical hazards
3	0	0	N/A

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

### 6.2 Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

### 6.3 Methods and materials for containment and cleaning up

Should not be released into the environment. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

### 6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Store locked up. Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in tightly closed container. Keep only in the original container. Store away from incompatible materials (see Section 10 of the SDS).

### Incompatibilities

Strong oxidizing agents. Combustible material. Bases. Organic materials. Reducing Agent. Finely powdered metals. Peroxides.

## SECTION 8: Exposure controls/personal protection

### 8.1 Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value
Sulfuric acid	TWA	1 mg/m <sup>3</sup>

#### US. ACGIH Threshold Limit Values

Component	Type	Value
Sulfuric acid	TWA	0.2 mg/3

#### US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value
Sulfuric acid	IDLH	15 mg/m <sup>3</sup>
	TWA	1 mg/m <sup>3</sup>

#### Biological occupational exposure limits

No information available.

### 8.2 Exposure controls

#### Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

#### Personal protective equipment

##### Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

##### Skin protection

Wear appropriate protective gloves.

### Body Protection

Wear appropriate clothing to prevent skin exposure.

### Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particulates filter conforming to EN 143.

### Control of environmental exposure

Do not let product enter drains.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	Characteristically pungent.
Odor Threshold	No information available.
pH	< 0
Melting Point/Range	121 - 270 °C / 249.8 - 518 °F at 760 mmHg
Boiling Point/Range	No information available.
Evaporation Rate	No information available.
Flammability (solid)	No information available.
Flammability or explosive limit	No information available.
Upper	
Lower	
Vapor Pressure	< 1 mmHg
Vapor Density	3.4, Air =1
Density	1.08 g/mL
Solubility	Completely soluble in water.
Partition coefficient; n-octanol/water	No information available.
Autoignition Temp	No information available.
Decomposition Temp	No information available.
Viscosity	6.8 - 23 cps (20 °C / 68 °F)
Molecular Formula	H <sub>2</sub> SO <sub>4</sub>
Molecular Weight	98.07 g/mol
VOC Content(%)	No information available.
Oxidizing properties	None.

### 9.2 Other safety information

No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None known, based on information available.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

None under normal processing.

### 10.4 Conditions to avoid

Incompatible products. Excess heat.

### 10.5 Incompatible materials

Metals. Strong oxidizing agents.

### 10.6 Hazardous decomposition products

Sulfur oxides.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Product Information, Component Information

#### Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulfuric acid	2140 mg/kg (rat)	Not listed.	0.375 mg/L (rat)

#### Skin corrosion/irritation

Irritating to skin.

#### Serious eye damage/eye irritation

Irritating to eyes.

#### Respiratory or skin sensitization

Irritating to respiratory system.

#### Germ cell mutagenicity

No information available.

#### Carcinogenicity

---

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Sulfuric acid	7664-93-9	Group 1	Known	A2	Listed	A2

**Specific target organ toxicity - single exposure**

None known.

**Specific target organ toxicity - repeated exposure**

None known.

**Reproductive toxicity**

No information available.

**Chronic effects**

No information available.

**11.2 Additional Information**

The toxicological properties have not been fully investigated.

**SECTION 12: Ecological information**

**12.1 Toxicity**

Product		Species	Test Results
Sulfuric acid	LC50	Brachydanio rerio	> 500 mg/L 96 hours
	EC50	Water flea	29 mg/L 24 hours

**12.2 Persistence and degradability**

Soluble in water. Persistence is unlikely based on information available.

**12.3 Bio accumulative potential**

No information available.

**12.4 Mobility in soil**

Will likely be mobile in the environment due to its water solubility.

**12.5 Results of PBT and vPvB assessment**

No information available.

**12.6 Endocrine disrupting properties**

No information available.

**12.7 Other adverse effects**

No information available.

**SECTION 13: Disposal considerations**

### 13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## SECTION 14: Transport information

### DOT (US)

UN Number	UN2796
Proper Shipping name	Sulfuric Acid
Hazard Class	8
Packaging Group	II

### IMDG

UN Number	UN2796
Proper Shipping name	Sulfuric Acid
Hazard Class	8
Packaging Group	II

### IATA

UN Number	UN2796
Proper Shipping name	Sulfuric Acid
Hazard Class	8
Packaging Group	II

## SECTION 15: Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**  
Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**  
Listed. RQ: 1000 lb

**SARA 304 Emergency release notification**  
Listed. RQ: 1000 lb

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**  
Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**  
**SARA 302 Extremely hazardous substance**

Listed. RQ: 1000 lb; Threshold planning quantity: 1000 lb

**SARA 311/312 Hazardous**

See section 2 for more information.

**SARA 313 (TRI reporting)**

Listed, Sulfuric acid (CAS #7664-93-9).

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Listed, Sulfuric acid (CAS #7664-93-9).

**Safe Drinking Water Act**

Not regulated.

**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

Not listed.

**US state regulations**

**US. Massachusetts RTK - Substance List**

Listed, Sulfuric acid (CAS #7664-93-9).

**US. New Jersey Worker and Community Right-to-Know Act**

Listed, Sulfuric acid (CAS #7664-93-9).

**US. Pennsylvania Worker and Community Right-to-Know Law**

Listed, Sulfuric acid (CAS #7664-93-9).

**California Proposition 65**

This product contains Sulfuric Acid (CAS #7664-93-9), a chemical known to the State of California to cause cancer - <https://www.p65warnings.ca.gov/> .

**SECTION 16: Other information**

Issue date: 10/21/2024

Revision 1: 02/13/2026

**SECTION 17: Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.