

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name Sulfuric Acid 19.2N Solution

CAS number 7664-93-9

Synonyms N/A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC

12501 Pauls Valley Road Austin, Texas 78737

U.S.A.

Telephone 512-668-9918 Fax 512-886-4008

1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC

International 1-352-323-3500 INFOTRAC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to MetalsCategory 1Skin CorrosionCategory 1ASerious Eye DamageCategory 1Specific Target Organ Toxicity (single exposure)Category 3

Target Organ(s) - Respiratory system

Laballey.com Page 1 of 10

2.2 GHS Label elements, including precautionary statements

Pictogram





Signal Word Danger

Hazard statements May be corrosive to metals.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Precautionary statements

Prevention: Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Use only outdoors or in a well-ventilated area.

Response: Immediately call a POISON CENTER/ doctor.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Spills: Absorb spillage to prevent material damage.

Storage: Store locked up. Store in corrosive-resistant container with a resistant inner liner. Store in a well-ventilated place. Keep container tightly closed.

Disposal: Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

WARNING: Cancer.

SECTION 3: Composition/information on ingredients

3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Water	Aqua; H2O	7732-18-5	<25%
Sulfuric acid	Hydrogen sulfate	7664-93-9	75-100%

Laballey.com Page 2 of 10

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

If inhaled Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or

inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial

respiration.

In case of skin contact Wash off immediately with plenty of water for at least 15 minutes. Immediate

medical attention is required.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Immediate medical attention is required.

If swallowed Do NOT induce vomiting. Call a physician or poison control center

immediately.

4.2 Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue, and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

4.3 Indication of any immediate medical attention and special treatment needed

Show this material safety data sheet to the doctor in attendance and treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate

to local circumstances and the surrounding

environment.

Unsuitable extinguishing mediaDo not use water.

5.2 Specific hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin, and mucous membranes.

Hazardous Combustion Products: Sulfur oxides. Hydrogen.

5.3 Special protective equipment and precautions for firefighters

Laballey.com Page 3 of 10

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

5.4 Further information

Flash Point No information available.

Autoignition Temperature No information available.

Explosion limits

Upper No data available.Lower No data available.

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

NFPA

Health	Flammability	Instability	Physical hazards
3	0	2	N/A

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

6.2 Environmental precautions

Should not be released into the environment.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions. Take up with liquid-absorbent and neutralising material. Dispose of properly. Clean up affected area.

6.4 Reference to other sections

See Section 12 for additional Ecological Information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions on safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes, or clothing. Avoid ingestion and inhalation. If swallowed, seek immediate medical assistance.

Laballey.com Page 4 of 10

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers. Keep containers tightly closed in a dry, cool, and well-ventilated place. Corrosives area.

Incompatibilities

Water, Organic materials, Strong acids, Strong bases, Metals, Alcohols, Cyanides, Sulfides.

SECTION 8: Exposure controls/personal protection

8.1 Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value
Sulfuric acid	(Vacated) TWA	1 mg/m3
	TWA	1 mg/m3

US. ACGIH Threshold Limit Values

Component	Туре	Value
Sulfuric acid	TWA	0.2 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value
Sulfuric acid	IDLH	15 mg/m3
	TWA	1 mg/m3

Biological occupational exposure limits

No information available.

8.2 Exposure controls

Appropriate engineering controls

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Laballey.com Page 5 of 10

Skin protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Body Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particulates filter conforming to EN 143.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State Liquid
Appearance Colorless
Odor Characteristic

Odor Threshold No information available

pH < 2.0

Melting Point/Range No data available

Boiling Point/Range No information available Evaporation Rate No information available

Flammability (solid) Not applicable
Flammability or explosive limit No data available

Upper

Lower

Vapor Pressure No information available Vapor Density No information available

Density 1.15-1.30 g/cm3 at 20 °C (68 °F)

Solubility Soluble in water
Partition coefficient; No data available

n-octanol/water

Autoignition Temp
Decomposition Temp
Viscosity
No information available
No information available
No information available

Molecular Formula H2SO4
Molecular Weight 98.079 g/mol

VOC Content(%)

Oxidizing properties

No information available

No information available

9.2 Other safety information

Laballey.com Page 6 of 10

SECTION 10: Stability and reactivity

10.1 Reactivity

Has a corrosive effect. Reacts with oxidizing agents.

10.2 Chemical stability

Reacts violently with water. Hygroscopic.

10.3 Possibility of hazardous reactions

Contact with metals may evolve flammable hydrogen gas.

10.4 Conditions to avoid

Incompatible products. Excess heat. Exposure to moist air or water.

10.5 Incompatible materials

Water, Organic materials, Strong acids, Strong bases, Metals, Alcohols, Cyanides, Sulfides.

10.6 Hazardous decomposition products

Sulfur oxides, Hydrogen.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

	7 to dito to Aironty			
Component		LD50 Oral	LD50 Dermal	LC50 Inhalation
	Sulfuric acid	2140 mg/kg (Rat)	-	0.375 mg/L/4h (Rat)

Skin corrosion/irritation

Causes severe burns by all exposure routes.

Serious eye damage/eye irritation

Causes severe burns by all exposure routes.

Respiratory or skin sensitization

Causes severe burns by all exposure routes.

Germ cell mutagenicity

No information available.

Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Sulfuric acid	7664-93-9	Group 1	Not listed	A2	Х	A2

Laballey.com Page 7 of 10

Specific target organ toxicity - single exposure

Respiratory system.

Specific target organ toxicity - repeated exposure

None known.

Reproductive toxicity

No information available.

Chronic effects

After inhalation of aerosols: damage to the affected mucous membranes. After skin contact: severe burns with formation of scabs. After eye contact: burns, corneal lesions. After swallowing: severe pain (risk of perforation), nausea, vomiting, and diarrhoea. After a latency period of several weeks, possibly pyloric stenosis.

11.2 Additional Information

The toxicological properties have not been fully investigated.

SECTION 12: Ecological information

12.1 Toxicity

Product		Species	Test Results
Sulfuric acid	LC50	Brachydanio rerio	500 mg/L, 96h static
	EC50	Water Flea	29 mg/L, 24h

12.2 Persistence and degradability

Soluble in water. Persistence is unlikely based on information available.

12.3 Bio accumulative potential

No information available.

12.4 Mobility in soil

Will likely be mobile in the environment due to its water solubility.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Forms corrosive mixtures with water even if diluted. Harmful effect due to pH shift. Endangers drinking-water supplies if allowed to enter soil or water. Discharge into the environment must be avoided.

Laballey.com Page 8 of 10

SECTION 13: Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

SECTION 14: Transport information

DOT (US)

UN-No UN1830
Proper Shipping Name Sulfuric acid

Hazard Class 8
Packing Group II

IMDG

UN-No UN1830
Proper Shipping Name Sulphuric acid

Hazard Class 8
Packing Group II

IATA

UN-No UN1830
Proper Shipping Name Sulphuric acid

Hazard Class 8
Packing Group II

SECTION 15: Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable.

CERCLA Hazardous Substance List (40 CFR 302.4)

Listed, Sulfuric acid (CAS #7664-93-9), RQ: 1000 lb.

SARA 304 Emergency release notification

Listed, Sulfuric acid (CAS #7664-93-9), RQ: 1000 lb.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)
SARA 302 Extremely hazardous substance

Laballey.com Page 9 of 10

Listed, Sulfuric acid (CAS #7664-93-9), TPQ: 1000 lb.

SARA 311/312 Hazardous

See Section 2 for more information.

SARA 313 (TRI reporting)

Listed, Sulfuric acid (CAS #7664-93-9).

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Clean Water Act (CWA - Hazardous Substances)

Listed, Sulfuric acid (CAS #7664-93-9), RQ: 1000 lb.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Not listed.

US state regulations

US. Massachusetts RTK - Substance List

Listed, Sulfuric acid (CAS #7664-93-9).

US. New Jersey Worker and Community Right-to-Know Act

Listed, Sulfuric acid (CAS #7664-93-9).

US. Pennsylvania Worker and Community Right-to-Know Law

Listed, Sulfuric acid (CAS #7664-93-9).

California Proposition 65

Listed, Sulfuric acid (CAS #7664-93-9).

SECTION 16: Other information

Issue date: 10/21/2024

SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Laballey.com Page 10 of 10