

# **SAFETY DATA SHEET**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifiers

Product name Toluene

CAS number 108-88-3

Synonyms Toluol; Methylbenzene

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses General Purpose Solvent.

## 1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC

12501 Pauls Valley Road Austin, Texas 78737

U.S.A.

Telephone 512-668-9918 Fax 512-886-4008

## 1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC

International 1-352-323-3500 INFOTRAC

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable Liquids Category 2
Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 2
Reproductive Toxicity Category 2
Specific Target Organ Toxicity (single exposure) Category 3
Target Organs - Respiratory system, Central nervous system (CNS)

Laballey.com Page 1 of 11

Specific Target Organ Toxicity (repeated exposure)

Category 2

Target Organs - Kidney, Liver, spleen, Blood, Neurological effects, Eyes, Ears

Aspiration Toxicity

Category 1

Acute Aquatic Hazard

Category 2

Chronic Aquatic Hazard

Category 3

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word Danger

Hazard statements Highly flammable liquid and vapor.

May be fatal if swallowed and enters airways.

Causes skin irritation.

Causes serious eye irritation.

May cause drowsiness or dizziness. Suspected of damaging the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

Toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands, and any exposed skin thoroughly after handling. Wear eye/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Keep cool. Avoid release to the environment.

Response: IF exposed or concerned, get medical attention/advice.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Laballey.com Page 2 of 11

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

Fire: In case of fire, use CO2, dry chemical, or foam for extinction.

Storage: Store locked up: Store in a well-ventilated place. Keep container tightly closed.

Disposal: Dispose of contents/container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

WARNING: Reproductive Harm.

# **SECTION 3: Composition/information on ingredients**

## 3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Toluene	Toluol; Methylbenzene	108-88-3	<=100%

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### General advice

**If inhaled** Remove to fresh air. If not breathing, give artificial respiration. Get medical

attention if symptoms occur. Risk of serious damage to the lungs (by

aspiration).

In case of skin contact Wash off immediately with plenty of water for at least 15 minutes. If skin

irritation persists, call a physician.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Get medical attention.

If swallowed Clean mouth with water and drink afterwards plenty of water. Do NOT

induce vomiting. Call a physician or poison control center immediately. If

vomiting occurs naturally, have victim lean forward.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes central nervous system depression. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea, and vomiting.

# 4.3 Indication of any immediate medical attention and special treatment needed

Laballey.com Page 3 of 11

If symptoms persist, call a physician. Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical,

alcohol-resistant foam. Water mist maybe used to

cool closed containers.

**Unsuitable extinguishing media**No information available.

#### 5.2 Specific hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products: Carbon monoxide (CO). Carbon dioxide (CO2).

# 5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 5.4 Further information

Flash Point 39.2 °F (4.0 °C) Closed Cup

**Autoignition Temperature** 896 °F (480 °C)

**Explosion limits** 

**Upper** 7.1 vol % **Lower** 1.1 vol %

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

**NFPA** 

Health	Flammability	Instability	Physical hazards
3	3	0	N/A

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

Laballey.com Page 4 of 11

## 6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system.

## 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### 6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Precautions on safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Keep away from open flames, hot surfaces, and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

## Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep containers tightly closed in a dry, cool, and well-ventilated place. Flammables area. Keep away from heat, sparks, and flame.

## Incompatibilities

Strong oxidizing agents. Strong acids. Strong bases. Halogenated compounds.

#### **SECTION 8: Exposure controls/personal protection**

# 8.1 Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value
Toluene	(Vacated) TWA	100 ppm 375 mg/m3
	Ceiling	300 ppm
	(Vacated) STEL	150 ppm 560 mg/m3
	TWA	200 ppm

#### **US. ACGIH Threshold Limit Values**

Component	Type	Value
o o p o o	.,,,,,	Value

Laballey.com Page 5 of 11

Toluene	TWA	20 ppm

#### **US. NIOSH: Pocket Guide to Chemical Hazards**

Component	Type	Value	
	IDLH	500 ppm	
Toluene	TWA	100 ppm 375 mg/m3	
	STEL	150 ppm 560 mg/m3	

#### Biological occupational exposure limits

No information available.

#### 8.2 Exposure controls

#### Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.

## Personal protective equipment

#### **Eye/face protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

## Skin protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

#### **Body Protection**

Wear appropriate protective gloves and clothing to prevent skin exposure.

## Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

## Control of environmental exposure

No information available.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical State Liquid
Appearance Colorless

Laballey.com Page 6 of 11

Odor Aromatic

Odor Threshold No information available pH No information available

Melting Point/Range -135.4 °F (-93 °C) Boiling Point/Range 231.8 °F (111 °C)

Evaporation Rate No information available

Flammability (solid) Not applicable

Flammability or explosive limit

Upper 7.1 % Lower 1.1 %

Vapor Pressure 29.1 hPa at 20 °C

Vapor Density 3

Density 0.865 g/cm3
Solubility Not soluble
Partition coefficient: No data available

n-octanol/water

Autoignition Temp 896 °F (480 °C)

Decomposition Temp

Viscosity

No information available

No information available

Molecular Formula C7 H8
Molecular Weight 92.14 g/mol

VOC Content(%) No information available

Oxidizing properties Not oxidizing

# 9.2 Other safety information

No information available.

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No information available.

#### 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

None under normal processing.

#### 10.4 Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces, and sources of ignition.

#### 10.5 Incompatible materials

Strong oxidizing agents, Strong acids, Strong bases, Halogenated compounds.

#### 10.6 Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO2).

Laballey.com Page 7 of 11

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Product Information, Component Information**

#### **Acute toxicity**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Toluene	>5000 mg/kg (Rat)	12000 mg/kg (Rabbit)	26700 ppm (Rat) 1 h

#### Skin corrosion/irritation

Irritating to skin.

## Serious eye damage/eye irritation

Irritating to eyes.

## Respiratory or skin sensitization

Irritating to respiratory system.

#### Germ cell mutagenicity

Not mutagenic in AMES Test.

#### Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Toluene	108-88-3	Not listed				

#### Specific target organ toxicity - single exposure

Respiratory system, Central nervous system (CNS).

## Specific target organ toxicity - repeated exposure

Kidney, Liver, Spleen, Blood, Neurological effects, Eyes, Ears.

## Reproductive toxicity

Possible risk of harm to the unborn child. Experiments have shown reproductive toxicity effects on laboratory animals. Developmental effects have occurred in experimental animals.

#### **Chronic effects**

Causes central nervous system depression. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea, and vomiting.

## 11.2 Additional Information

The toxicological properties have not been fully investigated.

# **SECTION 12: Ecological information**

Laballey.com Page 8 of 11

# 12.1 Toxicity

The product contains following substances which are hazardous for the environment. Contains a substance which is toxic to aquatic organisms.

Product		Species	Test Results
	EC50	Pseudokirchneriella subcapitata	12.5 mg/L, 72h static > 433 mg/L, 96h
Toluene	LC50	Freshwater Fish	50-70 mg/L, 96h 5-7 mg/L, 96h 15-19 mg/L, 96h 28 mg/L, 96h 12 mg/L, 96h
	EC50	Microtox	19.7 mg/L, 30 min
	EC50	Daphnia magna	11.5 mg/L, 48h 5.46 - 9.83 mg/L, 48h static

# 12.2 Persistence and degradability

Persistence is unlikely.

# 12.3 Bio accumulative potential

No information available.

# 12.4 Mobility in soil

Is not likely mobile in the environment due its low water solubility.

#### 12.5 Results of PBT and vPvB assessment

No information available.

## 12.6 Endocrine disrupting properties

No information available.

# 12.7 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Toluene - 108-88-3	U220	-

# **SECTION 14: Transport information**

Laballey.com Page 9 of 11

DOT (US)

UN-no UN1294
Proper Shipping Name TOLUENE

Hazard Class 3
Packing Group II

**IMDG** 

UN-no UN1294
Proper Shipping Name TOLUENE

Hazard Class 3
Packing Group II

**IATA** 

UN-no UN1294
Proper Shipping Name TOLUENE

Hazard Class 3
Packing Group II

# **SECTION 15: Regulatory information**

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Listed, Toluene (CAS #108-88-3), RQ: 1000 lb.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

See Section 2 for more information.

SARA 313 (TRI reporting)

Listed, Toluene (CAS #108-88-3).

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Listed, Toluene (CAS #108-88-3).

Laballey.com Page 10 of 11

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

## Clean Water Act (CWA)

Listed, Toluene (CAS #108-88-3), RQ: 1000 lb.

# FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Not listed.

#### **US** state regulations

#### **US. Massachusetts RTK - Substance List**

Listed, Toluene (CAS #108-88-3).

# **US. New Jersey Worker and Community Right-to-Know Act**

Listed, Toluene (CAS #108-88-3).

## US. Pennsylvania Worker and Community Right-to-Know Law

Listed, Toluene (CAS #108-88-3).

# **California Proposition 65**

Listed, Toluene (CAS #108-88-3).

#### **SECTION 16: Other information**

Issue date: 08/08/2018 Revision 1: 08/01/2023 Revision 2: 11/12/2024

#### **SECTION 17: Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Laballey.com Page 11 of 11