

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Ethyl Alcohol 200 Proof

CAS number : 64-17-5

Synonyms : Ethyl Alcohol 100%

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : General purpose solvent, laboratory chemicals, reagent for analysis

1.3 Details of the supplier of the safety data sheet

Company : Lab Alley, LLC
22111 Highway 71 West, Suite 601
Spicewood, Texas 78669
U.S.A.

Telephone : 512-668-9918

Fax : 512-886-4008

1.4 Emergency telephone

Emergency Phone # : US & Canada: 1-800-535-5053 INFOTRAC
International 1-352-323-3500 INFOTRAC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

H225: Flammable liquids (Category 2)

H319: Eye irritation (Category 2A)

H371: Specific target organ toxicity - single exposure (Category 2), Eyes,
Central nervous system

For the full text of the H-Statements mentioned in this Section, see Section 16

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word : **Danger**

Hazard statement(s) :
H225 Highly flammable liquid and vapor.
H319 Causes serious eye irritation.
H371 May cause damage to organs (Eyes, Central nervous system).

Precautionary statement(s) :
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P260 Do not breathe mist or vapors.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Components

Chemical name	Common name and synonym	CAS number	Concentration
Ethanol	Ethyl Alcohol	64-17-5	100%

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice : Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air. Call a physician if symptoms develop or persist.

- In case of skin contact** : Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
- In case of eye contact** : Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
- If swallowed** : Rinse mouth. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media : Do not use water jet as an extinguisher, as this will spread the fire.

5.2 Specific hazards arising from the substance or mixture

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

5.3 Special protective equipment and precautions for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials.

8. Exposure controls/personal protection

8.1 Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value
ò@ ÀÈ @ ÀÖÈÁ ÈÍ È Ð	ÚÒŠÁ	FJÈÈÁ * Ð HÈÈÈÁ] {

US. ACGIH Threshold Limit Values

Component	Type	Value
ò@ ÀÈ @ ÀÖÈÁ ÈÍ È Ð	STEL	1000 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value
ò@ ÀÈ @ ÀÖÈÁ ÈÍ È Ð	TWA	1900 mg/m3, 1000 ppm

Biological occupational exposure limits

Component	Type	Value
NA	NA	NA

8.2 Exposure controls

Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Personal protective equipment

Eye/face protection

Chemical goggles are recommended.

Skin protection

Wear appropriate chemical resistant gloves. Nitrile, butyl rubber or neoprene gloves are recommended. Other suitable gloves can be recommended by the glove supplier. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.

Body Protection

Wear appropriate chemical resistant clothing.

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Clear liquid; invisible vapor
Odor	Sweet. Alcohol-like
Odor Thresh	Not available
pH	Not available
Melting Point/Range	173 °F (78.33 °C)
Boiling Point/Range	55.0 °F (12.8 °C) Closed Cup
Evaporation Rate	No data available
Flammability (solid)	Not applicable
Flammability or explosive limit	
	Upper : 19%
	Lower : 3.30%
Vapor Pressure	59.5 hPa (68 °F (20 °C))
Vapor Density	1.6
Density	0.785 g/ml (77 °F (25 °C))
Solubility	completely soluble

Partition coefficient; n-octanol/water	Not available
Autoignition Temp	685 °F (362.78 °C)
Decomposition Temp	Not available
Viscosity	Not available
Molecular Formula	C2-H6-O
Molecular Weight	46.07 g/mo
VOC Content(%)	Not oxidizing.
Oxidizing properties	Not oxidizing.

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Risk of explosion with Oxidizing agents.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5 Incompatible materials

Strong oxidizing agents.
Magnesium, rubber, oils, zinc alloys.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	LD50 = 10470 mg/kg OECD 401 (Rat) 3450 mg/kg (Mouse)	Not listed	LC50 = 117-125 mg/l (4h) OECD 403 (rat) 20000 ppm/10H (rat)

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization
Skin sensitization

Not a respiratory sensitizer.
This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

Not classifiable as to carcinogenicity to humans.

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is in OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Mixture may cause damage to organs - Eyes, Central Nervous System

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Chronic effects

Prolonged inhalation may be harmful.

11.2 Additional Information

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

12. Ecological information**12.1 Toxicity**

No data available

12.2 Persistence and degradability

No data available

12.3 Bio accumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product		Species	Test Results
Ethyl Alcohol (CAS 64-17-5)	EC10	Algae, Freshwater algae	11.5 mg/l, 72 hours
	EC50	Freshwater algae	275 mg/l, 72 hours
	LC50	Fish, Freshwater fish	11200 mg/l, 24 hours
	NOEC	Freshwater fish	250 mg/l
	EC50	Invertebrate, Freshwater invertebrate Marine water invertebrate	5012 mg/l, 48 hour 857 mg/l, 48 hours
NOEC	Freshwater invertebrate Marine water invertebrate	9.6 mg/l, 10 days 79 mg/l, 96 hours	

Persistence and Degradability

No data is available on the degradability of this substance.

Bioaccumulation/ Accumulation

No data available.

Mobility

No data available.

Other adverse effects

13. Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

SECTION 14: Transport information

DOT (US)

UN number: UN1170
Proper shipping name: Ethanol
Hazard Class: 3
Subsidiary risk:
Packaging Group: II
Environmental hazards:

IMDG

UN number: UN1170
Proper shipping name: Ethanol
Hazard Class 3
Subsidiary risk
Packaging Group II
Environmental hazards

IATA

UN number: UN1170
Proper shipping name: Ethanol
Hazard Class 3
Subsidiary risk
Packaging Group II
Environmental hazards

SECTION 15: Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)
Not listed.

SARA 304 Emergency release notification
Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)
Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)
SARA 302 Extremely hazardous substance
Not listed.

SARA 311/312 Hazardous Yes
Chemical

Classified hazard categories

Flammable (gases, aerosols, liquids, or solids) Serious eye damage or eye irritation

SARA 313 (TRI reporting)
Not regulated.

SECTION 15: Regulatory information, cont.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Ethyl Alcohol (CAS 64-17-5)

Low priority

Food and Drug Administration (FDA)

Total food additive

Direct food additive

GRAS food additive

US state regulations

US. Massachusetts RTK - Substance List

Ethyl Alcohol (CAS 64-17-5)

US. New Jersey Worker and Community Right-to-Know Act

Ethyl Alcohol (CAS 64-17-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Ethyl Alcohol (CAS 64-17-5)

US. Rhode Island RTK

Ethyl Alcohol (CAS 64-17-5)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Issue Date 06/18/2018

Revision Date 05/23/2023

Disclaimer:

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.