

Buy Pine Tar Online At https://www.laballey.com/products/pinetar-lab

# **1: Identification**

Product identifier: Other means of identification:	Pine Tar Wood tar
Supplier:	Lab Alley LLC 22111 Highway 71 West, Suite 601 Spicewood, Texas 78669 Tel.: 512-668-9918
Recommended use: Restrictions on use:	Paints and coatings, insecticides, historical preservation, soap
Emergency phone number:	InfoTrac: 800-535-5053

PINE TAR C6121 Pine Tar

# 2: Hazard(s) identification

GHS classification:	Skin sensitization – category 1 Chronic aquatic toxicity – category 3
GHS label elements	WARNING
Signal word: Symbol(s):	WARNING
Hazard statements:	H317: May cause an allergic skin reaction H412: Harmful to aquatic life with long lasting effects
Hazards not otherwise classified:	None known
Precautionary statements:	
Prevention:	Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Avoid release to the environment.
Response:	<ul> <li>IF ON SKIN (or hair): Wash with plenty of soap and water.</li> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.</li> <li>IF exposed or concerned: Call a POISON CENTER/ doctor if you feel unwell.</li> <li>In case of fire: Use dry chemical, CO<sub>2</sub>, or foam to extinguish.</li> </ul>
Storage: Disposal:	Store in a dry place. Store in a closed container. Dispose of contents/container in accordance with applicable regulations.

**Supplemental information:** Not applicable.

## **3: Composition**

Ingredient	Synonyms	CAS number	Concentration (%)
Pine tar		8011-48-1	100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## 4: First-aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM, OR PHYSICIAN immediately; have SDS information available. Never give anything by mouth to an unconscious or convulsing person.

#### **Description of necessary first aid measures**

Eye contact:	Check for and remove any contact lenses. Immediately flush eyes
	with running water for at least 15 minutes, keeping eyelids open.
	Seek immediate medical attention.
Inhalation:	Remove to fresh air. Keep person warm and at rest. If not breathing,
	if breathing is irregular, or if respiratory arrest occurs, provide
	artificial respiration or oxygen by trained personnel.
Skin contact:	Remove contaminated clothing and shoes. Wash skin thoroughly
	with soap and water or use recognized skin cleanser. Do NOT use
	solvents or thinners.
Ingestion:	If swallowed, seek medical advice immediately and show this
	container or label. Keep person warm and at rest. Do NOT induce
	vomiting.

#### Most important symptoms/effects, acute and delayed.

#### Potential acute health effects

Eye contact:	Irritation, stinging.
Inhalation:	May cause headache, dizziness, nausea.
Skin contact:	Irritating. May cause sensitization by contact.
Ingestion:	May cause indisposition.

#### **Over-exposure signs/symptoms**

Eye contact:	No specific data.
Inhalation:	No specific data.
Skin contact:	No specific data.
Ingestion:	No specific data.

# Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician:	Treat symptomatically. Contact poison treatment specialist
	immediately if large quantities have been ingested or inhaled.
Specific treatments:	No specific treatment.
Protection of first-aiders:	No action shall be taken involving any personal risk or without
	suitable training.

See toxicological information (Section 11)

# **5: Fire-fighting measures**

## Extinguishing media

Suitable extinguishing media:	Use dry chemical, $CO_2$ , or foam.
Unsuitable extinguishing	Do not use a solid water stream as it may scatter and spread fire.
media:	
Specific hazards arising from	Product forms a slippery surface when combined with water.
the chemical:	Fine dust clouds may form explosive mixtures with air.
Hazardous thermal	In the event of a fire, hazardous decomposition products may
decomposition products:	include:
	Carbon monoxide
	Carbon dioxide
	Other unidentified organic compounds
Special protective actions for	No action shall be taken involving any personal risk or without
firefighters:	proper training.
Special protective equipment	Firefighters and others who may be exposed to products of
for firefighters:	combustion should wear full firefighting turn out gear (full bunker gear) and self-contained breathing apparatus (SCBA) operated in pressure-demand mode (MSHA/NIOSH approved or equivalent).

# **6: Accidental release measures**

## Personal precautions, protective equipment, and emergency procedures

Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. No action shall be taken
involving any personal risk or without suitable training. If specialized clothing is required to deal with the spillage, take note of any information in <b>Section 8</b> on suitable and unsuitable materials.
See also the information immediately above in "For non-emergency personnel". Avoid release to sewers, waterways, soil, or air. Inform the relevant authorities if the product has caused environmental pollution
(sewers, waterways, soil, or air).

## Methods and materials for containment and cleaning up

Small spill:	Collect spillage into suitable containers. Destroy according to
	applicable regulations.
Large spill:	Collect spillage into suitable containers. Destroy according to
	applicable regulations.
See Section 1 for emergency contact information.	

See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# 7: Handling and storage

#### **Precautions for safe handling**

Put on appropriate personal protective equipment (see Section 8).
Eating, drinking, and smoking should be prohibited in areas where
this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas. When transferring material into flammable solvents, use proper grounding to avoid electrical sparks. Avoid alteration of product properties before use. Calcining (which may result in
crystalline silica formation) or mixing with additives may alter toxicological properties. See also <b>Section 8</b> for additional information on hygiene measures.
See also <b>Section 8</b> for additional mormation on hygiene measures. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool, and well-ventilated area away from incompatible materials (see <b>Section 10</b> ) and food and drink. Keep container tightly closed and sealed until ready for use. Do not store in unlabeled containers.

# 8: Exposure controls/personal protection

### **Control parameters**

#### **Occupational exposure limits**

If this product contains ingredients with exposure limits, personal, workplace atmosphere, or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Emissions from ventilation or work process equipment should be

controls:	checked to ensure that they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters, or engineering modifications to process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection n	neasures
Hygiene measures:	Wash hands, forearms, and face thoroughly after handling chemical products, before eating, smoking, and using the lavatory, and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: splash goggles.
Skin protection	
Hand protection:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. When handling hot material, wear heat-resistant gloves that are able to withstand the temperature of molten product.
Body protection:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

# 9: Physical and chemical properties

<u>Appearance</u>	
Physical state:	Liquid
Color:	Dark brown
Odor:	Strong
Odor threshold:	Not available.
pH:	~5
Melting/freezing point:	Not available.
Boiling point and range:	150-400°C

Flash point:	80°C
Evaporation rate:	Not available.
Flammability:	Not available.
Flammability or explosive	Not available.
limits:	
Vapor pressure:	Not available.
Vapor density:	Not available.
Relative density:	1.030
Solubility:	Soluble in organic solvents, alcohol. Insoluble in water.
Partition coefficient: n-	Not available.
octanol/water:	
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Viscosity:	Not applicable.

# 10: Stability and reactivity

Reactivity:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability:	This product is stable.
Possibility of hazardous	Under normal conditions of storage and use, hazardous reactions
reactions:	will not occur.
Conditions to avoid:	None known.
	Refer to protective measures listed in Sections 7 and 8.
Incompatible materials:	None known.
Hazardous decomposition	In the event of a fire, hazardous decomposition products may
products:	include:
	Carbon monoxide
	Carbon dioxide
	Other unidentified organic compounds

# **11: Toxicological information**

# Information on toxicological effects

No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Conclusion/summary:	No known significant effects or critical hazards.
<b>Carcinogenicity</b>	
Conclusion/summary:	No known significant effects or critical hazards.
<b>Reproductive toxicity</b>	
Conclusion/summary:	No known significant effects or critical hazards.
<b>Teratogenicity</b>	
Conclusion/summary:	No known significant effects or critical hazards.
Specific target organ toxicity (s	ingle exposure)
Not available.	
<u>Specific target organ toxicity (r</u>	epeated exposure)
Not available.	
Target organs	Not available.
Aspiration hazard	
Not available.	
Information on the likely routes	Routes of entry anticipated: oral, dermal, inhalation.
of exposure:	

## **Potential acute health effects**

Eye contact:	Irritation, stinging.
Inhalation:	May cause headache, dizziness, nausea.
Skin contact:	Irritating. May cause sensitization by contact.
Ingestion:	May cause indisposition.

### Symptoms related to the physical, chemical, and toxicological characteristics

Eye contact:	No specific data.
Inhalation:	No specific data.
Skin contact:	No specific data.
Ingestion:	No specific data.

# Delayed and immediate effects and also chronic effects from short- and long-term exposure

#### Short-term exposure

Potential immediate effects	No known significant effects or critical hazards.
Potential delayed effects	No known significant effects or critical hazards.
Long-term exposure Potential immediate effects	No known significant effects or critical hazards.
Potential delayed effects	No known significant effects or critical hazards.

#### Potential chronic health effects

General:	No known significant effects or critical hazards.
Carcinogenicity:	No known significant effects or critical hazards.
Mutagenicity:	No known significant effects or critical hazards.
Teratogenicity:	No known significant effects or critical hazards.
Developmental effects:	No known significant effects or critical hazards.
Fertility effects:	No known significant effects or critical hazards.

## Numerical measures of toxicity

Acute toxicity estimates Not available.

# **12: Ecological information**

Toxicity

Not available.

#### Persistence and degradability

Ingredient	Aquatic half-life	Photolysis	Biodegradability
Pine tar	-	-	Readily

# **Bioaccumulative potential**

Not available.

#### Mobility in soil

Soil/water partition	Not available.
coefficient (K <sub>oc</sub> ):	
Other adverse effects:	No known significant effects or critical hazards.

# **13: Disposal considerations**

Disposal methods:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Refer to Sections 6, 7, and 8 for additional information on accidental release measures, handling and storage, and exposure controls.

## **14: Transport information**

	DOT	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.
Additional information	-	-	-

Special precautions for user:	<b>Transport within user's premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	Not available.

## **15: Regulatory information**

#### **Inventory status**

United States inventory (TSCA 8b):

All components are listed or exempted.

# **16: Other information**

#### Hazardous Material Identification System (USA)

HEALTH	0	
FLAMMABILITY	2	ł
REACTIVITY	0	ł
PERSONAL PROTECTION		f

Caution: HMIS<sup>®</sup> ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS<sup>®</sup> ratings are not required on SDSs under 29 CFR 1901.1200, the preparer may choose to provide them. HMIS<sup>®</sup> ratings are to be used with a fully implemented HMIS<sup>®</sup> program. HMIS<sup>®</sup> is a registered mark of the Nation Paint & Coatings Association (NPCA). HMIS<sup>®</sup> materials may be purchased exclusively from J.J.Keller 800-327-6868.

\* - chronic effects

The customer is responsible for determining the PPE code for this material.

#### Key to abbreviations:

ATE	Acute toxicity estimate
BCF	Bioconcentration factor
GHS	Globally Harmonized System of classification and labeling of chemicals
IATA	International Air Transport Association
IBC	Intermediate bulk container
IMDG	International Maritime Dangerous Goods
LogPow	Logarithm of the octanol/water partition coefficient
MARPOL 73/78	International convention for the Prevention of Pollution from Ships, 1973,
	as modified by the Protocol of 1978. (MARPOL = marine pollution)
UN	United Nations

#### **Disclaimer:**

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. However, since data, safety standards, and government regulations are subject

to change and the conditions of handling and use, or misuse are beyond our control, Lab Alley LLC makes no warranty express or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Lab Alley. Consequently, Lab Alley makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose for merchantability. Buyer acknowledges that Lab Alley will not be liable for consequential, incidental, direct or special damages arising directly or indirectly in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.