

## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name Glycolic Acid 70% Solution  
CAS number 79-14-1  
Synonyms Hydroxyacetic acid

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals.

#### 1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC  
12501 Pauls Valley Road  
Austin, Texas 78737  
U.S.A.  
Telephone 512-668-9918  
Fax 512-886-4008

#### 1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC  
International 1-352-323-3500 INFOTRAC

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin Corrosion	Category 1B
Serious Eye Damage	Category 1
Short-term (Acute) Aquatic Hazard	Category 3

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard statements

Causes severe skin burns and eye damage.  
Harmful to aquatic life.

Precautionary statements

Prevention: Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Storage: Store locked up.

Disposal: Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified.

## SECTION 3: Composition/information on ingredients

### 3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Hydroxyacetic acid	Glycolic acid	79-14-1	70-72%
Water	Aqua; H <sub>2</sub> O	7732-18-5	<= 30%

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

General advice

<b>If inhaled</b>	Remove to fresh air. Immediately call a physician. If breathing stops: immediately apply artificial respiration, and if necessary also oxygen.
<b>In case of skin contact</b>	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.
<b>In case of eye contact</b>	Rinse out with plenty of water. Immediately call a ophthalmologist. Remove contact lenses.
<b>If swallowed</b>	Make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing media** Water spray, alcohol-resistant foam, Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media** For this substance/mixture, no limitations of extinguishing agents are given.

#### 5.2 Specific hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin, and mucous membranes.

Hazardous Combustion Products: Carbon dioxides.

#### 5.3 Special protective equipment and precautions for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

**Flash Point** No information available.

**Autoignition Temperature** No information available.

## Explosion limits

**Upper** No data available.

**Lower** No data available.

**Sensitivity to Mechanical Impact** No information available.

**Sensitivity to Static Discharge** No information available.

## NFPA

Health	Flammability	Instability	Physical hazards
3	1	0	N/A

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Take up with liquid-absorbent material. Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements. For disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Precautions on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Corrosives area. Keep containers tightly closed in a dry, cool, and well-ventilated place.

#### Incompatibilities

Strong bases, sulfides, cyanides, metals, reducing agents.

## SECTION 8: Exposure controls/personal protection

## 8.1 Occupational exposure limits

Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles.

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

#### Body Protection

Protective clothing.

#### Respiratory protection

Required when vapours/aerosols are generated.  
Recommended Filter type: Filter type ABEK.

#### Control of environmental exposure

Do not let product enter drains.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Yellow
Odor	Sweet
Odor Threshold	No information available
pH	No information available
Melting Point/Range	10 °C / 50 °F
Boiling Point/Range	113 °C / 235.4 °F
Evaporation Rate	No information available
Flammability (solid)	Not applicable
Flammability or explosive limit Upper	No data available

Lower	
Vapor Pressure	No information available
Vapor Density	No information available
Density	No information available
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temp	No information available
Decomposition Temp	No information available
Viscosity	11.28 mPa.s at 16 ° C
Molecular Formula	C2H4O3
Molecular Weight	76.05 g/mol
VOC Content(%)	No information available
Oxidizing properties	No information available

## 9.2 Other safety information

No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No information available.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

None under normal processing.

### 10.4 Conditions to avoid

Incompatible products.

### 10.5 Incompatible materials

Strong bases, sulfides, cyanides, metals, reducing agents.

### 10.6 Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Product Information, Component Information

#### Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydroxyacetic acid	2,040 mg/kg (Rat)	-	-

---

**Skin corrosion/irritation**

Causes burns by all exposure routes.

**Serious eye damage/eye irritation**

Causes burns by all exposure routes.

**Respiratory or skin sensitization**

No information available.

**Germ cell mutagenicity**

No information available.

**Carcinogenicity**

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Hydroxyacetic acid	79-14-1	Not listed	Not listed	Not listed	Not listed	Not listed

**Specific target organ toxicity - single exposure**

No information available.

**Specific target organ toxicity - repeated exposure**

No information available.

**Reproductive toxicity**

No information available.

**Chronic effects**

No information available.

**11.2 Additional Information**

No information available.

**SECTION 12: Ecological information****12.1 Toxicity**

May be harmful to aquatic organisms due to the shift of the pH. Avoid release to the environment.

Product		Species	Test Results
Hydroxyacetic acid	LC50	Oncorhynchus mykiss	> 100 mg/L, 96 h, semi-static
	EC50	Daphnia magna	> 100 mg/L, 48 h, semi-static
	ErC50	Pseudokirchneriella subcapitata	> 100 mg/L, 72 h, static

**12.2 Persistence and degradability**

Readily biodegradable.

### 12.3 Bio accumulative potential

No information available.

### 12.4 Mobility in soil

Will likely be mobile in the environment due to its water solubility.

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

### 12.6 Endocrine disrupting properties

No information available.

### 12.7 Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## SECTION 14: Transport information

### DOT (US)

UN-no	UN3265
Proper Shipping Name	Corrosive liquid, acidic, organic, n.o.s.
Hazard Class	8
Packing Group	II

### IMDG

UN-no	UN3265
Proper Shipping Name	Corrosive liquid, acidic, organic, n.o.s.
Hazard Class	8
Packing Group	II

### IATA

UN-no	UN3265
Proper Shipping Name	Corrosive liquid, acidic, organic, n.o.s.
Hazard Class	8
Packing Group	II

## SECTION 15: Regulatory information



**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**  
Not applicable.

**CERCLA Hazardous Substance List (40 CFR 302.4)**  
Not applicable.

**SARA 304 Emergency release notification**  
Not regulated

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**  
Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**  
**SARA 302 Extremely hazardous substance**  
Not listed.

**SARA 311/312 Hazardous**  
Acute Health Hazard.

**SARA 313 (TRI reporting)**  
Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**  
Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**  
Not regulated.

**Safe Drinking Water Act**  
Not regulated.

**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**  
Not listed.

**US state regulations**

**US. Massachusetts RTK - Substance List**  
Not listed.

**US. New Jersey Worker and Community Right-to-Know Act**  
Not listed.

**US. Pennsylvania Worker and Community Right-to-Know Law**  
Not listed.

**California Proposition 65**

Not listed.

**SECTION 16: Other information**

Issue date: 07/30/2019

Revision 1: 07/03/2024

Revision 2: 10/08/2024

**SECTION 17: Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.